

Social Routing

PROJECT AND SEMINAR

INSTITUTO SUPERIOR DE ENGENHARIA DE LISBOA

Authors:

Baltasar Brito

email: baltasar.brito@gmail.com

phone: 915953552

Bernardo Costa

email: bjmcosta97@gmail.com

phone: 913897555

Supervisor:

Pedro Félix

email: pedrofelix@cc.isel.ipl.pt

March 8, 2019

1 Introduction

The project consists of a system that provides the ability to define and share touristic pedestrian routes. It allows area exploration by using user made routes as virtual tour guides to other users. It has the following functionalities:

- Route creation.
- Ability to search routes.
- Route live tracking.
- Route updates.
- Route characterization.

2 Analysis

2.1 Use case example

In the context of the application, a route is a path from point A to point B, that goes through user selected sub paths that might either have relevance or simply provide the fastest way to the next point of interest of that route.

An example of events when using the application might be:

A user at his hotel decides he wants to go sightseeing for an hour and check the surrounding area by foot.

- The user starts the application and searches for a route inserting his location and time available to spend on a route.
- The application suggests the top 3 routes available according to proximity to the user starting point, route evaluation and time necessary to complete the given route.
- The user selects the route and is shown the directions in real time on a map that he has to follow to undergo such route until it is done.
- The user finishes the route and evaluates it, with the possibility of adding a suggestion to it.

2.2 Route Creation and Storage

The starting point of the application is route creation which has a direct impact on how a route is saved. When in route creation mode, the user will be able to see a map where he will be able to add pins to form a route. Each of the pins represents a pair of coordinates and together they form the path to follow. Here comes the first problem, should free pin placement be allowed? The solution is a duplicity of input modes, free placement and fixed placement. The first will be used when creating a route in a garden or rural area and the second when in a street (road filled) area. For free placement a line will be drawn directly to the next pin, when on fixed placement the Google Roads API will be used to form a perfect road type path instead of a line that crosses buildings and ignores curves.

2.3 Path to the Route

When a route is suggested to a user it must be had in consideration the distance to the starting point of such route, for a route is the existing one plus the distance to its beginning. Before suggesting a route to the user this must be taken into consideration, specially considering the user's time constraints. There might be a perfect route to such user that is situated 30min away and as such, when suggested, a path to the route must be built and suggested. To be considered also is the case where it's justifiable to include means of transportation to a

route, when walking would not be feasible due to the distance and a bus or train would.

2.4 Route Ordering


In a scenario where the user is closer to the end than the beginning of a route it might make more sense to start from the end. So an option to consider is to make the route available either in reverse or starting from a specific point of interest.

2.5 Route Group Chat

When a route is started the user is immediately added to that route's chat which gives him the possibility to engage in conversation with other users. Of course this is optional and one can chose to do the route alone but this enables another feature when used, the possibility of a guided route, or in other words, the pairing of local (regarding the place) users with foreign or unknowledgeable ones.

3 Project Structure

The project will be developed in three major components communicating with each other, separating concerns and business logic.



3.1 SQL Database

Used to store information regarding each user and created routes. The Social Routing API retrieves user information and is able to make better route suggestions to a user because of it. The technologies being considered are MySQL and SQLServer.

3.2 Social Routing API

This http API is responsible for receiving requests from the application component, getting the necessary information from the Database or external APIs and responding accordingly. It's in this API that the algorithm for suggesting routes is implemented, the application will only need to show what it received from the request. Considering the database relational model, the technologies being considered are java and kotlin with usage of the Spring Framework. The external APIs being used are from Google Maps Platform, namely the Google Maps and Google Roads APIs.

3.3 Android Application

In the application resides the visual component of the project, responsible for showing the routes and putting users in contact with each other. While it will require internet to be used, the application will have an offline mode, using persistent storage, to check the current route with no internet connection.

4 Timeline