


Sprint 3 : Retrieve Data From Multiple Tables (Practice)

/* Task 1 :

Fetch the names & IDs of the employees who are working in the IT department

***/**

```
select concat(first_name,' ',last_name) as Full_name,employee_id from employees
inner join departments using(department_id)
where department_name ='it';
```



The screenshot shows a database query result grid. The grid has two columns: 'Full_name' and 'employee_id'. The results are as follows:

Full_name	employee_id
Alexander Hunold	103
Bruce Ernst	104
David Austin	105
Valli Pataballa	106
Diana Lorentz	107

/* Task 2 :

Fetch the first_name,job ID,job title, minimum salary, and maximum salary of all employees

***/**

```
select first_name,employees.job_id,job_title,min_salary,max_salary from employees
inner join jobs using(job_id);
```

<					
Result Grid					
Filter Rows: <input type="text"/>					
Export:					
Wrap Cell Content:					
	first_name	job_id	job_title	min_salary	max_salary
▶	William	AC_ACCOUNT	Public Accountant	4200	9000
	Shelley	AC_MGR	Accounting Manager	8200	16000
	Jennifer	AD_ASST	Administration Assistant	3000	6000
	Steven	AD PRES	President	20000	40000
	Neena	AD_VP	Administration Vice President	15000	30000
	Lex	AD_VP	Administration Vice President	15000	30000
	Daniel	FI_ACCOUNT	Accountant	4200	9000
	John	FI_ACCOUNT	Accountant	4200	9000
	Ismael	FI_ACCOUNT	Accountant	4200	9000
	Jose Manuel	FI_ACCOUNT	Accountant	4200	9000

/* Task 3 :

Identify the top 10 cities wich have largest number of employees

*/

select count(*), city from employees

inner join departments using(department_id)

inner join locations using (location_id)

group by city

order by 1 desc

limit 10;

<		
Result Grid		
Filter Rows: <input type="text"/>		
	count(*)	city
▶	45	South San Francisco
	34	Oxford
	18	Seattle
	5	Southlake
	2	Toronto
	1	London
	1	Munich

/* Task 4 :


Fetch the employee IDs and names of all employees whose last working day (end date) in the organization was 1999-12-31

***/**

```
select employee_id,first_name,last_name,end_date from employees
```

```
inner join job_history using(employee_id)
```

```
where end_date='1999-12-31';
```



The screenshot shows a database interface with a 'Result Grid' tab. It displays the results of a SQL query. The grid has columns for employee_id, first_name, last_name, and end_date. Three rows are visible, corresponding to employees with IDs 114, 122, and 176, all of whom have an end date of 1999-12-31.

	employee_id	first_name	last_name	end_date
▶	114	Den	Raphaely	1999-12-31
	122	Payam	Kaufling	1999-12-31
	176	Jonathon	Taylor	1999-12-31

/* Task 5 :

Fetch the employee ID, first name, department name, and total experience (current date-hiring date) of all employees who have completed at least 25 years in the organization

***/**

```
select employee_id,first_name,department_name, (year(now())-year(hire_date)) as Total_Experience
```

```
from employees inner join departments
```

```
using(department_id)
```

```
where (year(now())-year(hire_date))>= 25;
```

<

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	employee_id	first_name	department_name	Total_Experience
▶	200	Jennifer	Administration	35
	201	Michael	Marketing	26
	202	Pat	Marketing	25
	114	Den	Purchasing	28
	115	Alexander	Purchasing	27
	116	Shelli	Purchasing	25
	117	Sigal	Purchasing	25
	203	Susan	Human Resources	28
	120	Matthew	Shipping	26
	121	Adam	Shipping	25

Result 20