

# DHIS 2 End-user Manual



---

© 2006-2016  
DHIS2 Documentation Team

Revision 1925  
Version 2.22 2016-04-07 09:45:18

Warranty: THIS DOCUMENT IS PROVIDED BY THE AUTHORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS MANUAL AND PRODUCTS MENTIONED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the source of this documentation, and is available here online: <http://www.gnu.org/licenses/fdl.html>.

1. Getting started with DHIS 2 as end-user .....	1
1.1. Getting started with DHIS2 .....	1
1.2. Opening DHIS 2 .....	1
1.3. Logging in and out of the application .....	1
1.4. Navigating the application .....	2
1.4.1. The top menu - access to the modules .....	2
1.4.2. Navigation inside modules .....	2
2. Data entry .....	5
2.1. Data entry with DHIS 2 .....	5
2.1.1. Selecting the data entry form .....	5
2.1.2. Entering data .....	6
2.1.3. Editing and deleting data .....	7
2.1.4. Validating data in the form .....	7
2.1.5. Offline data entry .....	7
2.1.6. Multi-organisation unit data entry .....	8
3. Using Data Quality functionality .....	9
3.1. Overview of data quality checks .....	9
3.2. Data quality checks .....	9
3.3. Running Validation Rule Analysis .....	9
3.4. Std Dev Outlier Analysis .....	10
3.5. Min-Max Outlier Analysis .....	12
3.6. Follow-Up Analysis .....	12
4. Using reporting functionality .....	13
4.1. Reporting functionality in DHIS 2 .....	13
4.2. Using standard reports .....	13
4.3. Using dataset reports .....	14
4.4. Using resources .....	15
4.5. Using reporting rate summary .....	15
4.6. Using organisation unit distribution reports .....	16
5. Using Pivot Table .....	17
5.1. Pivot Table overview .....	17
5.2. Selecting dimension items .....	17
5.3. Arranging the table layout .....	19
5.4. Using table options .....	20
5.5. Favorites and sharing .....	21
5.5.1. Managing favorites .....	21
5.5.2. Sharing pivot tables .....	21
5.6. Analysis integration .....	22
5.7. Downloading data .....	23
5.8. Constraints and tips .....	24
6. Using Data Visualizer .....	25
6.1. Data Visualizer overview .....	25
6.2. Selecting chart type .....	25
6.3. Selecting series, category and filter .....	26
6.4. Selecting indicators and data elements .....	27
6.5. Selecting reporting rates .....	27
6.6. Selecting fixed and relative periods .....	28
6.7. Selecting organisation units .....	28
6.8. Selecting organisation unit group sets and data element group sets .....	28
6.9. Selecting additional data dimensions .....	28
6.10. Selecting chart options .....	28
6.11. Displaying a chart .....	30
6.12. Downloading chart as image or PDF .....	30
6.13. Saving chart as favorite .....	30
6.14. Sharing interpretations .....	31
6.15. Embed charts in any web page .....	31
6.16. Analysis integration .....	31

6.17. Exiting the data visualizer module .....	32
7. Using GIS .....	33
7.1. GIS module overview .....	33
7.2. Thematic mapping .....	33
7.2.1. Event layer .....	34
7.2.2. Facility layer .....	35
7.2.3. Boundary layer .....	36
7.2.4. Thematic layer 1-4 .....	37
7.3. Tools .....	37
7.3.1. Favorite maps .....	38
7.3.2. Create predefined legend sets .....	38
7.3.3. Download map as image .....	38
7.3.4. Share map interpretation .....	39
7.3.5. Embed maps in any web page .....	39
7.3.6. Analysis integration .....	39
8. Dashboards .....	41
8.1. Setting up the dashboard .....	41
8.2. Managing the Dashboard .....	42
8.3. Dashboard Sharing .....	42
8.4. Messages and feedback .....	43
9. User profiles .....	45
9.1. User settings .....	45
9.2. User profile .....	45

# Chapter 1. Getting started with DHIS 2 as end-user

## 1.1. Getting started with DHIS2

After reading this chapter you will be able to understand:

- How to open the DHIS 2
- How to log in and out of the application
- How to navigate the application and access its features

## 1.2. Opening DHIS 2

The DHIS 2 is a web-based application and will be available in an Internet browser when you have Internet connection.


Open a browser, we recommend Google Chrome (download installer here: <http://www.google.com/chrome>) and in the address field you type in the URL of the DHIS 2 (ask your technical support team for this).

You will then see the login screen of DHIS 2.

## 1.3. Logging in and out of the application

Once you can see the blue login screen of DHIS 2 you must enter your user name and password to log in to the application. If the login is not successful you will be notified that the username or password is incorrect and asked to re-enter these credentials. Once you have successfully logged in you will see the DHIS Dashboard where you can immediately monitor the latest data in your selected charts and access your favourite DHIS sites (reports, maps etc).

When you have finished your DHIS 2 session we recommend that you log out before closing the browser. Use the log out link in the upper right corner and you will be returned to the log in screen.



**DHIS 2 Demo - Sierra Leone**

Welcome to the DHIS 2 demo application

**dhis2**

Sign in

Username

Password

Sign in

[Forgot password?](#)

[Create an account](#)

Log in with admin / district and feel free to do any changes - system is reset every night.

Powered by **DHIS 2**. Learn more at [dhis2.org](https://dhis2.org) [ Change language ]

## 1.4. Navigating the application

The DHIS 2 has two menu systems; the top menu, which houses areas for apps and the user profile, and the left side menu inside most modules to navigate between features inside each module.

The DHIS 2 symbol in the top left corner is a fast link to the user-defined start page, the home page. Often this is set to the dashboard module.

### 1.4.1. The top menu - access to the modules

DHIS2 consists of various apps (major components) which each have specific features, such as data entry, reporting, dashboard. You can access these from the top menu under Apps. Under profile, details relating to your user account, general user settings and information about DHIS2 can be found.

To move to a new app you need to move the mouse pointer to one of the top menu items, Apps or Profile, a sub-menu with additional items will then appear. Click on the item you would like to open.

### 1.4.2. Navigation inside modules

When you open most of the apps you will see the app main page which lists the major features in the middle of the screen with a short description. Simply click on the feature you would like to open.

When inside an app you will always see the left side menu with links to its features. Use this menu to jump between features. This is particular useful for navigation within the app.

The data entry and dashboard modules do not have a menu system as they only contain one feature, everything is in one page, so there is no need for a menu there.







# Chapter 2. Data entry

## 2.1. Data entry with DHIS 2

To open the data entry window hover over the Apps button. A drop down menu will appear listing the apps provided by DHIS 2. Click on the Data Entry option.

The data entry module is where aggregated data is manually registered in the DHIS 2 database. Data is registered for an organisation unit, a period, and a set of data elements (data set) at a time. A data set often corresponds to a paper-based data collection tool.

### 2.1.1. Selecting the data entry form

To start entering data the first step is to open the correct form by following these steps:

1. Locate the orgunit you want to register data for in the tree menu to the left. Expand and close branches by clicking on the +/- symbols. A quick way to find an orgunit is to use the search box just above the tree (the green symbol), but you need to write in the full name to get a match.
2. Select a data set from the dropdown list of data sets available to your selected orgunit.
3. Select a period to register data for. The available periods are controlled by the period type of the data set (reporting frequency). You can jump a year back or forward by using the arrows above the period.

By now you should see the data entry form. From a form design perspective, there are three types for forms: default forms, section forms and custom forms. If a custom form exists, it will be displayed, followed in order of precedence by a section form, and finally a default form.

**dhIS2** DHIS 2 Demo - Sierra Leone

Apps Profile

Sierra Leone

- Bo
  - Badjia
    - Ngelehun CHC**
      - Njandama MCHP
  - Baoma
  - Bargbe
  - Bargbo
  - Bumpe Ngao
  - Gbo
  - Jaiama Bongor
  - Kakua
  - Komboya
  - Lugbu
  - Niawa Lenga
  - Selenga
  - Tikonko
  - Valunia
  - Wonde
- Bombali
- Bonthe
- Kallahun
- Kambia
- Kenema
- Koinadugu

Data Entry ?

Ngelehun CHC - December 2014 - No Data Element Selected

Run validation

Print form

Print blank form

Organisation Unit: Ngelehun CHC

Data Set: Mortality < 5 years

Period: December 2014

Prev year Next year

default

Filter in section	Value
Accute Flaccid Paralysis (Deaths < 5 yrs)	
Animal Bites - Rabid (Deaths < 5 yrs)	
Cholera (Deaths < 5 yrs)	
Dysentery (Deaths < 5 yrs)	
Louse Borne Typhus - Relapsing fever (Deaths < 5 yrs)	
Malaria (Deaths < 5 yrs)	
Measles (Deaths < 5 yrs)	
Meningitis (Deaths < 5 yrs)	
Plague (Deaths < 5 yrs)	
Rabies (Deaths < 5 yrs)	
Tetanus Neonatal (Deaths < 5 yrs)	
Tetanus Other (Deaths < 5 yrs)	
Typhoid (Deaths < 5 yrs)	
Yellow Fever (Deaths < 5 yrs)	

Complete Incomplete Run validation


## 2.1.2. Entering data

Start entering data by clicking inside the first field and type in the value. Move to the next field using the Tab button. Shift+Tab will take you back one step. You can also use the "up" and "down" arrow keys, as well as the Enter key, to navigate between the form cells. The values are saved immediately and do not require to be saved at a later stage. A green field indicates that the value has been saved in the system (on the server).

**Input validation:** If you type in an invalid value, e.g. a character in a field that only accepts numeric values you will get a pop-up that explains the problem and the field will be coloured yellow (not saved) until you have corrected the value. If you have defined a min/max range for the field (data element+organisation unit combination) a pop-up message will notify you when the value is out of range, and the value will remain unsaved until you have changed the value (or updated the range and then re-entered the value).

**Disabled fields:** If a field is disabled (grey) it means that the field can and should not be filled. The cursor will automatically jump to the next open field.

**Data history:** By double-clicking on any input field in the form a data history window opens showing the last 12 values registered for the current field (organisation unit+data element +categoryoptioncombo) in a bar chart. This window also shows the min and max range and allows for adjusting the range for the specific organisation unit and data element combination.



**Follow Up:** In the data history window there is also a feature to tag or star a value. E.g. a suspicious value that needs further investigation can be kept in the system, but marked for Follow-Up. In the Data Quality module you can run a Follow-Up analysis and view all values marked for Follow-Up, and then later edit the values if proved incorrect.

**Audit trail:** The audit trail allows you to view other data values which have been entered prior to the current value. As an example, the following data element was changed from its original value to 120. The audit trail shows when the data value was altered along with which user made the changes.

Data element history		Audit trail	
On	Modified by	Value	Modification
2014-12-29 09:01	admin	120	Update
2014-12-29 09:00	admin	12	Update

### 2.1.3. Editing and deleting data


If you wish to enter data which has already been entered, simply replace the data entry value with the update values.

If you want to delete a data value completely, you should select the value of interest, and press "Delete" on your keyboard. If you enter a zero and the data element has been configured to not store zeros, the previous data value (i.e. the one you wish to modify) will not be overwritten with the new value. Therefore, it is better practice to delete the data value completely (waiting for the cell to turn green) and then to enter the new value.

### 2.1.4. Validating data in the form

When all the available values for the form has been filled in you can run a validation check on the data in the form. Click on the "Run Validation" button in the top right (at the beginning of the data entry page) or lower left (at the end of your data entry page) corner. All validation rules which involves data elements in the current form (dataset) will be run against the new data. Upon completion you will be presented with a list of violations or a simply a message that says "The data entry screen successfully passed validation". See the Data Quality chapter for information on how to define such validation rules.


When you have corrected any erroneous values and are done with the form the recommended practice is to click on the Complete button below the form to register the form as complete. This information is used when generating completeness reports for district, county, province or the national level.

Validation			
Validation Result 			
The data entry screen has the following validation errors, please correct			
Validation rule	Left side	Operator	Right side
Slept under LLIN at measles (fixed < 1y) cannot be higher than measles doses given (fixed < 1y)	7.0	<=	4.0


### 2.1.5. Offline data entry

The data entry module will function even if during data entry the Internet connectivity is not stable. In order to utilize this functionality, you must login to the server while Internet connectivity is present, but if during data entry, the Internet link between your computer and the server becomes unstable, data can still be entered into the data entry form, saved to your local computer, and then pushed to the server once the Internet connectivity has been restored. Data can be entered and stored locally while being offline and uploaded to the central server when on-line. This means that the on-line deployment strategy will be more viable in areas with unstable Internet connectivity. The total bandwidth usage is greatly reduced since forms no longer are retrieved from the server for each rendering.


When the server is able to be reached through the Internet connection, a message is displayed at the top of the data entry screen below.




If the Internet connection should disconnect for some reason during the data entry process, this will be detected by the application, and you will be informed that your data will be stored locally.



Data entry can proceed as normal. Once you have entered all of the necessary data, and the application detects that the server is back on-line, you will be informed that you have data which needs to be synchronized with the server.



Once the data has successfully synchronized with the server, you will receive a confirmation message that the data has been successfully uploaded to the server.



### 2.1.6. Multi-organisation unit data entry

In some scenarios it is beneficial to enter data for multiple organisation units in the same data entry form, for instance if there are few data elements in the form and a huge number of organisation units in the hierarchy. In that case you can enable multi-organisation unit data entry by going to "System settings" and tick the "Enable multi organisation unit forms" setting. Then, in data entry, select the organisation unit immediately above the organisation unit you want to enter for in the hierarchy. Note that this only work for the "section" based forms. You should now see the data elements appearing as columns and the organisation units appearing as rows in the form. Note that the data entry forms should still be assigned to the facilities that you actually enter data for, i.e. the organisation units now appearing in the form.

# Chapter 3. Using Data Quality functionality

The data quality module provides means to improve the accuracy and reliability of the data in the system. This can be done through validation rules and various statistical checks. All the functionality described below can be accessed from the left side menu in the Services->Data Quality module.

## 3.1. Overview of data quality checks

Ensuring data quality is a key concern in building an effective HMIS. Data quality has different dimensions including:

- **Correctness:** Data should be within the normal range for data collected at that facility. There should be no gross discrepancies when compared with data from related data elements.
- **Completeness:** Data for all data elements for all health facilities should have been submitted.
- **Consistency:** Data should be consistent with data entered during earlier months and years while allowing for changes with reorganization, increased work load, etc. and consistent with other similar facilities.
- **Timeliness:** All data from all reporting orgunits should be submitted at the appointed time.

## 3.2. Data quality checks

Data quality checking can be done through various means, including:

1. At point of data entry, the software can check the data entered to see if it falls within the min-max ranges of that data element (based on all previous data registered).
2. Defining various validation rules, which can be run once the user has finished data entry. The user can also check the entered data for a particular period and Organization Unit(s) against the validation rules, and display the violations for these validation rules.
3. Analysis of data sets, i.e. examining gaps in data.
4. Data triangulation which is comparing the same data or indicator from different sources.

## 3.3. Running Validation Rule Analysis

You can access Validation Rule Analysis from the Apps->Data Quality menu.

A validation rule is based on an expression which defines a relationship between a number of data elements. The expression has a left side and a right side and an operator which defines whether the former must be less than, equal to or greater than the latter. The expression forms a condition which should assert that certain logical criteria are met. For instance, a validation rule could assert that the total number of vaccines given to infants is less than or equal to the total number of infants.

The validation rule analysis function will test validation rules against the data registered in the system. Validation violations will be reported in cases where the condition defined through the validation rule expression is not met, i.e. the condition is false.

Selecting what data to validate:

First, enter a start date and an end date for which data should be included in the analysis. The date picker widget may be used to select dates.

Second, choose between including all validation rules or all validation rules from a single group.

Third, choose between including the selected organisation unit only or the selected organisation unit with all children in the analysis. Fourth, select the organisation unit. Finally, click validate.

Validation results:

The analysis process will run for a while depending on the amount of data that is being analysed. If there were no violations of the validation rules a message saying validation passed successfully is displayed.

If validation violations were found, they will be presented in a list. The organisation unit, period, left side description and value, operator, and right side value and description for each validation violation are displayed.

The show details icon can be clicked in order to get more information about a validation violation. This will open a popup screen that provides information about the data elements included in the validation rules and their corresponding data values. This information can be used in order to fix incorrect data.

The validation violations can be exported to a PDF document by clicking on the Download as PDF button, and to a Microsoft Excel workbook by clicking on the Download as Excel button.

Run validation ⓘ

Validation alerts - Baoma

Start date: 2015-09-01    Download as PDF    Download as Excel  
End date: 2015-09-30    Download as CSV    Done

25 values found

Organisation unit	Period	Importance	Validation Rule	Value	Operator	Value	Details
Baoma Station CHP	September 2015	Medium	Injectable Antibiotics balance + ordered quantity is lower than the average consumption for last 10 months. Please increase your order to an appropriate quantity.	20.0	>=	94.6	ⓘ
Baoma Station CHP	September 2015	Medium	ANC 3 cannot be higher than ANC 2	23.0	<=	11.0	ⓘ
Blamavo MCHP	September 2015	Medium	Injectable Antibiotics balance + ordered quantity is lower than the average consumption for last 10 months. Please increase your order to an appropriate quantity.	0.0	>=	156.2	ⓘ
Blamavo MCHP	September 2015	Medium	Slept under LLIN at measles (fixed < 1y) cannot be higher than measles doses given (fixed < 1y)	18.0	<=	6.0	ⓘ
Blamavo MCHP	September 2015	Medium	Exclusive breastfeeding at time of penta 3 (fixed < 1y) cannot be higher than penta 3 doses given (fixed < 1y)	7.0	<=	5.0	ⓘ
Blamavo MCHP	September 2015	Medium	Slept under LLIN at measles (outreach < 1y) cannot be higher than measles doses given (outreach < 1y)	16.0	<=	4.0	ⓘ
Blamavo MCHP	September 2015	Medium	Exclusive breastfeeding at time of penta 3 (outreach < 1y) cannot be higher than penta 3 doses given (outreach < 1y)	5.0	<=	3.0	ⓘ
Faabu CHP	September 2015	Medium	Injectable Antibiotics balance + ordered quantity is lower than the average consumption for last 10 months. Please increase your order to an appropriate quantity.	10.0	>=	69.2	ⓘ
Gerehun CHC	September 2015	Medium	Injectable Antibiotics balance + ordered quantity is lower than the average consumption for last 10 months. Please increase your order to an appropriate quantity.	46.0	>=	579.3	ⓘ
Golu MCHP	September 2015	Medium	ANC 2 cannot be higher than ANC 1	32.0	<=	13.0	ⓘ

### 3.4. Std Dev Outlier Analysis

You can access Outlier analysis from the Apps->Data Quality menu.

The standard deviation based outlier analysis provides a mechanism for revealing values that are numerically distant from the rest of the data. Outliers can occur by chance, but they often indicate a measurement error or a heavy-tailed distribution (leading to very high numbers). In the former case one wishes to discard them while in the latter case one should be cautious in using tools or interpretations that assume a normal distribution. The analysis is based on the standard normal distribution.

Select what data to analyse:

First, select the from and to date for the data to include in the analysis.

Second, select the data set from which to pick data elements from.

Third, select all or some of the data elements in the data set by double-clicking or marking them and clicking the add/remove buttons.

Fourth, select the parent organisation unit to use. All children of the organisation unit will be included.

Fifth, select the number of standard deviations. This refers to the number of standard deviations the data is allowed to deviate from the mean before it is classified as an outlier.

The screenshot shows the 'Std Dev Outlier Analysis' interface in DHIS2. The top navigation bar includes 'dhis2', 'DHIS 2 Demo - Sierra Leone', and user options 'Apps' and 'Profile'. The left sidebar contains a 'Validation Rule' section and a 'Data Analysis' section with links to 'Validation Rule Analysis', 'Std Dev Outlier Analysis', 'Min-Max Outlier Analysis', and 'Follow-Up Analysis'. The main content area is titled 'Std Dev Outlier Analysis' and includes a date range selector (From date: 2015-09-02, To date: 2015-09-30). Below this are two panels: 'Available data sets' and 'Selected data sets'. The 'Available data sets' panel has a search filter and a list of data sets including 'Child Health', 'Clinical Monitoring Checklist', 'EPI Stock', 'Facility Assessment', 'HIV Pediatric monthly summary', 'Inpatient Morbidity/Mortality Summary', 'Life-Saving Commodities', 'MNCH Quarterly Report', 'Morbidity', 'Mortality < 5 years', 'Mortality < 5 years Narratives', 'PMTCT monthly summary', and 'Population'. The 'Selected data sets' panel shows 'ART monthly summary'. Below these panels is a 'Select parent organisation unit' section with a list of units including 'Sierra Leone', 'Bo', 'Bonibali', 'Bonthe', 'Kailahun', 'Kambia', 'Kenema', 'Koinadugu', 'Kono', 'Moyamba', 'Port Loko', 'Pujehun', 'Tonkolili', and 'Western Area'. At the bottom, there is a 'Select number of standard deviations' dropdown menu set to '3.0'.

Analysis result:

The potential outlier values discovered will be presented in a list after the analysis process is finished. The data element, organisation unit, period, minimum value, actual value, and maximum value will be displayed for each outlier. The minimum and maximum values refer to the border values derived from the number of standard deviations selected for the analysis.

Each outlier value can be modified directly in the analysis result page. The value can be modified by clicking inside the corresponding field in the value column, entering a value and then navigate away from that field either by clicking tab or anywhere outside the field. The system will provide an alert if the value is still outside the defined minimum and maximum values, but the value will be saved in any case. The field will have a red background color if the value is outside the range, and a green if inside.

Each outlier value can be marked for further follow-up by clicking the star icon.

## 3.5. Min-Max Outlier Analysis

The min-max value based outlier analysis provides a mechanism for revealing values that are outside the pre-defined minimum and maximum values. Minimum and maximum values can be custom defined or automatically defined by the system in the data administration module. See the section about Std dev outlier analysis for further details on usage.

## 3.6. Follow-Up Analysis

The follow-up analysis function will list all data values which are marked for follow-up. A data value can be marked for follow-up in the data entry module and in the other validation analysis variants in this module. As can be seen in the screen shot below, simply select an organisation unit from the tree. All data values with a follow-up status will be displayed here for the descendants of the selected organisation unit.

Follow-Up Analysis ?

Select parent organisation unit

- Sierra Leone
  - Bo
    - Badjia**
    - Baoma
    - Bargbe
    - Bargbo
    - Bumpe Ngao
    - Gbo
    - Jalama Bongor
    - Makusa

10 values found

Download as PDF Download as Excel Download as CSV

Data element	Organisation unit	Period	Min	Value	Max	Mark
ART enrollment stage 1 (Male, <15y)	Ngelehun CHC	January 2014	1	12	23	★
BCG doses given (Fixed, <1y)	Ngelehun CHC	July 2014	0	11	0	★
Complicated deliveries in community live birth	Ngelehun CHC	January 2014	1	3	23	★
Fully Immunized child (Fixed, >1y)	Ngelehun CHC	April 2014	1	4	11111	★
LLITN given at ANC 1st (Fixed)	Ngelehun CHC	January 2014	5	90	70	★
LLITN given at Penta3 (Fixed, <1y)	Ngelehun CHC	July 2014	0	233	0	★
OPV1 doses given (Outreach, <1y)	Ngelehun CHC	June 2014	0	3	0	★
PCV1 doses given (Outreach, >1y)	Ngelehun CHC	July 2014	5	18	24	★
Weight for age between middle and lower line (yellow) (Fixed, <1y)	Ngelehun CHC	July 2014	0	20	0	★
Weight for height below 70 percent (Fixed, <1y)	Ngelehun CHC	July 2014	0	23	0	★



# Chapter 4. Using reporting functionality

## 4.1. Reporting functionality in DHIS 2

The reporting module in DHIS 2 provides a range of reporting alternatives, and this section will explain how to use them to view and analyse data. Another section explains how to configure and set up the various reporting tools.

**Standard reports:** Standard reports are built on pivot tables, but are more advanced in its design allowing for more cosmetics and styles. These reports can also combine multiple tables and charts in the same report and be made available as one-click reports that are very easy to use. These reports can be downloaded as PDF files which makes them ideal for printing as well as sharing offline.

**Dataset reports:** Dataset reports are simply a printer friendly way to look at the data entry forms with either raw or aggregated data (over time or place). The design used in data entry will be used also in the data set reports. This will work only for data sets that has a custom data entry form set up.

**Dashboard:** The fastest way to view your data. The dashboard can display up to four updated charts as well as shortcuts to your favourite reports, report tables, and map views. Each user can configure a personal dashboard.

**Data Visualizer:** Do flexible visualizations of your data as charts and data tables. Any number of indicators and data elements can be included. Several chart types are available, such as column, stacked column, line, area and pie charts. The charts can be saved in order to be easily retrieved later and can also be put on your personal dashboard. Charts can be downloaded as image and PDF files to your local computer.

**Orgunit distribution reports:** These reports are generated off the orgunit group set information and can show what types (and how many of each type) of health facilities that are located in a given area (any level in the hierarchy). These reports are automatically generated and display the information in both tables and charts, and downloads in PDF, excel, and CSV are available.

**Reporting rate summary:** These reports provide a nice overview of how many facilities that have submitted their data for a given dataset and period. Here you can get both the counts and the percentages showing the reporting rate for all or single data sets.

**Web-based pivot tables:** The built in pivot table tool is a web-based tool to display indicator data by orgunit and period in a typical pivot table view and allows for pivoting manipulations of the tables. It allows for large amounts of data to be downloaded offline for analysis as well.

**GIS:** Present and analyse your data using thematic maps. You can view both data elements and indicators and given that you have coordinates for all your orgunits you can drill down the hierarchy and view maps for all levels from country polygons to facility points. See the separate chapter on GIS for more details. All the map information is built into DHIS 2 and all you need to do is to register coordinates for your organisation units and the maps will be available.

## 4.2. Using standard reports

You access the available reports by navigating to Apps->Reports. In the report menu in the left bar, click Standard Report. A list of all pre-defined reports will appear in the main window.

Standard Report ?

Filter by name  Filter Clear Add new

Name

ANC: 1st Visit Cumulative Chart	► Create
ANC: Coverages This Year	↶ Sharing settings
ANC: Overview Report (HTML-based)	✍ Edit report
ANC: Visits This Year	🗑 Remove
Feedback: Indicator Report	ℹ Show details
Immunization: Overview (HTML-based vi	
Immunization: Raw data by district and chiefdom (SQL-based)	
Nutrition: Breastfeeding and malnutrition	

No. of pages: 1 No. of rows per page: 50 Jump to page: 1 Go

« « 1 » »

You run/view a report by clicking on the name of the report and then selecting "Create" from the contextual menu. If there are any pre-defined parameters, you will see a report parameter window where you must fill in the values needed for orgunit and/or reporting month, depending on what has been defined in the underlying report table(s). Click on "Get Report" when you are ready. The report will either appear directly in your browser or be available as a PDF file for download, depending on your browser settings for handling PDF files. You can save the file and keep it locally on your computer for later use.

### 4.3. Using dataset reports

Dataset reports are printer friendly views of the data entry screen filled with either raw or aggregated data. These are only available for data sets that have custom data entry forms and not for default or section forms.

You can access data set reports from Apps->Reports.

A Criteria window will appear where you fill in the details for your report:

Dataset: The data set you want to display.

Reporting period: The actual period you want data for. This can be aggregated as well as raw periods. This means that you can ask for a quarterly or annual report even though the data set is collected monthly. A data set's period type (collection frequency) is defined in data set maintenance. First select the period type (Monthly, Quarterly, Yearly etc.) in the drop down next to Prev and Next buttons, and then select one of the available periods from the dropdown list below. Use Prev and Next to jump one year back or forward.

Use data for selected unit only: Use this option if you want a report for an orgunit that has children, but only want the data collected directly for this unit and not the data collected by its children. If you want a typical aggregated report for an orgunit you do not want to tick this option.

Reporting Organisation unit: Here you select the orgunit you want the report for. This can be at any level in the hierarchy as the data will be aggregated up to this level automatically (if you do not tick the option above).

When you are done filling in the report criteria you click on "Generate". The report will appear as HTML in a printer-friendly format. Use the print and save as functions in the browser to print or save (as HTML) the report. You can also export the data set report in Excel and PDF formats.

## 4.4. Using resources

The resource tool allows you to upload both files from your local computer to the DHIS server and to add links to other resources on the Internet through URLs. If you want to share a direct link to the DHIS2 resources you can right click on the "view resource" button and copy the link address.

To create a resource click on the "Add new" button. Enter a name for the resource, then choose between uploading a file or external URL. If you chose file upload click "Choose file" and select your file your local computer. If you chose URL enter the link to the resource on the Internet. Then click "Save".

## 4.5. Using reporting rate summary

Access the reporting rate summary from the Apps->Reports menu. Reporting rate summaries will show how many datasets (forms) that have been submitted by organisation unit and period. There are two methods available to calculate reporting rates (completeness):

- Based on complete data set registrations. A complete data set registration refers to a user marking a data entry form as complete, typically by clicking the complete button in the data entry screen, hereby indicating to the system that she considers the form to be complete. This is i.e. a subjective approach to calculating completeness.
- Based on compulsory data element: You can define any number of data elements in a data set to be compulsory. This implies that data values must be captured for all data elements which have been marked as compulsory in order for the data set to be considered complete. This is i.e. an objective approach to calculating completeness.

The reporting rate summary will for each row show a range of measures:

- Actual reports: Indicates the number of data entry complete registrations for the relevant data set.
- Expected reports: Indicates how many data entry complete registrations are expected. This number is based on the number of organisation units the relevant data set has been assigned to (enabled for data entry).
- Percent: The percentage of reports registered as complete based on the number expected.
- Reports on time: Same as actual reports, only reports registered as complete within the maximum number of days after the end of the reporting period. This number of days after reporting period can be defined per data set in the data set management.
- Percent on time: Same as percentage, only reports registered as complete on time used as numerator.

To run the report you can follow these steps:

- Select an orgunit from the tree.
- Select one of the completeness methods to use to calculate the reporting rates.

Select all or one data set. All will give you a report with all data sets for the selected organisation unit. A single data set will give you a report with completeness for all children of the selected organisation unit.

- Select a period type and a period from the list of available periods for that period type. Move back/forward one year by using the prev/next buttons.
- The report will then be rendered. Change any of the parameters above and the report will be updated automatically.

## Reporting Rate Summary ?

**Organisation unit**  

Sierra Leone

☒ Based on complete data set registrations  
☐ Based on compulsory data elements  

Child Health

Quarterly 

Prev year

Next year

April - June 2014

Get report

[Show more options](#)  

Download as PDF

Download as Excel

Download as CSV

## Sierra Leone - Child Health - Apr to Jun 2014

Name	Actual Reports	Expected Reports	Percent	Reports On Time	Percent On Time
Moyamba	270	282	95.7	270	95.7
Bombali	284	297	95.6	284	95.6
Kenema	348	366	95.1	348	95.1
Kailahun	217	231	93.9	217	93.9

## 4.6. Using organisation unit distribution reports

You can access the Orgunit Distribution reports from the left side menu in the Apps->Reports.

Orgunit distribution reports are reports that show how the orgunits are distributed on various properties like type and ownership, and by geographical areas.

The result can be presented in a table-based report or in a chart.

Running a report:

To run a report first select an orgunit in the upper left side orgunit tree. The report will be based on orgunits located under the selected orgunit. The select the orgunit group set that you want to use, typically these are Type, Ownership, Rural/Urban, but can be any user-defined orgunit group set. The you can click on either Get Report to get the table-based presentation or Get chart to get the same result in a chart. You can also download other format such as PDF, Excel and CSV.

## Organisation unit distribution report ?

**Report organisation unit**  

Sierra Leone

Bo

Bombali

Bonthe

Kailahun

Kambia

Kenema

Koinadugu

Kono

Moyamba

Port Loko

Pujehun

**Select group set.**

Facility Ownership

Get report

Get chart

Download as PDF

Download as Excel

Download as CSV

# Chapter 5. Using Pivot Table

## 5.1. Pivot Table overview

The pivot table app enables users to create pivot tables, using all available data dimensions in DHIS 2. A pivot table is a dynamic tool for data analysis which lets you quickly summarize and arrange data according to its dimensions. Examples of data dimensions in DHIS 2 are data dimension itself (e.g data elements, indicators and events ), periods (representing the time period for which the data represents) and the organisational hierarchy (representing the geographical location of the data). From these dimensions you can freely select dimension items to include in the pivot table. Additional dimensions can be created in DHIS2, using the group set functionality, to allow for different aggregation pathways, such as aggregation by "Partner" or facility type.

A pivot table can arrange data dimensions on columns, rows, and as filters. When you place a data dimension on columns, the pivot table will display one column per dimension item. If you place multiple data dimensions on columns, the pivot table will display one column for all combinations of the items in the selected dimensions. When you place a data dimension on rows, the pivot table will display one row per dimension item in a similar fashion. The dimensions you select as filters will not be included in the pivot table, but will aggregate and filter the table data based on the selected filter items.

The work-flow for creating a simple pivot table is:

1. Select dimension items in the left menu, for instance a few data elements or indicators.
2. Click "Layout" on the top menu and arrange the data dimensions as columns, rows, and filters. You can leave the selection as it is if desired.
3. Click "Update".

Based on the demo database, a pivot table approximately as below will be displayed. Notice how indicators are listed on columns and periods as rows.

Periods / Data	BCG doses given	Fully immunized child	Measles doses given	OPV3 doses given	Penta3 doses given	Total
October 2014	16 691	14 065	15 763	14 006	14 106	74 631
November 2014	17 400	14 812	16 679	15 866	16 034	80 791
December 2014	13 634	11 743	11 798	10 292	10 812	58 279
January 2015	20 031	14 579	16 379	14 446	14 646	80 081
February 2015	20 483	15 732	18 208	15 992	16 245	86 660
March 2015	19 396	16 200	17 563	15 304	15 600	84 063
April 2015	20 410	15 526	17 422	15 335	15 790	84 483
May 2015	22 402	17 765	19 386	16 711	17 191	93 455
June 2015	23 243	15 762	17 875	16 143	16 601	89 624
July 2015	21 589	15 705	17 063	16 741	16 622	87 720
August 2015	20 485	17 499	19 144	18 024	18 247	93 399
September 2015	21 130	17 841	19 645	17 924	18 108	94 648
<b>Total</b>	<b>236 894</b>	<b>187 229</b>	<b>206 925</b>	<b>186 784</b>	<b>190 002</b>	<b>1 007 834</b>

## 5.2. Selecting dimension items

The left menu will list sections for all available data dimensions. From each section you can select any number of dimension items. As an example, you can open the section for data elements and select any number of data elements from the available list. You can select an item by marking it and clicking on the arrow in the section header or simply double-clicking on the item. Before you can use a data dimension in your pivot table you must at least select one dimension item. If you arrange a dimension as columns or rows but do not select any dimension items, the dimension will be ignored.

At least one member of the data dimension is required for all pivot tables. Available types include the following:

- Indicators

- Data elements
- Reporting rates
- Event data items
- Program indicators

These dimensions can be combined together, so that you can display for instance aggregate data with reporting rates, or event data items together with program indicators, all in the same pivot tables. For the "data element" data dimension, you are also able to select "Totals" and "Details", which will allow you to view different category combination options together on the same pivot table.

For the period dimension you can choose between using fixed periods or relative periods. An example of a fixed period is "January 2012". To select fixed periods start by selecting a period type from the period type list. You can then select periods from the list of available periods.

Relative periods are periods relative to the current date. Examples of relative periods are "Last month", "Last 12 months", "Last 5 years". Relative periods can be selected by ticking the check-boxes next to each period. The main advantage of using relative periods is that when you save a pivot table favorite, it will stay updated with the latest data as time goes by without the need for constantly updating it.

For the organisation unit dimension you can select any number of organisation units from the hierarchy. To select all organisation units below a specific parent organisation unit, right click and click "Select all children". To manually select multiple organisation units, click and hold the Ctrl button while clicking on organisation units. You can tick "User org unit", "User sub-units" or "User sub-x2-units" in order to dynamically insert the organisation unit or units associated with your user account. This is useful when you save a pivot table favorite and want to share it with other users, as the organisation units linked with the other user's account will be used when viewing the favorite.

Dynamic dimensions can consist of organisation unit group sets, data element group sets, or category option group sets which have been configured with the type of "Disaggregation". Once the group sets have been configured, they will be come available in the pivot tables,


and can be used as additional analysis dimensions, for instance to analyze aggregate data by Type of organisational unit or Implementing partner. Dynamic dimensions work the same as fixed dimensions.

### Tip

Some dynamic dimensions may contain many members. This can cause issues with certain browsers due to the length of the URL when many dimension members are selected. A special "All" checkbox is available for dynamic dimensions, which allows you to include all available dimensions implicitly in your pivot table, without specifying each and every dimension member.

## 5.3. Arranging the table layout

After selecting data dimensions it is time to arrange your pivot table. Click "Layout" in the top menu to open the layout screen. In this screen you can position your data dimensions as table columns, rows or filters by clicking and dragging the dimensions from the dimensions list to the respective column, row and filter lists. You can set any number of dimensions in any of the lists. For instance, you can click on "Organisation units" and drag it to the row list in order to position the organisation unit dimension as table rows. Note that indicators, data elements and data set reporting rates are part of the common "Data" dimension and will be displayed together in the pivot table. For instance, after selecting indicators and data elements in the left menu, you can drag "Organisation Unit" from the available dimensions list to the row dimension list in order to arrange them as rows in the pivot table.



Excluded dimensions	Report filter	Column dimensions
Assigned categories		Data
Facility Ownership		
Funding Agency		
Gender		

Row dimensions
Periods
Organisation units

Hide    Update

After you have set up your pivot table you can click "Update" to render your pivot table, or click "Hide" to hide the layout screen without any changes taking effect. Since we in our example

have selected both the period and organisation unit dimension as rows, the pivot table will generate all combinations of the items in these dimensions and produce a table like this:

Periods	Organisation units / Data	BCG doses given	Fully immunized child	Measles doses given	OPV3 doses given	Penta3 doses given	Total
June 2015	Bo	2 405	1 427	1 512	1 535	1 544	8 423
	Bombali	1 585	1 168	1 228	1 183	1 200	6 364
	Bonthe	779	472	515	541	534	2 841
July 2015	Bo	4 769	3 067	3 255	3 259	3 278	17 628
	Bombali	2 255	1 351	1 382	1 559	1 492	8 039
	Bonthe	1 438	1 219	1 252	1 300	1 303	6 512
August 2015	Bo	650	597	623	593	560	3 023
	Bombali	4 343	3 167	3 257	3 452	3 355	17 574
	Bonthe	2 283	2 092	2 148	2 127	2 073	10 723
September 2015	Bo	1 613	1 255	1 332	1 318	1 318	6 836
	Bombali	792	621	650	641	667	3 371
	Bonthe	4 688	3 968	4 130	4 086	4 058	20 930
Total	Bo	2 392	1 508	2 067	1 732	1 737	9 436
	Bombali	1 526	1 344	1 432	1 337	1 403	7 042
	Bonthe	615	792	684	622	651	3 364
	Total	4 533	3 644	4 183	3 691	3 791	19 842
	Total	18 333	13 846	14 825	14 488	14 482	75 974

## 5.4. Using table options

Several table options are available when working with a pivot table. Open the options screen by clicking on "Options" in the top menu. The following options are available:

- **Show column/row totals:** Display total values in the table for each row and column, as well as a grand total for all values in the table.
- **Show column/row sub-totals:** Display subtotals in the table for each dimension. In the screenshot above, notice how subtotals are generated for each of the periods in the period dimension. Note that subtotals will be hidden for columns or rows if there is only one selected dimension, as the values in that case are equal to the subtotals.
- **Show dimension labels:** Show the dimension names as part of the pivot tables.
- **Hide empty rows:** Hides empty rows from the table, which is useful when looking at large tables where a big part of the dimension items do not have data in order to keep the table more readable.
- **Skip Rounding:** Skips the rounding of data values, offering the full precision of data values. Can be useful for finance data where the full dollar amount is required.
- **Aggregation type:** The default aggregation operator can be over-ridden here, by selecting a different aggregation operator, e.g. "Count", "Min" or "Max".
- **Show hierarchy:** Shows the name of all ancestors for organisation units, e.g. "Sierra Leone / Bombali / Tamabaka / Sanya CHP" for Sanya CHP. The organisation units are then sorted alphabetically which will order the organisation units perfectly according to the hierarchy.
- **Include only completed events:** Only include completed events in the aggregation process. This is useful e.g. to exclude partial events in indicator calculations
- **Display density:** Controls the size of the cells in the table. Can be set to "comfortable", "normal" and "compact". The "compact" option is handy in order to fit large tables into the browser screen.
- **Font size:** Controls the size of the table text font. Can be set to "large", "normal" and "small".
- **Digit group separator:** Controls which character to separate groups of digits or "thousands". Can be set to "comma", "space" and "none".
- **Legend set:** Shows a color indicator next to the values. Currently the GIS legend sets are being used.

Once you have set all options as are required, just press "Update" to generate the new pivot table.




## 5.5. Favorites and sharing

### 5.5.1. Managing favorites


When you have set up a pivot table it is convenient to save it as a favorite. To do so, click "Favorites" on the top menu, click "Add new", give the favorite a descriptive name and click "Create". You can search for favorites through the search input field at the top. To load an existing favorite, simply click the name of the favorite in the list.

To rename a favorite, click the grey "Rename" icon next to the favorite in the list, change the name and click "Update". To overwrite an existing favorite with the current pivot table, click the green "Overwrite" icon. To share a favorite with everyone or a user group, click the blue "Share" icon. To delete a favorite, click the red "Delete" icon.



### 5.5.2. Sharing pivot tables

After you have created a pivot table and saved it as a favorite, it is possible to share the pivot in different ways. Click "Share" to reach the menu presented in the screen shot below.



- Write interpretation: Allows you to create an interpretation of the pivot table and share it with all users of the system.

For certain analysis-related resources in DHIS, like pivot tables, charts and maps, one can share a data interpretation. An interpretation is simply a link to the relevant resource together with a text expressing some insight about the data. If you want to share a pivot table interpretation you need to first save the table you want to share as a favorite. Then, without making any changes to the table, click the "Share" button the toolbar. A window will open up and this is where you write your interpretation. When you are done, click share button in the bottom right corner of the window. The window will close automatically and if the interpretation was shared successfully you will find a notification on the bottom toolbar.


- **Embed in web page:** This option will generate a HTML fragment which can be used to display the pivot table in an external web page.

Certain analysis-related resources in DHIS, like pivot tables, charts and maps, can be embedded in any web page by using a plugin. If you have created a table in the Pivot Table app you will get the plug-in configuration for this table by clicking the "Share" button the tool bar and then "Embed as webpage". You will find more information about the plugins in the web api chapter.

- **Favorite link:** Provides a URL for the favorite. This can then be easily shared with other users or colleagues via email or chat.
- **API Link:** Provides a URL of the API resource. By default this is a HTML resource, but by modifying the suffix of ".html" to ".json" or ".csv", other data types are available. This option is most useful when you need an API link to the pivot table resource. Consult the DHIS2 developers guide for details about the different types which are available.

## 5.6. Analysis integration

The analysis apps in DHIS 2 are completely integrated, so you can easily switch between pivot table, chart and map visualization of your data. When you have made a pivot table you can click e.g. "Chart" in the top right corner and then select "Open this table as chart".



If you just want to visualize a small part of your pivot table as a chart, you can click directly on a value in the table instead. A menu will appear. If you mouse hover the "Open selection as chart" option you can see that some of the dimension headers in the table are highlighted, indicating what data will be visualized as a chart.

<<< Update		Layout ▾	Options ▾	Favorites ▾	Download ▾	Share ▾
		BCG doses given	Penta1 doses given	Fully Immunized child	Measles	
July 2013	Bo	2 044	1 868	1 351		
	Bombali	1 438	1 757	1 219		
	Bonthe	650	702	597		
	Kailahun	1 269	1 317	977		
		5 401	5 644	4 144		
August 2013	Bo	2 132	2 434	1 977		
	Bombali	1 613	1 711	1 255		
	Bonthe	792	769	621		
	Kailahun	1 340	1 459	1 188		
		5 877	6 373	5 041		
September 2013	Bo	2 243	1 865	1 460		
	Bombali	1 526	1 726	1 344		
	Bonthe	615	763	792		
	Kailahun	1 164	1 214	1 201		
		5 548	5 568	4 797		
Total		16 826	17 585	13 982		

## 5.7. Downloading data


You can download the data in the current pivot table by clicking on "Download" in the top menu. The data can be downloaded in various formats including Microsoft Excel, CSV, HTML. The data table will have one column per dimension and contain names of the dimension items. You can easily create a pivot table in Microsoft Excel from the downloaded Excel file by clicking on "pivot table" in the top panel, then clicking on "create pivot table", then marking the data range in the spreadsheet before clicking "OK".u can

Data can also be downloaded in JSON, XML, Excel, and CSV as plain data formats with different identification schemes (ID, Code, and Name). The data document will use identifiers of the dimension items and will be opened in a new browser window in order to reveal the URL of the request to the Web API in the address bar. This will be useful for developers of apps and other client modules based on the DHIS 2 Web API or for those who require a plan data source, for instance for import into statistical packages.

For advanced users, two additional options are available under "Advanced". JXRML will produce a template of a Jasper Report which can be further customized based on your exact needs and used as the basis for a standard report in DHIS2. The "Raw data SQL" will provide the actual

SQL statement used to generate the pivot table. This could then be used as a data source in a Jasper report, or as the basis for an SQL view.

Lastly, the pivot table app allows you to download data in CSV format directly without first rendering the data in the Web Browser. This will help overcome any constraint in the system settings that has been set in regards to the maximum number of analytic records. This allows for much larger batches of data to be downloaded and used for later offline analysis. This can be done by clicking on the arrow beside the update button.



## 5.8. Constraints and tips

When selecting and arranging dimensions there are a few constraints that apply. All of these constraints are validated and the pivot table module will provide feedback if any constraint is violated.

- At least one dimension must be selected on columns or rows.
- At least one period must be included in the pivot table.
- Data element group sets and reporting rates cannot appear in the same pivot table.
- A table cannot contain more than the maximum number of analytics records which have been specified through the system settings. The maximum number of records could also be constrained by the maximum RAM which is available to your browser. Considering making more smaller tables, instead of one table which displays all of your data elements and indicators together.



### Tip

Pivot tables in DHIS2 are limited to a system set parameter, which controls the number of data values which can be returned. The reason for this is two fold. First, it would be easy to overwhelm the server with a very complicated request for a large pivot table. Second, the amount of data which is able to be rendered in a browser is fairly limited. If you are having problems with very large or complex tables, consider to try and reduce the number of items. It is usually more useful to have smaller, concise tables which are easier to understand and which address a particular analysis.


# Chapter 6. Using Data Visualizer

## 6.1. Data Visualizer overview

The data visualizer module enables users to easily create dynamic data analysis and visualizations through charts and data tables. You can freely select content (like indicators, periods and organisation units) for your analysis. This module can be accessed by selecting Data Visualizer from the app menu. The image below shows the viewport of the module. For a quick start:

1. Look under the "Data" heading and select an indicator group from the list of groups.
2. Look under "Available indicators" and select a few indicators from the list by double-clicking on them.
3. Click "Update" in the top bar and see the chart unfold.

The data visualizer is designed firstly to be easy-to-use - you can simply select the indicators, data elements, periods and organisation units you want to include and click "Update" to get your visualization. Secondly it is designed to be fast and work well over poor Internet connections - charts are generated in the web browser and very little data is transferred over the Internet.



## 6.2. Selecting chart type

The visualizer module provides nine different chart types, each with different characteristics. You can select the type of your chart by clicking on one of the icons in top left bar titled "Chart type".

1. Column chart: Chart which displays information as vertical rectangular columns with lengths proportional to the values they represent. Useful e.g. for comparing performance of different districts.
2. Stacked column chart: Chart with vertical rectangular columns where bars representing multiple categories are stacked on top of each other. Useful e.g. for displaying trends or sums of related data elements.
3. Bar chart: Same as column chart, only with horizontal bars.

4. Stacked bar chart: Same as stacked column chart, only with horizontal bars.
5. Line chart: Graph which displays information as a series of points connected by straight lines. Also referred to as time series. Useful e.g. to visualize trends in indicator data over multiple time periods.
6. Area chart: Chart which is based on line chart, with the space between the axis and the line filled with colors and the lines stacked on top of each other. Useful for comparing the trends of related indicators.
7. Pie chart: Circular chart divided into sectors (or slices). Useful e.g. to visualize the proportion of data for individual data elements compared to the total sum of all data elements in the chart.
8. Radar chart: Displaying multivariate data on axes starting from the same point. Also known as spider chart.
9. Speedometer Chart: Semi-circle chart which displays values out of 100%. Sometimes referred to as a gauge chart.

### 6.3. Selecting series, category and filter

The series, category and filter can be defined by selecting the "Layout" option in the data visualizer app.

Chart layout		
Excluded dimensions	Report filter	Series dimensions
Assigned categories	Organisation units	Data
	Category dimensions	
	Period	

Hide
Update


This section lets you define which dimension of the data you want to appear as series, category and filter by dragging and dropping these options to the appropriate space. Only one dimension can be in each section.

This asks for a closer explanation. Dimension in this regard refers to the elements which describe the data values in the system. We have three main dimensions in the system:

1. Data: Includes data elements, indicators and datasets (reporting rates), describing the phenomena or event of the data.
2. Periods: Describes when the event took place.

### 3. Organisation units: Describes where the event took place.

The visualization module lets you use these dimensions completely flexible in terms of appearing as series, categories and filter. Understanding these concepts is most easily done by looking at the screenshot from the opening page below:



More formally this can be described as following:

1. Series: A series is a set of continuous, related elements (e.g. periods or data elements) which you want to visualize in order to emphasize trends or relations in its data.
2. Categories: A category is a set of elements (e.g. indicators or organisation units) for which you want to compare its data.
3. Filter: Since most charts are two-dimensional, a filter must be used on the third dimension in order to use only a single element for the chart to become meaningful.

## 6.4. Selecting indicators and data elements

The visualizer module can display any number of indicators and data elements in a chart and data table. Both indicators and data elements can be selected and appear together in the same chart, with their order of appearance the same as the order in which they are selected. You can select indicators by choosing Indicators from the "Data" header and selecting an indicator group from the list of groups below it. This will make the indicators in the selected group appear in the list under "Available indicators" to the left. From that list you can double click on any indicator in order to select it, this will move it to the list under "Selected indicators". Alternatively you can mark one or more indicators and click the single-arrow button. To select all indicators you simply click on the double-arrow button. To deselect indicators you can do correspondingly in the "Selected indicators" list.

To select data elements choose Data Elements from the "Data" header. The same principle for selecting and deselecting indicators applies for data elements.

## 6.5. Selecting reporting rates

The visualizer can display reporting rates in a chart, by itself or together with indicators and data elements. Reporting rates can be selected by choosing Reporting Rates from the "Data" header. Reporting rates are defined by data sets. It can be selected by double-clicking in the list of available data sets to the left.

## 6.6. Selecting fixed and relative periods

Click on the "Periods" header. For fixed periods, select a period type from the combo box. You can select any number of fixed periods from any period type. Below the fixed period you will find the relative period checkboxes and you may select as many as you like. The names should be fairly self-descriptive and they are relative to the current date, meaning that if the current month is March and you select "Last month", the month of February will be included in the chart. You are also free to combine fixed periods and relative periods in the same chart. Overlapping periods will be filtered so that they only appear once.

## 6.7. Selecting organisation units

You can select which organisation units to include in the chart by clicking the "Organisation units" header. This section features three ways of selecting organisation units, which can be selected by clicking on the gear icon directly below the organisation units header. The default mode is called "Organisation units" and lets you select the organisation units you want to appear in the chart from the tree. This mode also features three checkboxes. Checking "User org unit" will disable the organisation unit tree and give you the organisation unit that is related to the current/logged in user instead. This is also useful for administrators as they can create a meaningful "system" favorite with this option checked and all users will find their respective organisation unit when they open it. The the same concept goes for "User sub-units" and "User sub-x2-units". The second mode is called "Select levels". Here you can select all organisation units at one or more levels. However, at the same time you also have the option to select parent organisation units in the tree, which makes it easy to select e.g. all facilities inside one or more districts. The same thing goes for the third mode called "Select groups". Here you can select all organisation units inside one or more groups and parent organisation units at the same time.

## 6.8. Selecting organisation unit group sets and data element group sets

Dimension tabs listed below "Organisation units" are organisation unit group sets and data element group sets. You are free to add groups from any of these group sets to your chart. Remember to add the group set in either the series, category or filters combobox.

## 6.9. Selecting additional data dimensions

Following the organisation unit group sets and data element group sets additional data dimensions which have been configured to be used in analysis are found. Here you can add dimensions such as age, sex, etc. without having to add them in as detailed data element selections. This is useful when you want to separate these categories in your analysis.

## 6.10. Selecting chart options

You can set various chart options by clicking on the "Options" button the chart toolbar.



**Chart options**

**Data**

☒ Show values

☐ Hide empty category items

☐ Show trend lines

Target value / title:  Target

Base value / title:  Base

Sort order: None

Aggregation type: By data element

**Events**

☐ Include only completed events

**Axes**

Range axis min/max:

Range axis tick steps:

Range axis decimals:

Range axis title:

Domain axis title:

**General**

☐ Hide chart legend

☐ Hide chart title

Chart title:

Hide Update

- **Show values:** Shows the values above the series in the chart.
- **Hide empty category items:** Hides category items with no data from the chart.
- **Show trend lines:** The trend line will visualize how your data evolves over time - e.g. is performance improving or deteriorating. Makes sense when periods are selected as category.
- **Target line value/title:** Displays a horizontal line at the given domain value. Useful e.g. when you want to compare your performance to the current target.
- **Base line value/title:** Displays a horizontal line at the given domain value. Useful e.g. when you want to visualize how your performance has evolved since the beginning of a process.
- **Sort order:** Allows you to sort the values on your chart from either low to high or high to low.
- **Aggregation Type:** Defines how the data elements or indicators will be aggregated within the chart.
- **Include only completed events:** All analysis apps provides an option for only including completed events in the aggregation process. This is useful e.g. to exclude partial events in indicator calculations
- **Range axis max/min:** Defines the maximum and minimum value which will be visible on the range axis.
- **Range axis tick steps:** Defines the number of ticks which will be visible on the range axis.
- **Range axis decimals:** Defines the number of decimals which will be used for range axis values.
- **Range axis title:** Displays a label next to the range axis (also referred to as the Y axis). Can give context information to the chart, e.g. the unit of measure being used.

- Domain axis title: Displays a label below the domain axis (also referred to as the X axis). Can give context information to the chart, e.g. the type of periods being listed.
- Hide chart legend: Hides the legend and leaves more room for the chart itself.
- Hide chart title: Hides the title of your chart.
- Chart title: Type any title you like and it will appear above the chart.

## 6.11. Displaying a chart

You can display a chart based on your selections simply by clicking the "Update" button on the top centre menu. This requires that you have selected one or more elements from all of the three dimensions - data (indicators, data elements, reporting rates), periods (relative, fixed) and organisation units (units or groups). Note that "Last 12 Months" from the period dimension and the root organisation unit are selected by default.

Notice that you can hide and show individual data series in the chart by clicking directly on the series label in the chart - they appear either at the top or to the right of the chart.

If you want to give the chart more space on your screen you can click on the triple left-arrow button on the top centre menu. This will collapse the left side menu. You can get this menu back by clicking on the same button again.

## 6.12. Downloading chart as image or PDF


After you have rendered a chart you can download it to your local computer as an image or pdf by clicking on "Download" on the top centre menu. The file will be automatically downloaded to your computer - for instance can you now embed the image file into a text document as part of a report. You can also download the data source behind the chart in json, xml, csv or Microsoft Excel format.

For advanced users, two additional options are available under "Advanced". JXRML will produce a template of a Jasper Report which can be further customized based on your exact needs and used as the basis for a standard report in DHIS2. The "Raw data SQL" will provide the actual SQL statement used to generate the data visualization. This could then be used as a data source in a Jasper report, or as the basis for an SQL view

## 6.13. Saving chart as favorite

Once you have rendered a chart you can save it as a favorite to be able to access it easily at a later point. Click on the "Favorites" button on the top menu to open up the favorites window. Click "Add new" and in the name field enter the desired name for your chart. The chart will be visible only to yourself. For every favorite in the list you have four options to the right. You can rename the chart (grey button), overwrite the chart (green button), modify the sharing settings of the chart (blue button) or delete the chart (red button).

These favorite charts can later be included on your personal dashboard. After saving you can navigate to the dashboard module, click on the "Insert" link over the chart areas and select your preferred chart.



## 6.14. Sharing interpretations


For certain analysis-related resources in DHIS, like pivot tables, charts and maps, one can share a data interpretation. An interpretation is simply a link to the relevant resource together with a text expressing some insight about the data. If you want to share a chart interpretation you need to first save the chart you want to share as a favorite. Then, without making any changes to the chart, click the "Share" button the toolbar. A window will open up and this is where you write your interpretation. When you are done, click share button in the bottom right corner of the window. The window will close automatically and if the interpretation was shared successfully you will find a notification on the bottom toolbar.

## 6.15. Embed charts in any web page

Certain analysis-related resources in DHIS, like pivot tables, charts and maps, can be embedded in any web page by using a plugin. If you have created a chart in the Data Visualizer you will get the plugin configuration for this chart by clicking the "Share" button the toolbar and then "Embed as plugin". You will find more information about the plugins in the web api chapter.

## 6.16. Analysis integration

The analysis apps in DHIS 2 are completely integrated, so you can easily switch between pivot table, chart and map visualization of your data. When you have made a chart you can click e.g. "Map" in the top right corner and then select "Open this table as map".



## 6.17. Exiting the data visualizer module

If you want to exit the module and go back to the DHIS start page you can click on the "Home" button to the right side of the top centre menu.

# Chapter 7. Using GIS

## 7.1. GIS module overview

You can access the GIS module from the Apps -> GIS link in the top menu. The picture below shows the GIS viewport.



In the top right corner there is a panel called "Layer overview". If you are online you will see Google Streets and Google Hybrid which can be used as background maps/layers. Switch between the two of them by checking the checkbox. By unchecking the box you can hide the background completely. If you want to see the background, but with reduced opacity, you can set the visibility to something lower than 100% in the numberbox to the right. The final four layers are the vector layers which the user has at his disposal for thematic mapping (explained in the next section). The panels below hold the map legends when you create a thematic map. A legend explains the link between values and colors on your map.

Lets take a look at the map toolbar. The four icons from the left represent the mentioned vector layers and this is the starting point of the GIS application. Further to the right we have "Favorites": Save your maps to easily restore them later. Saving a map as a favorite also gives you the opportunity of sharing it with other users as an interpretation or put it on the dashboard. "Legend": Create you own legend sets to ensure meaningful maps. "Download": Export the maps as a PNG image. "Share": Share your favorites as map interpretations with other users.


In the top right corner of the map viewport you find four buttons: "Zoom in", "zoom out", "zoom to visible extent" (automatically adjusts the zoom level and map center position to put the data on your map in focus) and "measure distances".

The current longitude/latitude position of the mouse cursor is displayed in the bottom right corner of the map viewport.

## 7.2. Thematic mapping

This section describes the four vector layers which the user has at his disposal for thematic mapping: "Event Layer", "Facility layer", "Boundary layer" and "Thematic layer" 1-4.

## 7.2.1. Event layer



The purpose of the event layer is to display the geographical location of events registered in the DHIS 2 tracker. This layer enables you to drill down from the aggregated data displayed in the thematic layers to the underlying individual events or cases.


To work with this layer, click the event layer icon on the map toolbar and select "Edit layer". Select a program and then select a program stage. If there is only one stage available for the selected program, the stage will be automatically selected. A list of data elements and attributes will appear in the "Available data elements" panel. You are free to select and use any data element or attribute from this list as part of your query. To select you can either double-click a data element or (multi) select and use the single-arrow downward button. The double-arrow button will select all data elements in the list. All selected data elements will get their own row in the "Selected data elements". You can also use an element multiple times in your query by clicking the + button. For data elements of type text you will get two choices: "Contains" implies that the query will match all values which contains your search value, and "Is exact" implies that only values which is completely identical to your search query will be returned. For data elements of type option set, you can select any of the options from the drop down box by using the down-wards arrow or by start typing directly in the box to filter for options.

The event layer also requires you to select the time span for when the events took place using the "start date" and "end date" date pickers under the "Periods" section, as well as the organisation units to include in the query under the "Organisation units" section.

To get information for an event you can simply click on it. This will open a dialog which displays all available information for that event.

The layer menu also offers to put labels on the map and to close the layer, which completely resets the layer content.


## 7.2.2. Facility layer



This layer displays icons that represent facilities based on the facility type. Polygons will not show up on the map, so make sure to select an organisation unit level that has facilities. Click an icon on the map to open the context menu with two options. "Show information sheet" provides you with data for several data elements for this organisation unit. The data element group and period type are "system settings" called "Infrastructural data elements" and "Infrastructural period type". The second option in the context menu is "Relocate" and lets you graphically move the organisation unit to a different location. The new coordinate will be stored permanently. Browser cache must be deleted to see the change if you reload the page.

In the "Edit layer" window will find "surrounding areas" in addition to group set, level and parent. This lets you draw a circle around each facility with a desired radius in kilometers.

### 7.2.3. Boundary layer




The purpose of the boundary layer is to display the boundaries/coordinates in the system. No data will be shown. This layer is useful if you are offline and thus have no background map. Click the boundary/globe icon on the toolbar and select "Edit layer". You can select the organisation units you want to show on the map by selecting a level and a parent. That means "show all organisations units at this level that are children of this parent". When there are visible organisation units on the map, you can easily navigate up and down in the hierarchy without using the level/parent user interface. By clicking one of the organisation units a context menu will open, then select "drill down" or "float up". The drill down option will be disabled if you are already on the lowest level or if there are no coordinates available on the level below. Vice versa goes for floating up.

The layer menu also offers to put on labels and to locate an organisation unit in the map.

The final option in the layer menu is "Close". This completely resets the layer content, the edit layer form and the legend panel.



## 7.2.4. Thematic layer 1-4



The four thematic layer panels let you use your data for thematic mapping. All you need to do is selecting your desired combination of indicator/dataelement, period and map combination. Then the organisation unit level and parent to define the boundaries. If your database has coordinates and aggregated data values for these organisation units they will appear on the map. Note that the DHIS2 data mart must be run in order to have aggregated values available.

You may choose between legend types: automatic and predefined. Automatic means that the application will create a legend set for you based on your what method, number of classes, low color and high color you select. Method alludes to the size of the legend classes. Set to Equal intervals they will be “highest map value – lowest map value / number of classes”. Set to Equal group count the legend creator will try to distribute the organisation units evenly. The legend will appear as an even gradation from the start color to the end color. Predefined legend sets are described in [Section 7.3.2, “Create predefined legend sets”](#).


Low radius and high radius only have effect on points (facilities) and decides the circle radius for points with the lowest and highest value.

Thematic layer 1-4 menu have a "Filter" option in addition to the boundary layer menu options. It lets you apply value filters to the organisation units on the map. The filter is removed when you close the filter window.

## 7.3. Tools

This section describes the available GIS tools.

### 7.3.1. Favorite maps



Click the "Favorites" button on the toolbar to open the "Manage favorites" window. To add a new favorite, click the "Add new" button. A new window opens. Enter a name and click the "Create" button. You will find your new favorite in the list.

All favorites have four action buttons on the right hand side. Grey: Edit favorite name. Green: Save current map to this favorite (overwrite). Yellow: Add this favorite to dashboard. Red: Delete this favorite.

You can search for favorites in the textfield above the favorites. The list will be filtered on every character that is entered. Click the "next" and "prev" buttons in the bottom right corner to navigate between pages.

### 7.3.2. Create predefined legend sets

Click the "Legend" button on the map toolbar. To create a new set click the "Add new" button. Example usage (vaccination coverage): Firstly, give the legend set a name. Then create the legends you want in your legend set. The first one could be "Low bad" (name), 0 (start value), 50 (end value), red (color). Click "Add legend" and appears in the list below. Then create "Medium" / 50 / 80 / yellow, "High good" / 80 / 100 / green and finally "Too high" / 100 / 10000 / grey. Now, click the "Create" button in the bottom right corner. If your legend set has overlapping legends (e.g. 0-50 and 40-80) you will not be allowed to proceed. If your legend set has a gap between the legends (e.g. 0-50 and 60-80) you will get a warning, but are allowed to proceed.

NOTE! Continuous legends are supposed to end and start on the same value, e.g. 0-50 and 50-80. This will automatically be taken care of by the application. Do not try to do this yourself by setting legends to e.g. 0-50 and 51-80. This will cause a usually unwanted gap in your legend set.

You can assign a legend set to an indicator or a data element in the Indicator/Data element module. This legend set will then be automatically selected when such an indicator/data element is selected in the GIS.

### 7.3.3. Download map as image

Click the "Download" button on the map toolbar. Enter a name in the textfield and click "Download". The browser will download a PNG image. If the toolbar "Download" button is disabled you need to create a map first.

### 7.3.4. Share map interpretation


Open a favorite or save a new map as a favorite. Then click the "Share" button on the map toolbar. Type in your interpretation and click "Share".

### 7.3.5. Embed maps in any web page

Certain analysis-related resources in DHIS, like pivot tables, charts and maps, can be embedded in any web page by using a plugin. If you have created a map in the GIS app you will get the plugin configuration for this map by clicking the "Share" button the toolbar and then "Embed as plugin". You will find more information about the plugins in the web api chapter.

### 7.3.6. Analysis integration

The analysis apps in DHIS 2 are completely integrated, so you can easily switch between pivot table, chart and map visualization of your data. When you have made a map you can click e.g. "Chart" in the top right corner and then select "Open this map as chart".






# Chapter 8. Dashboards

Dashboards are intended to provide quick access to different analytical objects (maps, charts, reports, tables, etc) to an individual user. Dashboards can also be shared with user groups. For instance, a user or administrator could create a dashboard called "Malaria" which might contain all relevant information on malaria. This dashboard could then be shared with the user group called "Malaria control", which might consist of all users of the malaria control programme. All users within this group would then be able to view the same dashboard.

## 8.1. Setting up the dashboard

The dashboard can contain any number of objects (charts, maps, reports, tables, resources, etc). These can be freely arranged on the dashboard as you wish. Dashboard items can be located and added by searching for favourites, resources, users or messages in the available search box and clicking on the "Add" button.



In this screen shot, the dashboard has already been populated with a number of objects, such as charts, map views, tables and messages. There are several hyperlink options available on each item:

- Remove

Allows you to remove the item from the dashboard when you have the appropriate user rights.

- Get as Image

Opens up a pop-up window and allows you to download the image to your computer.

- Share interpretation

Allows you to share an interpretation of the dashboard item. Your interpretation will be shared publicly with other users of the DHIS2 system, in the "Interpretation" section of the dashboard.

- Explore

Loads the favorite in its corresponding app (ie. a map will open full-sized in the GIS app).

- Resize

Resizes the dashboard item. There are 3 sizes in which to choose from.

Maps, charts and tables can be viewed as full size as images (in the case of charts and map views) or as HTML resources (in the case of reports, tables and messages).

To reorder how the dashboard appears, simply drag-and-drop any of the objects to a new position. In order to change between the various dashboards which are available, simply select the listed items that are available to review. The list can be scrolled though by using the <, > symbols to the left of the dashboard names.

## 8.2. Managing the Dashboard

In addition to adding items or modifying the layout of a dashboard, further options allow you to add additional dashboards, modify their names, delete an entire dashboard and share the dashboard with other users. These additional items can be managed using the "Add," "Manage," and "Share" links on the top left of the dashboard next to the dashboard names.

- Add

Allows additional dashboards to be added.

- Manage

Can change the name of the dashboard, add messages to or delete the dashboard. This applies to the currently selected dashboard item.

- Share

Allows the sharing of dashboard items with user groups. User permissions can also be assigned to each user group.

## 8.3. Dashboard Sharing

In order to share a dashboard with user groups, first select "Share" from the dashboard page. This will bring up the dashboard sharing settings options. To share the dashboard with specific user groups, type in their name in the sharing settings dialogue box and click on the "+" sign to add them to the dashboard sharing settings

The screenshot shows a 'Sharing Settings' dialog box for a dashboard titled 'Antenatal Care'. At the top, there is a search bar labeled 'Search for user groups' with a '+' button on the right. Below the search bar, it says 'Created by: Tom Wakiki'. There are two radio buttons for access types: 'External access (without login)' and 'Public access (with login)'. The 'Public access (with login)' option is selected. Below these, there is a list of user groups with their corresponding permissions. The first group is 'Cape Town University Research Group' with the permission 'Can edit and view' and an 'X' icon. The second group is 'Africare HQ' with the permission 'Can view' and an 'X' icon. At the bottom right, there are 'Cancel' and 'Save' buttons.

User Group	Permission	Action
Cape Town University Research Group	Can edit and view	X
Africare HQ	Can view	X

All dashboards have two sharing groups set by default.

- External access (without login)

This option, when selected, provides access to the dashboard as an external resource. This is useful for when you are creating an external web portal but would like to call information from a dashboard you have made internally within DHIS2. By default, this option is not selected.

- Public access (with login)

This option allows the selected dashboard to be pushed to all users within your DHIS2 instance. This can also be hidden from public view by selecting the "None" option, which is the default option for new dashboards.

User groups which have been added manually can be assigned two types of permissions within the dashboard

- Can view

Provides the user group with view only rights to the dashboard.

- Can edit and view

Allows the user groups to edit the dashboard in addition to viewing it. Editing allows for altering the layout, resizing and removing items, renaming/deleting the dashboard etc.

## 8.4. Messages and feedback

DHIS2 has certain functions to facilitate communication between different users and user groups. This type of communication is important to facilitate feedback regarding data quality, timeliness of submissions, or to simply answer a question which a particular user may have.

Feedback messages are sent to a particular group of users and can be sent by all users who have access to the dashboard module. In order to enable the receipt of feedback messages sent from the dashboard, you must set the system setting "Feedback recipients" which is available from the Maintenance->System settings dialog. Be sure to define a user group (e.g. "Feedback recipients") with all of the users who should receive feedback messages. Refer to the section in this manual on "User groups" for more information of how to do this. Once the "Feedback recipients" user group has been defined, each time a feedback message is sent, it will appear as a message in each of the "Feedback recipients" message queue within DHIS2. Note that messages will not be sent to users email addresses, but will only appear within the DHIS2 application.

To send a new feedback message, simply select "Write feedback" from the dashboard. Provide a subject and text in the respective text boxes. The message will appear in all of the specified users message queue.

Messages can be sent to either a specific user, user group or groups of users who have been assigned to particular organisation units. To write a new message, simply click "Messages" from the dashboard screen and then press the "Write message" button.. Select an organisation unit (or group of organisation units) from the "Recipients" organisational unit tree. In the "To user" box you can select specific users or user groups. Provide a Subject and Text. To send the message, press the "Send" button. You can discard the message by pressing the "Discard" button as seen in the screenshot below.

## Write new message

Organisation Unit Selection

To org unit

- Sierra Leone
  - Bo
    - Badjia
    - Baoma
    - Bargbe
    - Bargbo
    - Bumpe Ngao
    - Gbo
    - Jalama Bongor
    - Kakua
    - Komboya
    - Lugbu
    - Mawa Lopa

To user

Family Planning Program Coordinators

Subject

Data review meeting

Text

We will have a family planning data review meeting at 9am in our main office. Please attend.

Send Discard

To read messages which have been sent to you, select "Messages" from the "Dashboard" . You messages will be displayed as a list. Click the desired message to read all of the messages in this particular conversation.

## Messages ?









Write message

Write feedback

Inbox

Follow up

Unread

Sender		Subject	Date	
 	System notification	Analytics table process failed	2015-03-02	 
	System notification	Resource table process failed	2015-02-12	
 	Tom Wakiki	Alerts as of 2014-08-19 09:49: High 12, Medium 0, Low 0	2014-08-19	 



# Chapter 9. User profiles

With profiles, users can alter the appearance of their DHIS2, change the interface language, and enabled SMS and email notifications. Users can also enter information into their "Profile".

## 9.1. User settings

To access the user settings menu, select "Profile->Settings". You can select the interface language and the database language. The interface language refers to the translation of the user interface of the DHIS2 software. The database language refers to the translated content of the metadata contained in the system, for instance, data elements and indicators. Different interface styles can be set to alter the appearance of the system.

User can choose to receive their messages via email and/or SMS by ticking the appropriate check boxes.

## 9.2. User profile

Users can choose to enter more data, such as their email and phone number, job title, gender, birthday, etc into their profile. Just select "Profile->Profile" from the main menu.

