

37.17 that $f^{-1}(V)$ is open for every subset $V \subseteq Y$, and thus $U_1 = f^{-1}(y) = f^{-1}(\{y\})$ and $U_2 = f^{-1}(Y - \{y\})$ are both open, nonempty, and clearly $X = U_1 \cup U_2$ and U_1 and U_2 are disjoint. This contradicts the fact that X is connected and f must be constant.

Assume that every locally constant function $f: X \rightarrow Y$ is constant. If X is not connected, we can write $X = U_1 \cup U_2$, where both U_1, U_2 are open, disjoint, and nonempty. We can define the function, $f: X \rightarrow \mathbb{R}$, such that $f(x) = 1$ on U_1 and $f(x) = 0$ on U_2 . Since U_1 and U_2 are open, the function f is locally constant, and yet not constant, a contradiction. \square

A characterization on the connected subsets of \mathbb{R}^n is harder and requires the notion of arcwise connectedness. One of the most important properties of connected sets is that they are preserved by continuous maps.

Proposition 37.18. *Given any continuous map, $f: E \rightarrow F$, if $A \subseteq E$ is connected, then $f(A)$ is connected.*

Proof. If $f(A)$ is not connected, then there exist some nonempty open sets, U, V , in F such that $f(A) \cap U$ and $f(A) \cap V$ are nonempty and disjoint, and

$$f(A) = (f(A) \cap U) \cup (f(A) \cap V).$$

Then, $f^{-1}(U)$ and $f^{-1}(V)$ are nonempty and open since f is continuous and

$$A = (A \cap f^{-1}(U)) \cup (A \cap f^{-1}(V)),$$

with $A \cap f^{-1}(U)$ and $A \cap f^{-1}(V)$ nonempty, disjoint, and open in A , contradicting the fact that A is connected. \square

An important corollary of Proposition 37.18 is that for every continuous function, $f: E \rightarrow \mathbb{R}$, where E is a connected space, $f(E)$ is an interval. Indeed, this follows from Proposition 37.16. Thus, if f takes the values a and b where $a < b$, then f takes all values $c \in [a, b]$. This is a very important property known as the intermediate value theorem.

Even if a topological space is not connected, it turns out that it is the disjoint union of maximal connected subsets and these connected components are closed in E . In order to obtain this result, we need a few lemmas.

Lemma 37.19. *Given a topological space, E , for any family, $(A_i)_{i \in I}$, of (nonempty) connected subsets of E , if $A_i \cap A_j \neq \emptyset$ for all $i, j \in I$, then the union, $A = \bigcup_{i \in I} A_i$, of the family, $(A_i)_{i \in I}$, is also connected.*

Proof. Assume that $\bigcup_{i \in I} A_i$ is not connected. There exists two nonempty open subsets, U and V , of E such that $A \cap U$ and $A \cap V$ are disjoint and nonempty and such that

$$A = (A \cap U) \cup (A \cap V).$$