

Log In

Join

Back To Course Home

Grokking Modern System Design Interview for Engineers & Managers

0% completed

System Design Interviews

Introduction

Abstractions

Non-functional System Characteristics

Back-of-the-envelope Calculations

Building Blocks

Domain Name System



How the Domain Name System Works

Load Balancers

Databases

Key-value Store

Content Delivery Network (CDN)

Sequencer

Distributed Monitoring

Monitor Server-side Errors

Monitor Client-side Errors

Distributed Cache

Distributed Messaging Queue

Pub-sub

Rate Limiter

Blob Store

Distributed Search

Distributed Logging

Distributed Task Scheduler

Sharded Counters

Concluding the Building Blocks Discussion

Design YouTube

Design Quora

Design Google Maps

Design a Proximity Service / Yelp

Design Uber

Design Twitter

Design Newsfeed System

Design Instagram

Design a URL Shortening Service / TinyURL

Design a Web Crawler

Design WhatsApp

Design Typeahead Suggestion

Design a Collaborative Document Editing Service / Google Docs

Spectacular Failures

Concluding Remarks

Course Certificate

Mark Course as Completed

Introduction to Domain Name System (DNS)

Learn how domain names get translated to IP addresses through DNS.

We'll cover the following

- The origins of DNS
- What is DNS?
- Important details

The origins of DNS#

Let's consider the example of a mobile phone where a unique number is associated with each user. To make calls to friends, we can initially try to memorize some of the phone numbers. However, as the number of contacts grows, we'll have to use a phone book to keep track of all our contacts. This way, whenever we need to make a call, we'll refer to the phone book and dial the number we need.

Similarly, computers are uniquely identified by IP addresses—for example, **104.18.2.119** is an IP address. We use IP addresses to visit a website hosted on a machine. Since humans cannot easily remember IP addresses to visit domain names (an example domain name being `educative.io`), we need a phone book-like repository that can maintain all mappings of domain names to IP addresses. In this chapter, we'll see how DNS serves as the Internet's phone book.

Using a phone book analogy to understand domain name system (DNS)

What is DNS?#

The **domain name system (DNS)** is the Internet’s naming service that maps human-friendly domain names to machine-readable IP addresses. The service of DNS is transparent to users. When a user enters a domain name in the browser, the browser has to translate the domain name to IP address by asking the DNS infrastructure. Once the desired IP address is obtained, the user’s request is forwarded to the destination web server.

The slides below show the high-level flow of the working of DNS:

□

The user requests to visit a website by entering its URL in the browser

1 of 7

The entire operation is performed very quickly. Therefore, the end user experiences minimum delay. We’ll also see how browsers save some of the frequently used mappings for later use in the next lesson.

Important details#

Let’s highlight some of the important details about DNS, some of which we’ll cover in the next lesson:

- **Name servers:** It’s important to understand that the DNS isn’t a single server. It’s a complete infrastructure with numerous servers. DNS servers that respond to users’ queries are called **name servers**.
- **Resource records:** The DNS database stores domain name to IP address mappings in the form of resource records (RR). The RR is the smallest unit of information that users request from the name servers. There are different types of RRs. The table below describes common RRs. The three important pieces of information are *type*, *name*, and *value*. The *name* and *value* change depending upon the *type* of the RR.

Common Types of Resource Records

Type	Description	Name	Value	Example
A	Provides the hostname to IP address mapping	Hostname	IP address	(A, relay1.mail
NS	Provides the hostname that is the authoritative DNS for a domain name	Domain name	Hostname	(NS, educa
CNAME	Provides the mapping from alias to canonical hostname	Hostname	Canonical name	(CNA server1
MX	Provides the mapping of mail server from alias to canonical hostname	Hostname	Canonical name	(MX, mailserve

- **Caching:** DNS uses caching at different layers to reduce request latency for the user. Caching plays an important role in reducing the burden on DNS infrastructure because it has to cater to the queries of the entire Internet.
- **Hierarchy:** DNS name servers are in a hierarchical form. The hierarchical structure allows DNS to be highly scalable because of its increasing size and query load. In the next lesson, we’ll look at how a tree-like structure is used to manage the entire DNS database.

Let's explore more details of the above points in the next lesson to get more clarity.

Back

Introduction to Building Blocks for Mo...

Next

How the Domain Name System Works

Mark as Completed

Report an Issue