

CYRR 304  
Homework 1, Spring 2024

Name:

“The purpose of computing is insight, not numbers.” RICHARD HAMMING

Homework 1 has questions 1 through 1 with a total of of 8 points. Your recorded score will be scaled to twenty points.

The point value for each question or part of a question is in the box following each question or part of a question. Neatly write your answers on your own paper, being careful to clearly label each part of each question. Digitize your work as a pdf, and turn it into Canvas. This work is due **Saturday 27 January** at 11:59 PM.

1. An IEEE number of the type binary16 has the form

$$(-1)^s(b_0.b_1b_2\cdots b_{10})_2 \times 2^e,$$

where the sign bit  $s \in \{0, 1\}$ , the exponent  $e \in \{-14, -13, \dots, 14, 15\}$  and each bit  $b_k \in \{0, 1\}$ . There are ten bits in the fractional part of the number, and just like for binary64 numbers, the leading bit  $b_0$  is not stored and defaults to one.

The exponent range of -14 to 15 contains 30 integers. And just like for a binary64 number, there are two values of the exponent reserved for special conditions, including the number zero, overflow, and the like. That makes for a total of 32 distinct values for the exponent.

- 1

 (a) How many bits must be used to store the exponent in computer memory? Explain.
- 1

 (b) How many bits must be used to store the entire binary16 number in computer memory? Explain.
- 1

 (c) Find the *largest* number of the type binary16.
- 1

 (d) Find the *smallest* positive normalized number of the type binary16. Remember that the leading bit of a normalized number is one.
- 1

 (e) Find the *smallest* positive denormalized number of the type binary16. Remember that the leading bit of a denormalized number is zero. Also, the exponent of a denormalized binary16 is -14.
- 1

 (f) Find the *machine epsilon*  $\epsilon_m$  for a number of the type binary16.
- 1

 (g) We have  $\text{Fl}(1/10) = (-1)^0(1.1001100110)_2 \times 2^{-4}$ . Express  $\text{Fl}(1/10)$  as a rational number (that is, as a quotient of integers).
- 1

 (h) Show that  $|\text{Fl}(1/10) - 1/10| \leq \epsilon_m$ .