

In class work **25** has questions **1** through **1** with a total of **8** points. Turn in your work at the end of class *on paper*. This assignment is due at *Thursday 2 May 13:20*.

*“Perhaps my greatest wisdom is the knowledge that I do not know.”* JOHN STEINBECK<sup>1</sup>

1. Define a curve  $\mathcal{C}$  parametrically as  $\mathcal{C} = \begin{cases} x = \cosh(t) \\ y = \sinh(t) \end{cases}, t \in \mathbf{R}.$

2 (a) Ask Desmos to sketch  $\mathcal{C}$  and reproduce the graph here.

2 (b) Show that if  $(x, y) \in \mathcal{C}$ , then  $x^2 - y^2 = 1$ .

---

<sup>1</sup> *Travels with Charley: In Search of America*

2

(c) Show that  $(x = -1, y = 0) \notin \mathcal{C}$ , but that  $(x = -1, y = 0)$  is a point on the curve  $x^2 - y^2 = 1$ . **Hint:** Use the fact that  $\text{range}(\cosh) = [1, \infty)$ .

2

(d) Express the arclength of the portion of  $\mathcal{C}$  if the parameter space is  $[-1, 1]$  as a definite integral. But do not attempt to use the FTC to find this value (unless you want to learn about elliptic integrals).