

Code: 0
Checksum: 0x5896 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 2 (0x0002)
Sequence number (LE): 512 (0x0200)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_` abcdefg
No. Time Source Destination Protocol Length Info
24 3.464873867 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=3/768,
ttl=1 (no response found!)

Frame 24: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.044869391 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.044869391 seconds
[Time delta from previous captured frame: 0.000048389 seconds]
[Time delta from previous displayed frame: 0.000048389 seconds]
[Time since reference or first frame: 3.464873867 seconds]
Frame Number: 24
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5ae4 (23268)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ae9 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5895 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 3 (0x0003)
Sequence number (LE): 768 (0x0300)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_` abcdefg
No. Time Source Destination Protocol Length Info
25 3.464906731 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=4/1024,
ttl=2 (no response found!)

Frame 25: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.044902255 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.044902255 seconds
[Time delta from previous captured frame: 0.000032864 seconds]
[Time delta from previous displayed frame: 0.000032864 seconds]
[Time since reference or first frame: 3.464906731 seconds]
Frame Number: 25
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

```
Total Length: 60
Identification: 0x5ae5 (23269)
Flags: 0x0000
Time to live: 2
Protocol: ICMP (1)
Header checksum: 0x79e8 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5894 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 4 (0x0004)
Sequence number (LE): 1024 (0x0400)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
      26 3.464928671 192.168.0.175 128.93.162.63    ICMP      74      Echo (ping) request  id=0x29e2, seq=5/1280,
ttl=2 (no response found!)
Frame 26: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.044924195 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.044924195 seconds
[Time delta from previous captured frame: 0.000021940 seconds]
[Time delta from previous displayed frame: 0.000021940 seconds]
[Time since reference or first frame: 3.464928671 seconds]
Frame Number: 26
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5ae6 (23270)
Flags: 0x0000
Time to live: 2
Protocol: ICMP (1)
Header checksum: 0x79e7 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5893 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 5 (0x0005)
Sequence number (LE): 1280 (0x0500)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
      27 3.464951949 192.168.0.175 128.93.162.63    ICMP      74      Echo (ping) request  id=0x29e2, seq=6/1536,
ttl=2 (no response found!)
Frame 27: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.044947473 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.044947473 seconds
[Time delta from previous captured frame: 0.000023278 seconds]
[Time delta from previous displayed frame: 0.000023278 seconds]
[Time since reference or first frame: 3.464951949 seconds]
Frame Number: 27
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
```

```
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5ae7 (23271)
Flags: 0x0000
Time to live: 2
Protocol: ICMP (1)
Header checksum: 0x79e6 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5892 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 6 (0x0006)
Sequence number (LE): 1536 (0x0600)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
28 3.464975768 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=7/1792,
ttl=3 (no response found!)
Frame 28: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.044971292 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.044971292 seconds
[Time delta from previous captured frame: 0.000023819 seconds]
[Time delta from previous displayed frame: 0.000023819 seconds]
[Time since reference or first frame: 3.464975768 seconds]
Frame Number: 28
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5ae8 (23272)
Flags: 0x0000
Time to live: 3
Protocol: ICMP (1)
Header checksum: 0x78e5 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5891 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 7 (0x0007)
Sequence number (LE): 1792 (0x0700)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
29 3.464997742 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=8/2048,
ttl=3 (no response found!)
Frame 29: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
```

```
Arrival Time: Mar 20, 2020 11:27:41.044993266 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.044993266 seconds
[Time delta from previous captured frame: 0.000021974 seconds]
[Time delta from previous displayed frame: 0.000021974 seconds]
[Time since reference or first frame: 3.464997742 seconds]
Frame Number: 29
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5ae9 (23273)
Flags: 0x0000
Time to live: 3
Protocol: ICMP (1)
Header checksum: 0x78e4 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5890 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 8 (0x0008)
Sequence number (LE): 2048 (0x0800)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
    30 3.465012711 192.168.0.175 128.93.162.63    ICMP      74      Echo (ping) request id=0x29e2, seq=9/2304,
ttl=3 (no response found!)
Frame 30: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.045008235 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.045008235 seconds
[Time delta from previous captured frame: 0.000014969 seconds]
[Time delta from previous displayed frame: 0.000014969 seconds]
[Time since reference or first frame: 3.465012711 seconds]
Frame Number: 30
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aea (23274)
Flags: 0x0000
Time to live: 3
Protocol: ICMP (1)
Header checksum: 0x78e3 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588f [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 9 (0x0009)
```

```
Sequence number (LE): 2304 (0x0900)
[No response seen]
Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
   31  3.465028261    192.168.0.175    128.93.162.63      ICMP      74      Echo (ping) request  id=0x29e2, seq=10/2560,
ttl=4 (no response found!)
Frame 31: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.045023785 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.045023785 seconds
[Time delta from previous captured frame: 0.000015550 seconds]
[Time delta from previous displayed frame: 0.000015550 seconds]
[Time since reference or first frame: 3.465028261 seconds]
Frame Number: 31
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aeb (23275)
Flags: 0x0000
Time to live: 4
Protocol: ICMP (1)
Header checksum: 0x77e2 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588e [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 10 (0x000a)
Sequence number (LE): 2560 (0x0a00)
[No response seen]
Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
   32  3.465040690    192.168.0.175    128.93.162.63      ICMP      74      Echo (ping) request  id=0x29e2, seq=11/2816,
ttl=4 (no response found!)
Frame 32: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.045036214 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.045036214 seconds
[Time delta from previous captured frame: 0.000012429 seconds]
[Time delta from previous displayed frame: 0.000012429 seconds]
[Time since reference or first frame: 3.465040690 seconds]
Frame Number: 32
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aec (23276)
Flags: 0x0000
Time to live: 4
Protocol: ICMP (1)
Header checksum: 0x77e1 [validation disabled]
```

```
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588d [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 11 (0x000b)
Sequence number (LE): 2816 (0x0b00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
    33 3.465053083    192.168.0.175    128.93.162.63      ICMP      74      Echo (ping) request  id=0x29e2, seq=12/3072,
ttl=4 (no response found!)
Frame 33: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.045048607 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.045048607 seconds
  [Time delta from previous captured frame: 0.000012393 seconds]
  [Time delta from previous displayed frame: 0.000012393 seconds]
  [Time since reference or first frame: 3.465053083 seconds]
  Frame Number: 33
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aed (23277)
Flags: 0x0000
Time to live: 4
Protocol: ICMP (1)
Header checksum: 0x77e0 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588c [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 12 (0x000c)
Sequence number (LE): 3072 (0x0c00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
    34 3.465068137    192.168.0.175    128.93.162.63      ICMP      74      Echo (ping) request  id=0x29e2, seq=13/3328,
ttl=5 (no response found!)
Frame 34: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.045063661 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.045063661 seconds
  [Time delta from previous captured frame: 0.000015054 seconds]
  [Time delta from previous displayed frame: 0.000015054 seconds]
  [Time since reference or first frame: 3.465068137 seconds]
  Frame Number: 34
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
```

Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aee (23278)
Flags: 0x0000
Time to live: 5
Protocol: ICMP (1)
Header checksum: 0x76df [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588b [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 13 (0x000d)
Sequence number (LE): 3328 (0xd000)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
35 3.465081377 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=14/3584,
ttl=5 (no response found!)
Frame 35: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.045076901 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.045076901 seconds
[Time delta from previous captured frame: 0.000013240 seconds]
[Time delta from previous displayed frame: 0.000013240 seconds]
[Time since reference or first frame: 3.465081377 seconds]
Frame Number: 35
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aef (23279)
Flags: 0x0000
Time to live: 5
Protocol: ICMP (1)
Header checksum: 0x76de [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588a [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 14 (0x000e)
Sequence number (LE): 3584 (0x0e00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
36 3.465094561 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=15/3840,
ttl=5 (no response found!)
Frame 36: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.045090085 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.045090085 seconds
[Time delta from previous captured frame: 0.000013184 seconds]
[Time delta from previous displayed frame: 0.000013184 seconds]
[Time since reference or first frame: 3.465094561 seconds]

Frame Number: 36
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af0 (23280)
Flags: 0x0000
Time to live: 5
Protocol: ICMP (1)
Header checksum: 0x76dd [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5889 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 15 (0x000f)
Sequence number (LE): 3840 (0x0f00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
37 3.465111354 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=16/4096, ttl=6 (no response found!)

Frame 37: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.045106878 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.045106878 seconds
[Time delta from previous captured frame: 0.000016793 seconds]
[Time delta from previous displayed frame: 0.000016793 seconds]
[Time since reference or first frame: 3.465111354 seconds]
Frame Number: 37
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af1 (23281)
Flags: 0x0000
Time to live: 6
Protocol: ICMP (1)
Header checksum: 0x75dc [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5888 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 16 (0x0010)
Sequence number (LE): 4096 (0x1000)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info

38 3.466020842 192.168.0.1 192.168.0.175 ICMP 102 Time-to-live exceeded (Time to live exceeded in transit)

Frame 38: 102 bytes on wire (816 bits), 102 bytes captured (816 bits) on interface 0

Interface id: 0 (wlp3s0)

Encapsulation type: Ethernet (1)

Arrival Time: Mar 20, 2020 11:27:41.046016366 EET

[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.046016366 seconds

[Time delta from previous captured frame: 0.000909488 seconds]

[Time delta from previous displayed frame: 0.000909488 seconds]

[Time since reference or first frame: 3.466020842 seconds]

Frame Number: 38

Frame Length: 102 bytes (816 bits)

Capture Length: 102 bytes (816 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]

[Coloring Rule Name: ICMP errors]

[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]

Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)

Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.175

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)

Total Length: 88

Identification: 0x4b7e (19326)

Flags: 0x0000

Time to live: 64

Protocol: ICMP (1)

Header checksum: 0xac66 [validation disabled]

[Header checksum status: Unverified]

Source: 192.168.0.1

Destination: 192.168.0.175

Internet Control Message Protocol

Type: 11 (Time-to-live exceeded)

Code: 0 (Time to live exceeded in transit)

Checksum: 0xf4ff [correct]

[Checksum Status: Good]

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 60

Identification: 0x5ae2 (23266)

Flags: 0x0000

Time to live: 1

Protocol: ICMP (1)

Header checksum: 0x7aeb [validation disabled]

[Header checksum status: Unverified]

Source: 192.168.0.175

Destination: 128.93.162.63

Internet Control Message Protocol

Type: 8 (Echo (ping) request)

Code: 0

Checksum: 0x5897 [unverified] [in ICMP error packet]

[Checksum Status: Unverified]

Identifier (BE): 10722 (0x29e2)

Identifier (LE): 57897 (0xe229)

Sequence number (BE): 1 (0x0001)

Sequence number (LE): 256 (0x0100)

Data (32 bytes)

0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ

0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
39	3.466098182	192.168.0.1	192.168.0.175	ICMP	102	Time-to-live exceeded (Time to live exceeded in transit)

Frame 39: 102 bytes on wire (816 bits), 102 bytes captured (816 bits) on interface 0

Interface id: 0 (wlp3s0)

Encapsulation type: Ethernet (1)

Arrival Time: Mar 20, 2020 11:27:41.046093706 EET

[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.046093706 seconds

[Time delta from previous captured frame: 0.000077340 seconds]

[Time delta from previous displayed frame: 0.000077340 seconds]

[Time since reference or first frame: 3.466098182 seconds]

Frame Number: 39

Frame Length: 102 bytes (816 bits)

Capture Length: 102 bytes (816 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]

[Coloring Rule Name: ICMP errors]

[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]

Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)

```

    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
    Total Length: 88
    Identification: 0x4b7f (19327)
    Flags: 0x0000
    Time to live: 64
    Protocol: ICMP (1)
    Header checksum: 0xac65 [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.168.0.1
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf4ff [correct]
    [Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    Total Length: 60
    Identification: 0x5ae3 (23267)
    Flags: 0x0000
    Time to live: 1
    Protocol: ICMP (1)
    Header checksum: 0x7aea [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.168.0.175
    Destination: 128.93.162.63
Internet Control Message Protocol
    Type: 8 (Echo (ping) request)
    Code: 0
    Checksum: 0x5896 [unverified] [in ICMP error packet]
    [Checksum Status: Unverified]
    Identifier (BE): 10722 (0x29e2)
    Identifier (LE): 57897 (0xe229)
    Sequence number (BE): 2 (0x0002)
    Sequence number (LE): 512 (0x0200)
    Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time                Source                Destination                Protocol Length Info
    40 3.467791208          192.168.0.1          192.168.0.175             ICMP          102      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 40: 102 bytes on wire (816 bits), 102 bytes captured (816 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 20, 2020 11:27:41.047786732 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1584696461.047786732 seconds
    [Time delta from previous captured frame: 0.001693026 seconds]
    [Time delta from previous displayed frame: 0.001693026 seconds]
    [Time since reference or first frame: 3.467791208 seconds]
    Frame Number: 40
    Frame Length: 102 bytes (816 bits)
    Capture Length: 102 bytes (816 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
    Total Length: 88
    Identification: 0x4b80 (19328)
    Flags: 0x0000
    Time to live: 64
    Protocol: ICMP (1)
    Header checksum: 0xac64 [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.168.0.1
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf4ff [correct]
    [Checksum Status: Good]

```

```
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5ae4 (23268)
  Flags: 0x0000
  Time to live: 1
  Protocol: ICMP (1)
  Header checksum: 0x7ae9 [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x5895 [unverified] [in ICMP error packet]
  [Checksum Status: Unverified]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 3 (0x0003)
  Sequence number (LE): 768 (0x0300)
  Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNPOQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
   41  3.467922529    192.168.0.175    128.93.162.63      ICMP      74      Echo (ping) request  id=0x29e2, seq=17/4352,
ttl=6 (no response found!)
Frame 41: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.047918053 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.047918053 seconds
  [Time delta from previous captured frame: 0.000131321 seconds]
  [Time delta from previous displayed frame: 0.000131321 seconds]
  [Time since reference or first frame: 3.467922529 seconds]
  Frame Number: 41
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5af2 (23282)
  Flags: 0x0000
  Time to live: 6
  Protocol: ICMP (1)
  Header checksum: 0x75db [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x5887 [correct]
  [Checksum Status: Good]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 17 (0x0011)
  Sequence number (LE): 4352 (0x1100)
  [No response seen]
  Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNPOQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
   42  3.468001127    192.168.0.175    128.93.162.63      ICMP      74      Echo (ping) request  id=0x29e2, seq=18/4608,
ttl=6 (no response found!)
Frame 42: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.047996651 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.047996651 seconds
  [Time delta from previous captured frame: 0.000078598 seconds]
  [Time delta from previous displayed frame: 0.000078598 seconds]
  [Time since reference or first frame: 3.468001127 seconds]
  Frame Number: 42
  Frame Length: 74 bytes (592 bits)
```

Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af3 (23283)
Flags: 0x0000
Time to live: 6
Protocol: ICMP (1)
Header checksum: 0x75da [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5886 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 18 (0x0012)
Sequence number (LE): 4608 (0x1200)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
43 3.468073991 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=19/4864,
ttl=7 (no response found!)
Frame 43: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.048069515 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.048069515 seconds
[Time delta from previous captured frame: 0.000072864 seconds]
[Time delta from previous displayed frame: 0.000072864 seconds]
[Time since reference or first frame: 3.468073991 seconds]
Frame Number: 43
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af4 (23284)
Flags: 0x0000
Time to live: 7
Protocol: ICMP (1)
Header checksum: 0x74d9 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5885 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 19 (0x0013)
Sequence number (LE): 4864 (0x1300)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
44 3.473955772 81.23.23.77 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded
in transit)

Frame 44: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.053951296 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.053951296 seconds
[Time delta from previous captured frame: 0.005881781 seconds]
[Time delta from previous displayed frame: 0.005881781 seconds]
[Time since reference or first frame: 3.473955772 seconds]
Frame Number: 44
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 81.23.23.77, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
Total Length: 56
Identification: 0x0068 (104)
Flags: 0x0000
Time to live: 252
Protocol: ICMP (1)
Header checksum: 0x93e1 [validation disabled]
[Header checksum status: Unverified]
Source: 81.23.23.77
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5ae8 (23272)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ae5 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5891 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 7 (0x0007)
Sequence number (LE): 1792 (0x0700)

No.	Time	Source	Destination	Protocol	Length	Info
45	3.474014028	81.23.23.77	192.168.0.175	ICMP	70	Time-to-live exceeded (Time to live exceeded in transit)

Frame 45: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.054009552 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.054009552 seconds
[Time delta from previous captured frame: 0.000058256 seconds]
[Time delta from previous displayed frame: 0.000058256 seconds]
[Time since reference or first frame: 3.474014028 seconds]
Frame Number: 45
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 81.23.23.77, Dst: 192.168.0.175
0100 = Version: 4

```
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
Total Length: 56
Identification: 0x0069 (105)
Flags: 0x0000
Time to live: 252
Protocol: ICMP (1)
Header checksum: 0x93e0 [validation disabled]
[Header checksum status: Unverified]
Source: 81.23.23.77
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5ae9 (23273)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ae4 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5890 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 8 (0x0008)
Sequence number (LE): 2048 (0x0800)
No.      Time                Source                Destination          Protocol Length Info
46 3.474037112      81.23.23.77          192.168.0.175        ICMP      70      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 46: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.054032636 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.054032636 seconds
[Time delta from previous captured frame: 0.000023084 seconds]
[Time delta from previous displayed frame: 0.000023084 seconds]
[Time since reference or first frame: 3.474037112 seconds]
Frame Number: 46
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 81.23.23.77, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
Total Length: 56
Identification: 0x006a (106)
Flags: 0x0000
Time to live: 252
Protocol: ICMP (1)
Header checksum: 0x93df [validation disabled]
[Header checksum status: Unverified]
Source: 81.23.23.77
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aea (23274)
Flags: 0x0000
Time to live: 1
```

Protocol: ICMP (1)
Header checksum: 0x7ae3 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588f [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 9 (0x0009)
Sequence number (LE): 2304 (0x0900)

No.	Time	Source	Destination	Protocol	Length	Info
47	3.474102893	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2, seq=20/5120, ttl=7 (no response found!)

Frame 47: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.054098417 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.054098417 seconds
[Time delta from previous captured frame: 0.000065781 seconds]
[Time delta from previous displayed frame: 0.000065781 seconds]
[Time since reference or first frame: 3.474102893 seconds]
Frame Number: 47
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af5 (23285)
Flags: 0x0000
Time to live: 7
Protocol: ICMP (1)
Header checksum: 0x74d8 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5884 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 20 (0x0014)
Sequence number (LE): 5120 (0x1400)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZVW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
48	3.474135879	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2, seq=21/5376, ttl=7 (no response found!)

Frame 48: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.054131403 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.054131403 seconds
[Time delta from previous captured frame: 0.000032986 seconds]
[Time delta from previous displayed frame: 0.000032986 seconds]
[Time since reference or first frame: 3.474135879 seconds]
Frame Number: 48
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af6 (23286)
Flags: 0x0000
Time to live: 7
Protocol: ICMP (1)
Header checksum: 0x74d7 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5883 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 21 (0x0015)
Sequence number (LE): 5376 (0x1500)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
49 3.474151975 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=22/5632,
ttl=8 (no response found!)
Frame 49: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.054147499 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.054147499 seconds
[Time delta from previous captured frame: 0.000016096 seconds]
[Time delta from previous displayed frame: 0.000016096 seconds]
[Time since reference or first frame: 3.474151975 seconds]
Frame Number: 49
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af7 (23287)
Flags: 0x0000
Time to live: 8
Protocol: ICMP (1)
Header checksum: 0x73d6 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5882 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 22 (0x0016)
Sequence number (LE): 5632 (0x1600)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
50 3.484693770 80.239.128.61 192.168.0.175 ICMP 110 Time-to-live exceeded (Time to live exceeded
in transit)
Frame 50: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.064689294 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.064689294 seconds
[Time delta from previous captured frame: 0.010541795 seconds]
[Time delta from previous displayed frame: 0.010541795 seconds]
[Time since reference or first frame: 3.484693770 seconds]
Frame Number: 50
Frame Length: 110 bytes (880 bits)

```
Capture Length: 110 bytes (880 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 80.239.128.61, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 96
  Identification: 0xf8b2 (63666)
  Flags: 0x0000
  Time to live: 251
  Protocol: ICMP (1)
  Header checksum: 0x3462 [validation disabled]
  [Header checksum status: Unverified]
  Source: 80.239.128.61
  Destination: 192.168.0.175
Internet Control Message Protocol
  Type: 11 (Time-to-live exceeded)
  Code: 0 (Time to live exceeded in transit)
  Checksum: 0xf4ee [correct]
  [Checksum Status: Good]
  Length: 17
  [Length of original datagram: 68]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5aeb (23275)
  Flags: 0x0000
  Time to live: 1
  Protocol: ICMP (1)
  Header checksum: 0x7ae2 [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x588e [unverified] [in ICMP error packet]
  [Checksum Status: Unverified]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 10 (0x000a)
  Sequence number (LE): 2560 (0x0a00)
  Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time          Source          Destination          Protocol Length Info
   51 3.484751498      80.239.128.61      192.168.0.175          ICMP      110      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 51: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.064747022 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.064747022 seconds
  [Time delta from previous captured frame: 0.000057728 seconds]
  [Time delta from previous displayed frame: 0.000057728 seconds]
  [Time since reference or first frame: 3.484751498 seconds]
  Frame Number: 51
  Frame Length: 110 bytes (880 bits)
  Capture Length: 110 bytes (880 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
  [Coloring Rule Name: ICMP errors]
  [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 80.239.128.61, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 96
  Identification: 0xf8b3 (63667)
  Flags: 0x0000
  Time to live: 251
```

```
Protocol: ICMP (1)
Header checksum: 0x3461 [validation disabled]
[Header checksum status: Unverified]
Source: 80.239.128.61
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0xf4ee [correct]
[Checksum Status: Good]
Length: 17
[Length of original datagram: 68]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5aec (23276)
  Flags: 0x0000
  Time to live: 1
  Protocol: ICMP (1)
  Header checksum: 0x7ae1 [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588d [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 11 (0x000b)
Sequence number (LE): 2816 (0x0b00)
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.    Time          Source          Destination          Protocol Length Info
   52 3.484770350    80.239.128.61      192.168.0.175      ICMP      110    Time-to-live exceeded (Time to live exceeded
in transit)
Frame 52: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.064765874 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.064765874 seconds
[Time delta from previous captured frame: 0.000018852 seconds]
[Time delta from previous displayed frame: 0.000018852 seconds]
[Time since reference or first frame: 3.484770350 seconds]
Frame Number: 52
Frame Length: 110 bytes (880 bits)
Capture Length: 110 bytes (880 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 80.239.128.61, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 96
  Identification: 0xf8b4 (63668)
  Flags: 0x0000
  Time to live: 251
  Protocol: ICMP (1)
  Header checksum: 0x3460 [validation disabled]
  [Header checksum status: Unverified]
  Source: 80.239.128.61
  Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0xf4ee [correct]
[Checksum Status: Good]
Length: 17
[Length of original datagram: 68]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5aed (23277)
  Flags: 0x0000
```

```
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ae0 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588c [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 12 (0x000c)
Sequence number (LE): 3072 (0x0c00)
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.    Time    Source    Destination    Protocol Length Info
      53 3.484878664    192.168.0.175    128.93.162.63    ICMP      74    Echo (ping) request  id=0x29e2, seq=23/5888,
ttl=8 (no response found!)
Frame 53: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.064874188 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.064874188 seconds
[Time delta from previous captured frame: 0.000108314 seconds]
[Time delta from previous displayed frame: 0.000108314 seconds]
[Time since reference or first frame: 3.484878664 seconds]
Frame Number: 53
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af9 (23289)
Flags: 0x0000
Time to live: 8
Protocol: ICMP (1)
Header checksum: 0x73d4 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5881 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 23 (0x0017)
Sequence number (LE): 5888 (0x1700)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.    Time    Source    Destination    Protocol Length Info
      54 3.484973531    192.168.0.175    128.93.162.63    ICMP      74    Echo (ping) request  id=0x29e2, seq=24/6144,
ttl=8 (no response found!)
Frame 54: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.064969055 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.064969055 seconds
[Time delta from previous captured frame: 0.000094867 seconds]
[Time delta from previous displayed frame: 0.000094867 seconds]
[Time since reference or first frame: 3.484973531 seconds]
Frame Number: 54
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
```

Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afa (23290)
Flags: 0x0000
Time to live: 8
Protocol: ICMP (1)
Header checksum: 0x73d3 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5880 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 24 (0x0018)
Sequence number (LE): 6144 (0x1800)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
55 3.485046227 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=25/6400, ttl=9 (no response found!)

Frame 55: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.065041751 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.065041751 seconds
[Time delta from previous captured frame: 0.000072696 seconds]
[Time delta from previous displayed frame: 0.000072696 seconds]
[Time since reference or first frame: 3.485046227 seconds]
Frame Number: 55
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afb (23291)
Flags: 0x0000
Time to live: 9
Protocol: ICMP (1)
Header checksum: 0x72d2 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587f [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 25 (0x0019)
Sequence number (LE): 6400 (0x1900)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
56 3.492697619 62.115.136.124 192.168.0.175 ICMP 182 Time-to-live exceeded (Time to live exceeded in transit)

Frame 56: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.072693143 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.072693143 seconds
[Time delta from previous captured frame: 0.007651392 seconds]

[Time delta from previous displayed frame: 0.007651392 seconds]
[Time since reference or first frame: 3.492697619 seconds]
Frame Number: 56
Frame Length: 182 bytes (1456 bits)
Capture Length: 182 bytes (1456 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.136.124, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 168
Identification: 0xc810 (51216)
Flags: 0x4000, Don't fragment
Time to live: 250
Protocol: ICMP (1)
Header checksum: 0x2ff9 [validation disabled]
[Header checksum status: Unverified]
Source: 62.115.136.124
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0xf4ff [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af1 (23281)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7adc [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5888 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 16 (0x0010)
Sequence number (LE): 4096 (0x1000)
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
ICMP Multi-Part Extensions
No. Time Source Destination Protocol Length Info
57 3.492750807 62.115.136.124 192.168.0.175 ICMP 182 Time-to-live exceeded (Time to live exceeded in transit)
Frame 57: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.072746331 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.072746331 seconds
[Time delta from previous captured frame: 0.000053188 seconds]
[Time delta from previous displayed frame: 0.000053188 seconds]
[Time since reference or first frame: 3.492750807 seconds]
Frame Number: 57
Frame Length: 182 bytes (1456 bits)
Capture Length: 182 bytes (1456 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.136.124, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 168

Identification: 0xc813 (51219)
Flags: 0x4000, Don't fragment
Time to live: 250
Protocol: ICMP (1)
Header checksum: 0x2ff6 [validation disabled]
[Header checksum status: Unverified]
Source: 62.115.136.124
Destination: 192.168.0.175

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0xf4ff [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af2 (23282)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7adb [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5887 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 17 (0x0011)
Sequence number (LE): 4352 (0x1100)
Data (32 bytes)

0000	48	49	4a	4b	4c	4d	4e	4f	50	51	52	53	54	55	56	57	HIJ
0010	58	59	5a	5b	5c	5d	5e	5f	60	61	62	63	64	65	66	67	KLMNOPQRSTU

ICMP Multi-Part Extensions

No.	Time	Source	Destination	Protocol	Length	Info
58	3.492771878	62.115.136.124	192.168.0.175	ICMP	182	Time-to-live exceeded (Time to live exceeded in transit)

Frame 58: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.072767402 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.072767402 seconds
[Time delta from previous captured frame: 0.000021071 seconds]
[Time delta from previous displayed frame: 0.000021071 seconds]
[Time since reference or first frame: 3.492771878 seconds]
Frame Number: 58
Frame Length: 182 bytes (1456 bits)
Capture Length: 182 bytes (1456 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 62.115.136.124, Dst: 192.168.0.175

0100 = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 168
Identification: 0xc816 (51222)
Flags: 0x4000, Don't fragment
Time to live: 250
Protocol: ICMP (1)
Header checksum: 0x2ff3 [validation disabled]
[Header checksum status: Unverified]
Source: 62.115.136.124
Destination: 192.168.0.175

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0xf4ff [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af3 (23283)
Flags: 0x0000

```
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ada [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5886 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 18 (0x0012)
Sequence number (LE): 4608 (0x1200)
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg

ICMP Multi-Part Extensions
No.      Time      Source      Destination      Protocol Length Info
59 3.492853138 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=26/6656,
ttl=9 (no response found!)
Frame 59: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.072848662 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.072848662 seconds
[Time delta from previous captured frame: 0.000081260 seconds]
[Time delta from previous displayed frame: 0.000081260 seconds]
[Time since reference or first frame: 3.492853138 seconds]
Frame Number: 59
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afc (23292)
Flags: 0x0000
Time to live: 9
Protocol: ICMP (1)
Header checksum: 0x72d1 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587e [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 26 (0x001a)
Sequence number (LE): 6656 (0x1a00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg

No.      Time      Source      Destination      Protocol Length Info
60 3.492900782 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=27/6912,
ttl=9 (no response found!)
Frame 60: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.072896306 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.072896306 seconds
[Time delta from previous captured frame: 0.000047644 seconds]
[Time delta from previous displayed frame: 0.000047644 seconds]
[Time since reference or first frame: 3.492900782 seconds]
Frame Number: 60
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
```


Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afd (23293)
Flags: 0x0000
Time to live: 9
Protocol: ICMP (1)
Header checksum: 0x72d0 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587d [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 27 (0x001b)
Sequence number (LE): 6912 (0x1b00)
[No response seen]
Data (32 bytes)

0000	48	49	4a	4b	4c	4d	4e	4f	50	51	52	53	54	55	56	57	HIJKLMNOPQRSTUVWXYZ
0010	58	59	5a	5b	5c	5d	5e	5f	60	61	62	63	64	65	66	67	XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
61	3.492922323	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2, seq=28/7168, ttl=10 (no response found!)

Frame 61: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.072917847 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.072917847 seconds
[Time delta from previous captured frame: 0.000021541 seconds]
[Time delta from previous displayed frame: 0.000021541 seconds]
[Time since reference or first frame: 3.492922323 seconds]
Frame Number: 61
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]

Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afe (23294)
Flags: 0x0000
Time to live: 10
Protocol: ICMP (1)
Header checksum: 0x71cf [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587c [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 28 (0x001c)
Sequence number (LE): 7168 (0x1c00)
[No response seen]
Data (32 bytes)

0000	48	49	4a	4b	4c	4d	4e	4f	50	51	52	53	54	55	56	57	HIJKLMNOPQRSTUVWXYZ
0010	58	59	5a	5b	5c	5d	5e	5f	60	61	62	63	64	65	66	67	XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
62	3.499116999	62.115.119.38	192.168.0.175	ICMP	182	Time-to-live exceeded (Time to live exceeded in transit)

Frame 62: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.079112523 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.079112523 seconds

[Time delta from previous captured frame: 0.006194676 seconds]
[Time delta from previous displayed frame: 0.006194676 seconds]
[Time since reference or first frame: 3.499116999 seconds]
Frame Number: 62
Frame Length: 182 bytes (1456 bits)
Capture Length: 182 bytes (1456 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.119.38, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 168
Identification: 0x0000 (0)
Flags: 0x4000, Don't fragment
Time to live: 245
Protocol: ICMP (1)
Header checksum: 0x0e60 [validation disabled]
[Header checksum status: Unverified]
Source: 62.115.119.38
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0xf4ff [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aee (23278)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7adf [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x588b [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 13 (0x000d)
Sequence number (LE): 3328 (0x0d00)
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
ICMP Multi-Part Extensions
No. Time Source Destination Protocol Length Info
in 63 3.499214015 62.115.119.38 192.168.0.175 ICMP 182 Time-to-live exceeded (Time to live exceeded in transit)
Frame 63: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.079209539 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.079209539 seconds
[Time delta from previous captured frame: 0.000097016 seconds]
[Time delta from previous displayed frame: 0.000097016 seconds]
[Time since reference or first frame: 3.499214015 seconds]
Frame Number: 63
Frame Length: 182 bytes (1456 bits)
Capture Length: 182 bytes (1456 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.119.38, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)

```
Total Length: 168
Identification: 0x0000 (0)
Flags: 0x4000, Don't fragment
Time to live: 245
Protocol: ICMP (1)
Header checksum: 0x0e60 [validation disabled]
[Header checksum status: Unverified]
Source: 62.115.119.38
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0xf4ff [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5aef (23279)
  Flags: 0x0000
  Time to live: 1
  Protocol: ICMP (1)
  Header checksum: 0x7ade [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
  Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x588a [unverified] [in ICMP error packet]
  [Checksum Status: Unverified]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 14 (0x000e)
  Sequence number (LE): 3584 (0x0e00)
  Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
  ICMP Multi-Part Extensions
No.      Time      Source      Destination      Protocol Length Info
   64 3.499264313 62.115.119.38 192.168.0.175    ICMP      182      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 64: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.079259837 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.079259837 seconds
  [Time delta from previous captured frame: 0.000050298 seconds]
  [Time delta from previous displayed frame: 0.000050298 seconds]
  [Time since reference or first frame: 3.499264313 seconds]
  Frame Number: 64
  Frame Length: 182 bytes (1456 bits)
  Capture Length: 182 bytes (1456 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:ip:icmp:data]
  [Coloring Rule Name: ICMP errors]
  [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.119.38, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 168
  Identification: 0x0000 (0)
  Flags: 0x4000, Don't fragment
  Time to live: 245
  Protocol: ICMP (1)
  Header checksum: 0x0e60 [validation disabled]
  [Header checksum status: Unverified]
  Source: 62.115.119.38
  Destination: 192.168.0.175
  Internet Control Message Protocol
  Type: 11 (Time-to-live exceeded)
  Code: 0 (Time to live exceeded in transit)
  Checksum: 0xf4ff [correct]
  [Checksum Status: Good]
  Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    Total Length: 60
    Identification: 0x5af0 (23280)
```

```
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7add [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5889 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 15 (0x000f)
Sequence number (LE): 3840 (0x0f00)
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
ICMP Multi-Part Extensions
No.      Time      Source      Destination      Protocol Length Info
    65 3.499324684 192.168.0.175 128.93.162.63    ICMP      74      Echo (ping) request id=0x29e2, seq=29/7424,
ttl=10 (no response found!)
Frame 65: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.079320208 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.079320208 seconds
[Time delta from previous captured frame: 0.000060371 seconds]
[Time delta from previous displayed frame: 0.000060371 seconds]
[Time since reference or first frame: 3.499324684 seconds]
Frame Number: 65
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5aff (23295)
Flags: 0x0000
Time to live: 10
Protocol: ICMP (1)
Header checksum: 0x71ce [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587b [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 29 (0x001d)
Sequence number (LE): 7424 (0x1d00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
    66 3.499390204 192.168.0.175 128.93.162.63    ICMP      74      Echo (ping) request id=0x29e2, seq=30/7680,
ttl=10 (no response found!)
Frame 66: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.079385728 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.079385728 seconds
[Time delta from previous captured frame: 0.000065520 seconds]
[Time delta from previous displayed frame: 0.000065520 seconds]
[Time since reference or first frame: 3.499390204 seconds]
Frame Number: 66
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
```

[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b00 (23296)
Flags: 0x0000
Time to live: 10
Protocol: ICMP (1)
Header checksum: 0x71cd [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587a [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 30 (0x001e)
Sequence number (LE): 7680 (0x1e00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_` abcdefg
No. Time Source Destination Protocol Length Info
67 3.499433209 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=31/7936,
ttl=11 (no response found!)
Frame 67: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.079428733 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.079428733 seconds
[Time delta from previous captured frame: 0.000043005 seconds]
[Time delta from previous displayed frame: 0.000043005 seconds]
[Time since reference or first frame: 3.499433209 seconds]
Frame Number: 67
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b01 (23297)
Flags: 0x0000
Time to live: 11
Protocol: ICMP (1)
Header checksum: 0x70cc [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5879 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 31 (0x001f)
Sequence number (LE): 7936 (0x1f00)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_` abcdefg
No. Time Source Destination Protocol Length Info
68 3.500304695 62.115.137.41 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded
in transit)
Frame 68: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.080300219 EET
[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.080300219 seconds
[Time delta from previous captured frame: 0.000871486 seconds]
[Time delta from previous displayed frame: 0.000871486 seconds]
[Time since reference or first frame: 3.500304695 seconds]
Frame Number: 68
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.137.41, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x0000 (0)
Flags: 0x0000
Time to live: 249
Protocol: ICMP (1)
Header checksum: 0x38cd [validation disabled]
[Header checksum status: Unverified]
Source: 62.115.137.41
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af4 (23284)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ad9 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5885 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 19 (0x0013)
Sequence number (LE): 4864 (0x1300)
No. Time Source Destination Protocol Length Info
69 3.500461465 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=32/8192,
ttl=11 (no response found!)
Frame 69: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.080456989 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.080456989 seconds
[Time delta from previous captured frame: 0.000156770 seconds]
[Time delta from previous displayed frame: 0.000156770 seconds]
[Time since reference or first frame: 3.500461465 seconds]
Frame Number: 69
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b02 (23298)
Flags: 0x0000
Time to live: 11

Protocol: ICMP (1)
Header checksum: 0x70cb [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5878 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 32 (0x0020)
Sequence number (LE): 8192 (0x2000)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
70 3.505439059 62.115.137.41 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded in transit)
Frame 70: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.085434583 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.085434583 seconds
[Time delta from previous captured frame: 0.004977594 seconds]
[Time delta from previous displayed frame: 0.004977594 seconds]
[Time since reference or first frame: 3.505439059 seconds]
Frame Number: 70
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.137.41, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x0000 (0)
Flags: 0x0000
Time to live: 249
Protocol: ICMP (1)
Header checksum: 0x38cd [validation disabled]
[Header checksum status: Unverified]
Source: 62.115.137.41
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af5 (23285)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ad8 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5884 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 20 (0x0014)
Sequence number (LE): 5120 (0x1400)
No. Time Source Destination Protocol Length Info
71 3.505515768 62.115.137.41 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded in transit)
Frame 71: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)

```
Arrival Time: Mar 20, 2020 11:27:41.085511292 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.085511292 seconds
[Time delta from previous captured frame: 0.000076709 seconds]
[Time delta from previous displayed frame: 0.000076709 seconds]
[Time since reference or first frame: 3.505515768 seconds]
Frame Number: 71
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.137.41, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 56
  Identification: 0x0000 (0)
  Flags: 0x0000
  Time to live: 249
  Protocol: ICMP (1)
  Header checksum: 0x38cd [validation disabled]
  [Header checksum status: Unverified]
  Source: 62.115.137.41
  Destination: 192.168.0.175
Internet Control Message Protocol
  Type: 11 (Time-to-live exceeded)
  Code: 0 (Time to live exceeded in transit)
  Checksum: 0x6a85 [correct]
  [Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5af6 (23286)
  Flags: 0x0000
  Time to live: 1
  Protocol: ICMP (1)
  Header checksum: 0x7ad7 [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x5883 [unverified] [in ICMP error packet]
  [Checksum Status: Unverified]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 21 (0x0015)
  Sequence number (LE): 5376 (0x1500)
No.      Time      Source      Destination      Protocol Length Info
  72 3.505655078 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=33/8448,
ttl=11 (no response found!)
Frame 72: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.085650602 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.085650602 seconds
  [Time delta from previous captured frame: 0.000139310 seconds]
  [Time delta from previous displayed frame: 0.000139310 seconds]
  [Time since reference or first frame: 3.505655078 seconds]
  Frame Number: 72
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5b03 (23299)
```


Flags: 0x0000
Time to live: 11
Protocol: ICMP (1)
Header checksum: 0x70ca [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5877 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 33 (0x0021)
Sequence number (LE): 8448 (0x2100)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
73	3.505729717	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2, seq=34/8704, ttl=12 (no response found!)

Frame 73: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.085725241 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.085725241 seconds
[Time delta from previous captured frame: 0.000074639 seconds]
[Time delta from previous displayed frame: 0.000074639 seconds]
[Time since reference or first frame: 3.505729717 seconds]
Frame Number: 73
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b04 (23300)
Flags: 0x0000
Time to live: 12
Protocol: ICMP (1)
Header checksum: 0x6fc9 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5876 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 34 (0x0022)
Sequence number (LE): 8704 (0x2200)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
74	3.508260589	213.248.84.217	192.168.0.175	ICMP	70	Time-to-live exceeded (Time to live exceeded in transit)

Frame 74: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.088256113 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.088256113 seconds
[Time delta from previous captured frame: 0.002530872 seconds]
[Time delta from previous displayed frame: 0.002530872 seconds]
[Time since reference or first frame: 3.508260589 seconds]
Frame Number: 74
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]

[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 213.248.84.217, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x0000 (0)
Flags: 0x0000
Time to live: 249
Protocol: ICMP (1)
Header checksum: 0xd597 [validation disabled]
[Header checksum status: Unverified]
Source: 213.248.84.217
Destination: 192.168.0.175

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af7 (23287)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ad6 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5882 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 22 (0x0016)
Sequence number (LE): 5632 (0x1600)

No.	Time	Source	Destination	Protocol	Length	Info
	75 3.508459118	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2, seq=35/8960, ttl=12 (no response found!)

Frame 75: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.088454642 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.088454642 seconds
[Time delta from previous captured frame: 0.000198529 seconds]
[Time delta from previous displayed frame: 0.000198529 seconds]
[Time since reference or first frame: 3.508459118 seconds]
Frame Number: 75
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]

Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b05 (23301)
Flags: 0x0000
Time to live: 12
Protocol: ICMP (1)
Header checksum: 0x6fc8 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5875 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)

Identifier (LE): 57897 (0xe229)
Sequence number (BE): 35 (0x0023)
Sequence number (LE): 8960 (0x2300)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
76	3.518548547	213.248.84.217	192.168.0.175	ICMP	70	Time-to-live exceeded (Time to live exceeded in transit)

Frame 76: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.098544071 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.098544071 seconds
[Time delta from previous captured frame: 0.010089429 seconds]
[Time delta from previous displayed frame: 0.010089429 seconds]
[Time since reference or first frame: 3.518548547 seconds]
Frame Number: 76
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 213.248.84.217, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x0000 (0)
Flags: 0x0000
Time to live: 249
Protocol: ICMP (1)
Header checksum: 0xd597 [validation disabled]
[Header checksum status: Unverified]
Source: 213.248.84.217
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5af9 (23289)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ad4 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5881 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 23 (0x0017)
Sequence number (LE): 5888 (0x1700)

No.	Time	Source	Destination	Protocol	Length	Info
77	3.518607967	213.248.84.217	192.168.0.175	ICMP	70	Time-to-live exceeded (Time to live exceeded in transit)

Frame 77: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.098603491 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.098603491 seconds
[Time delta from previous captured frame: 0.000059420 seconds]
[Time delta from previous displayed frame: 0.000059420 seconds]
[Time since reference or first frame: 3.518607967 seconds]
Frame Number: 77
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]

```

[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 213.248.84.217, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 56
  Identification: 0x0000 (0)
  Flags: 0x0000
  Time to live: 249
  Protocol: ICMP (1)
  Header checksum: 0xd597 [validation disabled]
  [Header checksum status: Unverified]
  Source: 213.248.84.217
  Destination: 192.168.0.175
Internet Control Message Protocol
  Type: 11 (Time-to-live exceeded)
  Code: 0 (Time to live exceeded in transit)
  Checksum: 0x6a85 [correct]
  [Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5afa (23290)
  Flags: 0x0000
  Time to live: 1
  Protocol: ICMP (1)
  Header checksum: 0x7ad3 [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x5880 [unverified] [in ICMP error packet]
  [Checksum Status: Unverified]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 24 (0x0018)
  Sequence number (LE): 6144 (0x1800)
No.      Time      Source      Destination      Protocol Length Info
78 3.518731276 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=36/9216,
ttl=12 (no response found!)
Frame 78: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.098726800 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.098726800 seconds
  [Time delta from previous captured frame: 0.000123309 seconds]
  [Time delta from previous displayed frame: 0.000123309 seconds]
  [Time since reference or first frame: 3.518731276 seconds]
  Frame Number: 78
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5b06 (23302)
  Flags: 0x0000
  Time to live: 12
  Protocol: ICMP (1)
  Header checksum: 0x6fc7 [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x5874 [correct]

```

[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 36 (0x0024)
Sequence number (LE): 9216 (0x2400)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
79 3.518795411 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=37/9472,
ttl=13 (no response found!)

Frame 79: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.098790935 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.098790935 seconds
[Time delta from previous captured frame: 0.000064135 seconds]
[Time delta from previous displayed frame: 0.000064135 seconds]
[Time since reference or first frame: 3.518795411 seconds]
Frame Number: 79
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]

Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b07 (23303)
Flags: 0x0000
Time to live: 13
Protocol: ICMP (1)
Header checksum: 0x6ec6 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5873 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 37 (0x0025)
Sequence number (LE): 9472 (0x2500)
[No response seen]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
80 3.536473159 213.200.119.214 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded
in transit)

Frame 80: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.116468683 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.116468683 seconds
[Time delta from previous captured frame: 0.017677748 seconds]
[Time delta from previous displayed frame: 0.017677748 seconds]
[Time since reference or first frame: 3.536473159 seconds]
Frame Number: 80
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]

Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 213.200.119.214, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56

Identification: 0x0000 (0)
Flags: 0x0000
Time to live: 245
Protocol: ICMP (1)
Header checksum: 0xb6ca [validation disabled]
[Header checksum status: Unverified]
Source: 213.200.119.214
Destination: 192.168.0.175

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afb (23291)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ad2 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587f [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 25 (0x0019)
Sequence number (LE): 6400 (0x1900)

No.	Time	Source	Destination	Protocol	Length	Info
81	3.536669009	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2, seq=38/9728, ttl=13 (no response found!)

Frame 81: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.116664533 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.116664533 seconds
[Time delta from previous captured frame: 0.000195850 seconds]
[Time delta from previous displayed frame: 0.000195850 seconds]
[Time since reference or first frame: 3.536669009 seconds]
Frame Number: 81
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]

Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b0a (23306)
Flags: 0x0000
Time to live: 13
Protocol: ICMP (1)
Header checksum: 0x6ec3 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5872 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 38 (0x0026)
Sequence number (LE): 9728 (0x2600)
[No response seen]
Data (32 bytes)

0000	48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57	HIJKLMNOPQRSTUVWXYZ
0010	58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67	XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
82	3.543346014	213.200.119.214	192.168.0.175	ICMP	70	Time-to-live exceeded (Time to live exceeded in transit)

Frame 82: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0

```
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.123341538 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.123341538 seconds
[Time delta from previous captured frame: 0.006677005 seconds]
[Time delta from previous displayed frame: 0.006677005 seconds]
[Time since reference or first frame: 3.543346014 seconds]
Frame Number: 82
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 213.200.119.214, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x0000 (0)
Flags: 0x0000
Time to live: 245
Protocol: ICMP (1)
Header checksum: 0xb6ca [validation disabled]
[Header checksum status: Unverified]
Source: 213.200.119.214
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afc (23292)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ad1 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587e [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 26 (0x001a)
Sequence number (LE): 6656 (0x1a00)
No.      Time                Source                Destination            Protocol Length Info
83 3.543401362      213.200.119.214      192.168.0.175          ICMP      70      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 83: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.123396886 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.123396886 seconds
[Time delta from previous captured frame: 0.000055348 seconds]
[Time delta from previous displayed frame: 0.000055348 seconds]
[Time since reference or first frame: 3.543401362 seconds]
Frame Number: 83
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 213.200.119.214, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
```

Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x0000 (0)
Flags: 0x0000
Time to live: 245
Protocol: ICMP (1)
Header checksum: 0xb6ca [validation disabled]
[Header checksum status: Unverified]
Source: 213.200.119.214
Destination: 192.168.0.175

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afd (23293)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ad0 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587d [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 27 (0x001b)
Sequence number (LE): 6912 (0x1b00)

No.	Time	Source	Destination	Protocol	Length	Info
84	3.543536393	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2, seq=39/9984, ttl=13 (no response found!)

Frame 84: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.123531917 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.123531917 seconds
[Time delta from previous captured frame: 0.000135031 seconds]
[Time delta from previous displayed frame: 0.000135031 seconds]
[Time since reference or first frame: 3.543536393 seconds]
Frame Number: 84
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b0c (23308)
Flags: 0x0000
Time to live: 13
Protocol: ICMP (1)
Header checksum: 0x6ec1 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5871 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 39 (0x0027)
Sequence number (LE): 9984 (0x2700)
[No response seen]
Data (32 bytes)

0000	48	49	4a	4b	4c	4d	4e	4f	50	51	52	53	54	55	56	57	HIJ	KLMN	OPQR	STUV	WV
0010	58	59	5a	5b	5c	5d	5e	5f	60	61	62	63	64	65	66	67	XYZ[\]^_`	abcde	fgh		

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

85 3.543609082 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=40/10240, ttl=14 (reply in 112)

Frame 85: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0

Interface id: 0 (wlp3s0)

Encapsulation type: Ethernet (1)

Arrival Time: Mar 20, 2020 11:27:41.123604606 EET

[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.123604606 seconds

[Time delta from previous captured frame: 0.000072689 seconds]

[Time delta from previous displayed frame: 0.000072689 seconds]

[Time since reference or first frame: 3.543609082 seconds]

Frame Number: 85

Frame Length: 74 bytes (592 bits)

Capture Length: 74 bytes (592 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:icmp:data]

[Coloring Rule Name: ICMP]

[Coloring Rule String: icmp || icmpv6]

Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)

Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)

Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 60

Identification: 0x5b0d (23309)

Flags: 0x0000

Time to live: 14

Protocol: ICMP (1)

Header checksum: 0x6dc0 [validation disabled]

[Header checksum status: Unverified]

Source: 192.168.0.175

Destination: 128.93.162.63

Internet Control Message Protocol

Type: 8 (Echo (ping) request)

Code: 0

Checksum: 0x5870 [correct]

[Checksum Status: Good]

Identifier (BE): 10722 (0x29e2)

Identifier (LE): 57897 (0xe229)

Sequence number (BE): 40 (0x0028)

Sequence number (LE): 10240 (0x2800)

[Response frame: 112]

Data (32 bytes)

0000	48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57	HIJKLMNOPQRSTUVWXYZ
0010	58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67	XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
	86 3.550184294	77.67.123.206	192.168.0.175	ICMP	70	Time-to-live exceeded (Time to live exceeded in transit)

Frame 86: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0

Interface id: 0 (wlp3s0)

Encapsulation type: Ethernet (1)

Arrival Time: Mar 20, 2020 11:27:41.130179818 EET

[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.130179818 seconds

[Time delta from previous captured frame: 0.006575212 seconds]

[Time delta from previous displayed frame: 0.006575212 seconds]

[Time since reference or first frame: 3.550184294 seconds]

Frame Number: 86

Frame Length: 70 bytes (560 bits)

Capture Length: 70 bytes (560 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]

[Coloring Rule Name: ICMP errors]

[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]

Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)

Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 77.67.123.206, Dst: 192.168.0.175

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)

Total Length: 56

Identification: 0x0000 (0)

Flags: 0x0000

Time to live: 242

Protocol: ICMP (1)

Header checksum: 0x3e58 [validation disabled]

[Header checksum status: Unverified]

Source: 77.67.123.206

Destination: 192.168.0.175

Internet Control Message Protocol

Type: 11 (Time-to-live exceeded)

Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5afe (23294)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7acf [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587c [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 28 (0x001c)
Sequence number (LE): 7168 (0x1c00)

No.	Time	Source	Destination	Protocol	Length	Info
87	3.550378780	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2,

seq=41/10496, ttl=14 (reply in 113)
Frame 87: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.130374304 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.130374304 seconds
[Time delta from previous captured frame: 0.000194486 seconds]
[Time delta from previous displayed frame: 0.000194486 seconds]
[Time since reference or first frame: 3.550378780 seconds]
Frame Number: 87
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b0e (23310)
Flags: 0x0000
Time to live: 14
Protocol: ICMP (1)
Header checksum: 0x6dbf [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x586f [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 41 (0x0029)
Sequence number (LE): 10496 (0x2900)
[Response frame: 113]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
88 3.556427400 77.67.123.206 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded in transit)
Frame 88: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.136422924 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.136422924 seconds
[Time delta from previous captured frame: 0.006048620 seconds]
[Time delta from previous displayed frame: 0.006048620 seconds]
[Time since reference or first frame: 3.556427400 seconds]
Frame Number: 88
Frame Length: 70 bytes (560 bits)

```
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 77.67.123.206, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 56
  Identification: 0x0000 (0)
  Flags: 0x0000
  Time to live: 242
  Protocol: ICMP (1)
  Header checksum: 0x3e58 [validation disabled]
  [Header checksum status: Unverified]
  Source: 77.67.123.206
  Destination: 192.168.0.175
Internet Control Message Protocol
  Type: 11 (Time-to-live exceeded)
  Code: 0 (Time to live exceeded in transit)
  Checksum: 0x6a85 [correct]
  [Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5aff (23295)
  Flags: 0x0000
  Time to live: 1
  Protocol: ICMP (1)
  Header checksum: 0x7ace [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x587b [unverified] [in ICMP error packet]
  [Checksum Status: Unverified]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 29 (0x001d)
  Sequence number (LE): 7424 (0x1d00)
No.      Time      Source      Destination      Protocol Length Info
  89 3.556520459 77.67.123.206 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded
in transit)
Frame 89: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.136515983 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.136515983 seconds
  [Time delta from previous captured frame: 0.000093059 seconds]
  [Time delta from previous displayed frame: 0.000093059 seconds]
  [Time since reference or first frame: 3.556520459 seconds]
  Frame Number: 89
  Frame Length: 70 bytes (560 bits)
  Capture Length: 70 bytes (560 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
  [Coloring Rule Name: ICMP errors]
  [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
  Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
  Internet Protocol Version 4, Src: 77.67.123.206, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 242
    Protocol: ICMP (1)
    Header checksum: 0x3e58 [validation disabled]
    [Header checksum status: Unverified]
    Source: 77.67.123.206
    Destination: 192.168.0.175
```

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b00 (23296)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7acd [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x587a [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 30 (0x001e)
Sequence number (LE): 7680 (0x1e00)

No.	Time	Source	Destination	Protocol	Length	Info
90	3.556661334	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2,

seq=42/10752, ttl=14 (reply in 114)
Frame 90: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.136656858 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.136656858 seconds
[Time delta from previous captured frame: 0.000140875 seconds]
[Time delta from previous displayed frame: 0.000140875 seconds]
[Time since reference or first frame: 3.556661334 seconds]
Frame Number: 90
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b10 (23312)
Flags: 0x0000
Time to live: 14
Protocol: ICMP (1)
Header checksum: 0x6dbd [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x586e [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 42 (0x002a)
Sequence number (LE): 10752 (0x2a00)
[Response frame: 114]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
91	3.556798555	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2,

seq=43/11008, ttl=15 (reply in 115)
Frame 91: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.136794079 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.136794079 seconds
[Time delta from previous captured frame: 0.000137221 seconds]
[Time delta from previous displayed frame: 0.000137221 seconds]
[Time since reference or first frame: 3.556798555 seconds]

```
Frame Number: 91
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b11 (23313)
Flags: 0x0000
Time to live: 15
Protocol: ICMP (1)
Header checksum: 0x6cbc [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x586d [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 43 (0x002b)
Sequence number (LE): 11008 (0x2b00)
[Response frame: 115]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
    92 3.557558617 193.51.177.107 192.168.0.175    ICMP      70      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 92: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.137554141 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.137554141 seconds
[Time delta from previous captured frame: 0.000760062 seconds]
[Time delta from previous displayed frame: 0.000760062 seconds]
[Time since reference or first frame: 3.557558617 seconds]
Frame Number: 92
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 193.51.177.107, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x9b7d (39805)
Flags: 0x0000
Time to live: 241
Protocol: ICMP (1)
Header checksum: 0xfa4c [validation disabled]
[Header checksum status: Unverified]
Source: 193.51.177.107
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b01 (23297)
Flags: 0x0000
Time to live: 1
```

```

    Protocol: ICMP (1)
    Header checksum: 0x7acc [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.168.0.175
    Destination: 128.93.162.63
Internet Control Message Protocol
    Type: 8 (Echo (ping) request)
    Code: 0
    Checksum: 0x5879 [unverified] [in ICMP error packet]
    [Checksum Status: Unverified]
    Identifier (BE): 10722 (0x29e2)
    Identifier (LE): 57897 (0xe229)
    Sequence number (BE): 31 (0x001f)
    Sequence number (LE): 7936 (0x1f00)
No.      Time      Source      Destination      Protocol Length Info
   93 3.557618045 193.51.177.107 192.168.0.175    ICMP      70      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 93: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 20, 2020 11:27:41.137613569 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1584696461.137613569 seconds
    [Time delta from previous captured frame: 0.000059428 seconds]
    [Time delta from previous displayed frame: 0.000059428 seconds]
    [Time since reference or first frame: 3.557618045 seconds]
    Frame Number: 93
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 193.51.177.107, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x9b7e (39806)
    Flags: 0x0000
    Time to live: 241
    Protocol: ICMP (1)
    Header checksum: 0xfa4b [validation disabled]
    [Header checksum status: Unverified]
    Source: 193.51.177.107
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0x6a85 [correct]
    [Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    Total Length: 60
    Identification: 0x5b02 (23298)
    Flags: 0x0000
    Time to live: 1
    Protocol: ICMP (1)
    Header checksum: 0x7acb [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.168.0.175
    Destination: 128.93.162.63
Internet Control Message Protocol
    Type: 8 (Echo (ping) request)
    Code: 0
    Checksum: 0x5878 [unverified] [in ICMP error packet]
    [Checksum Status: Unverified]
    Identifier (BE): 10722 (0x29e2)
    Identifier (LE): 57897 (0xe229)
    Sequence number (BE): 32 (0x0020)
    Sequence number (LE): 8192 (0x2000)
No.      Time      Source      Destination      Protocol Length Info
   94 3.557708866 192.168.0.175 128.93.162.63    ICMP      74      Echo (ping) request id=0x29e2,
seq=44/11264, ttl=15 (reply in 116)
Frame 94: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 20, 2020 11:27:41.137704390 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1584696461.137704390 seconds
    [Time delta from previous captured frame: 0.000090821 seconds]
```

[Time delta from previous displayed frame: 0.000090821 seconds]
[Time since reference or first frame: 3.557708866 seconds]
Frame Number: 94
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b12 (23314)
Flags: 0x0000
Time to live: 15
Protocol: ICMP (1)
Header checksum: 0x6cbb [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x586c [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 44 (0x002c)
Sequence number (LE): 11264 (0x2c00)
[Response frame: 116]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
95 3.557761595 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2,
seq=45/11520, ttl=15 (reply in 117)
Frame 95: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.137757119 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.137757119 seconds
[Time delta from previous captured frame: 0.000052729 seconds]
[Time delta from previous displayed frame: 0.000052729 seconds]
[Time since reference or first frame: 3.557761595 seconds]
Frame Number: 95
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b13 (23315)
Flags: 0x0000
Time to live: 15
Protocol: ICMP (1)
Header checksum: 0x6cba [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x586b [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 45 (0x002d)
Sequence number (LE): 11520 (0x2d00)
[Response frame: 117]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ


```

Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 193.51.177.107, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0x9b7f (39807)
Flags: 0x0000
Time to live: 241
Protocol: ICMP (1)
Header checksum: 0xfa4a [validation disabled]
[Header checksum status: Unverified]
Source: 193.51.177.107
Destination: 192.168.0.175

```

```

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b03 (23299)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7aca [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

```

```

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5877 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 33 (0x0021)
Sequence number (LE): 8448 (0x2100)

```

No.	Time	Source	Destination	Protocol	Length	Info
98	3.563330010	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2,

seq=46/11776, ttl=16 (reply in 118)
Frame 98: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0

```

Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.143325534 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.143325534 seconds
[Time delta from previous captured frame: 0.000132701 seconds]
[Time delta from previous displayed frame: 0.000132701 seconds]
[Time since reference or first frame: 3.563330010 seconds]
Frame Number: 98
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]

```

```

Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)

```

```

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b15 (23317)
Flags: 0x0000
Time to live: 16
Protocol: ICMP (1)
Header checksum: 0x6bb8 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63

```

```

Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x586a [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 46 (0x002e)
Sequence number (LE): 11776 (0x2e00)
[Response frame: 118]

```

Data (32 bytes)

0000	48	49	4a	4b	4c	4d	4e	4f	50	51	52	53	54	55	56	57	HIJKLMNOPQRSTUVWXYZ
0010	58	59	5a	5b	5c	5d	5e	5f	60	61	62	63	64	65	66	67	XYZ[\]^_`abcdefg

No. Time Source Destination Protocol Length Info

99 3.563393448 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=47/12032, ttl=16 (reply in 119)

Frame 99: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0

Interface id: 0 (wlp3s0)

Encapsulation type: Ethernet (1)

Arrival Time: Mar 20, 2020 11:27:41.143388972 EET

[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.143388972 seconds

[Time delta from previous captured frame: 0.000063438 seconds]

[Time delta from previous displayed frame: 0.000063438 seconds]

[Time since reference or first frame: 3.563393448 seconds]

Frame Number: 99

Frame Length: 74 bytes (592 bits)

Capture Length: 74 bytes (592 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:icmp:data]

[Coloring Rule Name: ICMP]

[Coloring Rule String: icmp || icmpv6]

Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)

Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)

Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 60

Identification: 0x5b16 (23318)

Flags: 0x0000

Time to live: 16

Protocol: ICMP (1)

Header checksum: 0x6bb7 [validation disabled]

[Header checksum status: Unverified]

Source: 192.168.0.175

Destination: 128.93.162.63

Internet Control Message Protocol

Type: 8 (Echo (ping) request)

Code: 0

Checksum: 0x5869 [correct]

[Checksum Status: Good]

Identifier (BE): 10722 (0x29e2)

Identifier (LE): 57897 (0xe229)

Sequence number (BE): 47 (0x002f)

Sequence number (LE): 12032 (0x2f00)

[Response frame: 119]

Data (32 bytes)

0000	48	49	4a	4b	4c	4d	4e	4f	50	51	52	53	54	55	56	57	HIJKLMNOPQRSTUVWXYZ
0010	58	59	5a	5b	5c	5d	5e	5f	60	61	62	63	64	65	66	67	XYZ[\]^_`abcdefg

No. Time Source Destination Protocol Length Info

100 3.565321391 193.51.184.177 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded in transit)

Frame 100: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0

Interface id: 0 (wlp3s0)

Encapsulation type: Ethernet (1)

Arrival Time: Mar 20, 2020 11:27:41.145316915 EET

[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.145316915 seconds

[Time delta from previous captured frame: 0.001927943 seconds]

[Time delta from previous displayed frame: 0.001927943 seconds]

[Time since reference or first frame: 3.565321391 seconds]

Frame Number: 100

Frame Length: 70 bytes (560 bits)

Capture Length: 70 bytes (560 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]

[Coloring Rule Name: ICMP errors]

[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]

Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)

Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)

Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 193.51.184.177, Dst: 192.168.0.175

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)

Total Length: 56

Identification: 0x0000 (0)

Flags: 0x0000

Time to live: 241

Protocol: ICMP (1)

Header checksum: 0x8e84 [validation disabled]

[Header checksum status: Unverified]

Source: 193.51.184.177
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b05 (23301)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ac8 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5875 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 35 (0x0023)
Sequence number (LE): 8960 (0x2300)

No.	Time	Source	Destination	Protocol	Length	Info
101	3.573697443	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2,

seq=48/12288, ttl=16 (reply in 120)
Frame 101: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.153692967 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.153692967 seconds
[Time delta from previous captured frame: 0.008376052 seconds]
[Time delta from previous displayed frame: 0.008376052 seconds]
[Time since reference or first frame: 3.573697443 seconds]
Frame Number: 101
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b17 (23319)
Flags: 0x0000
Time to live: 16
Protocol: ICMP (1)
Header checksum: 0x6bb6 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5868 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 48 (0x0030)
Sequence number (LE): 12288 (0x3000)
[Response frame: 120]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
102	3.573769221	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2,

seq=49/12544, ttl=17 (reply in 121)
Frame 102: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.153764745 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.153764745 seconds
[Time delta from previous captured frame: 0.000071778 seconds]

[Time delta from previous displayed frame: 0.000071778 seconds]
[Time since reference or first frame: 3.573769221 seconds]
Frame Number: 102
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b18 (23320)
Flags: 0x0000
Time to live: 17
Protocol: ICMP (1)
Header checksum: 0x6ab5 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5867 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 49 (0x0031)
Sequence number (LE): 12544 (0x3100)
[Response frame: 121]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
103 3.573789702 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2,
seq=50/12800, ttl=17 (reply in 123)
Frame 103: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.153785226 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.153785226 seconds
[Time delta from previous captured frame: 0.000020481 seconds]
[Time delta from previous displayed frame: 0.000020481 seconds]
[Time since reference or first frame: 3.573789702 seconds]
Frame Number: 103
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b19 (23321)
Flags: 0x0000
Time to live: 17
Protocol: ICMP (1)
Header checksum: 0x6ab4 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5866 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 50 (0x0032)
Sequence number (LE): 12800 (0x3200)
[Response frame: 123]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ

```
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.    Time          Source          Destination          Protocol Length Info
   104 3.573806991    192.168.0.175        128.93.162.63        ICMP      74      Echo (ping) request  id=0x29e2,
seq=51/13056, ttl=17 (reply in 122)
Frame 104: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.153802515 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.153802515 seconds
  [Time delta from previous captured frame: 0.000017289 seconds]
  [Time delta from previous displayed frame: 0.000017289 seconds]
  [Time since reference or first frame: 3.573806991 seconds]
  Frame Number: 104
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x5b1a (23322)
  Flags: 0x0000
  Time to live: 17
  Protocol: ICMP (1)
  Header checksum: 0x6ab3 [validation disabled]
  [Header checksum status: Unverified]
  Source: 192.168.0.175
  Destination: 128.93.162.63
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x5865 [correct]
  [Checksum Status: Good]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 51 (0x0033)
  Sequence number (LE): 13056 (0x3300)
  [Response frame: 122]
  Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNPOQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.    Time          Source          Destination          Protocol Length Info
   105 3.575826170    193.51.184.177        192.168.0.175        ICMP      70      Time-to-live exceeded (Time to live exceeded
in transit)
Frame 105: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.155821694 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.155821694 seconds
  [Time delta from previous captured frame: 0.002019179 seconds]
  [Time delta from previous displayed frame: 0.002019179 seconds]
  [Time since reference or first frame: 3.575826170 seconds]
  Frame Number: 105
  Frame Length: 70 bytes (560 bits)
  Capture Length: 70 bytes (560 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
  [Coloring Rule Name: ICMP errors]
  [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 193.51.184.177, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 56
  Identification: 0x0000 (0)
  Flags: 0x0000
  Time to live: 241
  Protocol: ICMP (1)
  Header checksum: 0x8e84 [validation disabled]
  [Header checksum status: Unverified]
  Source: 193.51.184.177
  Destination: 192.168.0.175
```

Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b06 (23302)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ac7 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5874 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 36 (0x0024)
Sequence number (LE): 9216 (0x2400)

No.	Time	Source	Destination	Protocol	Length	Info
106	3.575974035	192.168.0.175	128.93.162.63	ICMP	74	Echo (ping) request id=0x29e2,

seq=52/13312, ttl=18 (reply in 124)
Frame 106: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.155969559 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.155969559 seconds
[Time delta from previous captured frame: 0.000147865 seconds]
[Time delta from previous displayed frame: 0.000147865 seconds]
[Time since reference or first frame: 3.575974035 seconds]
Frame Number: 106
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b1b (23323)
Flags: 0x0000
Time to live: 18
Protocol: ICMP (1)
Header checksum: 0x69b2 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5864 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 52 (0x0034)
Sequence number (LE): 13312 (0x3400)
[Response frame: 124]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg

No.	Time	Source	Destination	Protocol	Length	Info
107	3.576357898	192.93.122.19	192.168.0.175	ICMP	70	Time-to-live exceeded (Time to live exceeded in transit)

Frame 107: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.156353422 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.156353422 seconds
[Time delta from previous captured frame: 0.000383863 seconds]
[Time delta from previous displayed frame: 0.000383863 seconds]
[Time since reference or first frame: 3.576357898 seconds]

```

Frame Number: 107
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 ||
icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.93.122.19, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0xc4a6 (50342)
Flags: 0x0000
Time to live: 238
Protocol: ICMP (1)
Header checksum: 0x0c52 [validation disabled]
[Header checksum status: Unverified]
Source: 192.93.122.19
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b07 (23303)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ac6 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5873 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 37 (0x0025)
Sequence number (LE): 9472 (0x2500)
No.      Time                Source                Destination            Protocol Length Info
108 3.577344185      192.168.0.175        128.93.162.63          ICMP      74      Echo (ping) request  id=0x29e2,
seq=53/13568, ttl=18 (reply in 125)
Frame 108: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.157339709 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.157339709 seconds
[Time delta from previous captured frame: 0.000986287 seconds]
[Time delta from previous displayed frame: 0.000986287 seconds]
[Time since reference or first frame: 3.577344185 seconds]
Frame Number: 108
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b1c (23324)
Flags: 0x0000
Time to live: 18
Protocol: ICMP (1)
Header checksum: 0x69b1 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175

```

Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5863 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 53 (0x0035)
Sequence number (LE): 13568 (0x3500)
[Response frame: 125]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
109 3.594256718 192.93.122.19 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded in transit)
Frame 109: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.174252242 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.174252242 seconds
[Time delta from previous captured frame: 0.016912533 seconds]
[Time delta from previous displayed frame: 0.016912533 seconds]
[Time since reference or first frame: 3.594256718 seconds]
Frame Number: 109
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.93.122.19, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0xc4a7 (50343)
Flags: 0x0000
Time to live: 238
Protocol: ICMP (1)
Header checksum: 0x0c51 [validation disabled]
[Header checksum status: Unverified]
Source: 192.93.122.19
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b0a (23306)
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ac3 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5872 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 38 (0x0026)
Sequence number (LE): 9728 (0x2600)
No. Time Source Destination Protocol Length Info
110 3.594442303 192.168.0.175 128.93.162.63 ICMP 74 Echo (ping) request id=0x29e2, seq=54/13824, ttl=18 (reply in 126)
Frame 110: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.174437827 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.174437827 seconds
[Time delta from previous captured frame: 0.000185585 seconds]

[Time delta from previous displayed frame: 0.000185585 seconds]
[Time since reference or first frame: 3.594442303 seconds]
Frame Number: 110
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: Azurewav_32:75:4b (dc:85:de:32:75:4b), Dst: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Destination: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Source: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b1d (23325)
Flags: 0x0000
Time to live: 18
Protocol: ICMP (1)
Header checksum: 0x69b0 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5862 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 54 (0x0036)
Sequence number (LE): 13824 (0x3600)
[Response frame: 126]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
111 3.602676839 192.93.122.19 192.168.0.175 ICMP 70 Time-to-live exceeded (Time to live exceeded in transit)
Frame 111: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.182672363 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.182672363 seconds
[Time delta from previous captured frame: 0.008234536 seconds]
[Time delta from previous displayed frame: 0.008234536 seconds]
[Time since reference or first frame: 3.602676839 seconds]
Frame Number: 111
Frame Length: 70 bytes (560 bits)
Capture Length: 70 bytes (560 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:ip:icmp]
[Coloring Rule Name: ICMP errors]
[Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 || icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.93.122.19, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 56
Identification: 0xc4a8 (50344)
Flags: 0x0000
Time to live: 238
Protocol: ICMP (1)
Header checksum: 0x0c50 [validation disabled]
[Header checksum status: Unverified]
Source: 192.93.122.19
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 11 (Time-to-live exceeded)
Code: 0 (Time to live exceeded in transit)
Checksum: 0x6a85 [correct]
[Checksum Status: Good]
Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.93.162.63
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
Total Length: 60
Identification: 0x5b0c (23308)

```
Flags: 0x0000
Time to live: 1
Protocol: ICMP (1)
Header checksum: 0x7ac1 [validation disabled]
[Header checksum status: Unverified]
Source: 192.168.0.175
Destination: 128.93.162.63
Internet Control Message Protocol
Type: 8 (Echo (ping) request)
Code: 0
Checksum: 0x5871 [unverified] [in ICMP error packet]
[Checksum Status: Unverified]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 39 (0x0027)
Sequence number (LE): 9984 (0x2700)
No.      Time      Source      Destination      Protocol Length Info
112 3.602733014 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=40/10240, ttl=48 (request in 85)
Frame 112: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.182728538 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.182728538 seconds
[Time delta from previous captured frame: 0.000056175 seconds]
[Time delta from previous displayed frame: 0.000056175 seconds]
[Time since reference or first frame: 3.602733014 seconds]
Frame Number: 112
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 .... = Version: 4
... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33f0 (13296)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72d9 [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6070 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 40 (0x0028)
Sequence number (LE): 10240 (0x2800)
[Request frame: 85]
[Response time: 59,124 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
113 3.608138781 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=41/10496, ttl=48 (request in 87)
Frame 113: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.188134305 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.188134305 seconds
[Time delta from previous captured frame: 0.005405767 seconds]
[Time delta from previous displayed frame: 0.005405767 seconds]
[Time since reference or first frame: 3.608138781 seconds]
Frame Number: 113
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
```

```
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33f1 (13297)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72d8 [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x606f [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 41 (0x0029)
Sequence number (LE): 10496 (0x2900)
[Request frame: 87]
[Response time: 57,760 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
seq=42/10752, ttl=48 (request in 90)
114 3.613888668 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
Frame 114: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.193884192 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.193884192 seconds
[Time delta from previous captured frame: 0.005749887 seconds]
[Time delta from previous displayed frame: 0.005749887 seconds]
[Time since reference or first frame: 3.613888668 seconds]
Frame Number: 114
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33f2 (13298)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72d7 [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x606e [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 42 (0x002a)
Sequence number (LE): 10752 (0x2a00)
[Request frame: 90]
[Response time: 57,227 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
seq=43/11008, ttl=48 (request in 91)
115 3.613950054 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
Frame 115: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.193945578 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.193945578 seconds
```

[Time delta from previous captured frame: 0.000061386 seconds]
[Time delta from previous displayed frame: 0.000061386 seconds]
[Time since reference or first frame: 3.613950054 seconds]
Frame Number: 115
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33f3 (13299)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72d6 [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x606d [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 43 (0x002b)
Sequence number (LE): 11008 (0x2b00)
[Request frame: 91]
[Response time: 57,151 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
116 3.614606763 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=44/11264, ttl=48 (request in 94)
Frame 116: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.194602287 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.194602287 seconds
[Time delta from previous captured frame: 0.000656709 seconds]
[Time delta from previous displayed frame: 0.000656709 seconds]
[Time since reference or first frame: 3.614606763 seconds]
Frame Number: 116
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33f4 (13300)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72d5 [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x606c [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 44 (0x002c)
Sequence number (LE): 11264 (0x2c00)
[Request frame: 94]

```
[Response time: 56,898 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
  117 3.614669191 128.93.162.63 192.168.0.175    ICMP      74      Echo (ping) reply    id=0x29e2,
seq=45/11520, ttl=48 (request in 95)
Frame 117: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.194664715 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.194664715 seconds
  [Time delta from previous captured frame: 0.000062428 seconds]
  [Time delta from previous displayed frame: 0.000062428 seconds]
  [Time since reference or first frame: 3.614669191 seconds]
  Frame Number: 117
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x33f5 (13301)
  Flags: 0x0000
  Time to live: 48
  Protocol: ICMP (1)
  Header checksum: 0x72d4 [validation disabled]
  [Header checksum status: Unverified]
  Source: 128.93.162.63
  Destination: 192.168.0.175
Internet Control Message Protocol
  Type: 0 (Echo (ping) reply)
  Code: 0
  Checksum: 0x606b [correct]
  [Checksum Status: Good]
  Identifier (BE): 10722 (0x29e2)
  Identifier (LE): 57897 (0xe229)
  Sequence number (BE): 45 (0x002d)
  Sequence number (LE): 11520 (0x2d00)
  [Request frame: 95]
  [Response time: 56,908 ms]
  Data (32 bytes)
  0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57   HIJKLMNOPQRSTUVWXYZ
  0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67   XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
  118 3.620517480 128.93.162.63 192.168.0.175    ICMP      74      Echo (ping) reply    id=0x29e2,
seq=46/11776, ttl=48 (request in 98)
Frame 118: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
  Interface id: 0 (wlp3s0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Mar 20, 2020 11:27:41.200513004 EET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1584696461.200513004 seconds
  [Time delta from previous captured frame: 0.005848289 seconds]
  [Time delta from previous displayed frame: 0.005848289 seconds]
  [Time since reference or first frame: 3.620517480 seconds]
  Frame Number: 118
  Frame Length: 74 bytes (592 bits)
  Capture Length: 74 bytes (592 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
  Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
  Total Length: 60
  Identification: 0x33f6 (13302)
  Flags: 0x0000
  Time to live: 48
  Protocol: ICMP (1)
  Header checksum: 0x72d3 [validation disabled]
```

```
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x606a [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 46 (0x002e)
Sequence number (LE): 11776 (0x2e00)
[Request frame: 98]
[Response time: 57,187 ms]
Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
119 3.620558551 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=47/12032, ttl=48 (request in 99)
Frame 119: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.200554075 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.200554075 seconds
[Time delta from previous captured frame: 0.000041071 seconds]
[Time delta from previous displayed frame: 0.000041071 seconds]
[Time since reference or first frame: 3.620558551 seconds]
Frame Number: 119
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33f7 (13303)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72d2 [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6069 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 47 (0x002f)
Sequence number (LE): 12032 (0x2f00)
[Request frame: 99]
[Response time: 57,165 ms]
Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
120 3.630855516 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=48/12288, ttl=48 (request in 101)
Frame 120: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.210851040 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.210851040 seconds
[Time delta from previous captured frame: 0.010296965 seconds]
[Time delta from previous displayed frame: 0.010296965 seconds]
[Time since reference or first frame: 3.630855516 seconds]
Frame Number: 120
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
```

Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33fa (13306)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72cf [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6068 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 48 (0x0030)
Sequence number (LE): 12288 (0x3000)
[Request frame: 101]
[Response time: 57,158 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
121 3.630896564 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=49/12544, ttl=48 (request in 102)
Frame 121: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.210892088 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.210892088 seconds
[Time delta from previous captured frame: 0.000041048 seconds]
[Time delta from previous displayed frame: 0.000041048 seconds]
[Time since reference or first frame: 3.630896564 seconds]
Frame Number: 121
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33fb (13307)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72ce [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6067 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 49 (0x0031)
Sequence number (LE): 12544 (0x3100)
[Request frame: 102]
[Response time: 57,127 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNOPQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
122 3.630913191 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=51/13056, ttl=48 (request in 104)
Frame 122: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.210908715 EET
[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1584696461.210908715 seconds
[Time delta from previous captured frame: 0.000016627 seconds]
[Time delta from previous displayed frame: 0.000016627 seconds]
[Time since reference or first frame: 3.630913191 seconds]
Frame Number: 122
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33fc (13308)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72cd [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6065 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 51 (0x0033)
Sequence number (LE): 13056 (0x3300)
[Request frame: 104]
[Response time: 57,106 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJKLMNPOQRSTUVWXYZ
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
123 3.630926070 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=50/12800, ttl=48 (request in 103)
Frame 123: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.210921594 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.210921594 seconds
[Time delta from previous captured frame: 0.000012879 seconds]
[Time delta from previous displayed frame: 0.000012879 seconds]
[Time since reference or first frame: 3.630926070 seconds]
Frame Number: 123
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33fd (13309)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72cc [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6066 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 50 (0x0032)
Sequence number (LE): 12800 (0x3200)


```
[Request frame: 103]
[Response time: 57,136 ms]
Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
   124  3.633747745    128.93.162.63    192.168.0.175      ICMP      74      Echo (ping) reply      id=0x29e2,
seq=52/13312, ttl=48 (request in 106)
Frame 124: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.213743269 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.213743269 seconds
[Time delta from previous captured frame: 0.002821675 seconds]
[Time delta from previous displayed frame: 0.002821675 seconds]
[Time since reference or first frame: 3.633747745 seconds]
Frame Number: 124
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33fe (13310)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72cb [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6064 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 52 (0x0034)
Sequence number (LE): 13312 (0x3400)
[Request frame: 106]
[Response time: 57,774 ms]
Data (32 bytes)
0000  48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57  HIJKLMNOPQRSTUVWXYZ
0010  58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67  XYZ[\]^_`abcdefg
No.      Time      Source      Destination      Protocol Length Info
   125  3.637049175    128.93.162.63    192.168.0.175      ICMP      74      Echo (ping) reply      id=0x29e2,
seq=53/13568, ttl=48 (request in 108)
Frame 125: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.217044699 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.217044699 seconds
[Time delta from previous captured frame: 0.003301430 seconds]
[Time delta from previous displayed frame: 0.003301430 seconds]
[Time since reference or first frame: 3.637049175 seconds]
Frame Number: 125
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x33ff (13311)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
```

Header checksum: 0x72ca [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6063 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 53 (0x0035)
Sequence number (LE): 13568 (0x3500)
[Request frame: 108]
[Response time: 59,705 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg
No. Time Source Destination Protocol Length Info
126 3.652388962 128.93.162.63 192.168.0.175 ICMP 74 Echo (ping) reply id=0x29e2,
seq=54/13824, ttl=48 (request in 110)
Frame 126: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Interface id: 0 (wlp3s0)
Encapsulation type: Ethernet (1)
Arrival Time: Mar 20, 2020 11:27:41.232384486 EET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1584696461.232384486 seconds
[Time delta from previous captured frame: 0.015339787 seconds]
[Time delta from previous displayed frame: 0.015339787 seconds]
[Time since reference or first frame: 3.652388962 seconds]
Frame Number: 126
Frame Length: 74 bytes (592 bits)
Capture Length: 74 bytes (592 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.93.162.63, Dst: 192.168.0.175
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
Total Length: 60
Identification: 0x3403 (13315)
Flags: 0x0000
Time to live: 48
Protocol: ICMP (1)
Header checksum: 0x72c6 [validation disabled]
[Header checksum status: Unverified]
Source: 128.93.162.63
Destination: 192.168.0.175
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x6062 [correct]
[Checksum Status: Good]
Identifier (BE): 10722 (0x29e2)
Identifier (LE): 57897 (0xe229)
Sequence number (BE): 54 (0x0036)
Sequence number (LE): 13824 (0x3600)
[Request frame: 110]
[Response time: 57,947 ms]
Data (32 bytes)
0000 48 49 4a 4b 4c 4d 4e 4f 50 51 52 53 54 55 56 57 HIJ KLMNOPQRSTU VW
0010 58 59 5a 5b 5c 5d 5e 5f 60 61 62 63 64 65 66 67 XYZ[\]^_`abcdefg