



OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

Bibliometric analysis of a scientific journal based on OpenAlex data

Vladimir Batagelj

IMFM, UP IAM, FMF

Applied statistics

Koper, 21-23. september 2025

- 1 OpenAlex
- 2 Sources
- 3 MZ-AMS
- 4 AMC
- 5 Conclusions



Vladimir Batagelj: vladimir.batagelj@fmf.uni-lj.si

Current version of slides (September 21, 2025 at 02:02): [slides PDF](#)

<https://github.com/bavla/OpenAlex>



OpenAlex2Pajek

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions


References


OpenAlex is a fully open catalog of the global research system. It's named after the ancient Library of Alexandria and was made by the nonprofit OurResearch. OpenAlex launched in January 2022 with a free API and data snapshot [1]. It is a free alternative to commercial bibliographic services such as Web of Science and Scopus. Through its API, it provides programming access to bibliographic data and enables complex analyses and the development of higher-order bibliographic services.

We are developing an R package, **OpenAlex2Pajek**, for creating bibliographic networks from the OpenAlex database. The basic package version supports the collection of data on selected topics.

Usually, the first step is to prepare a list of interesting works. In the second step, we create corresponding bibliographic networks for the works from this list. We continue with the analysis of the obtained networks.

OpenAlex is based on 7 types of units (entities): **W**(ork), **A**(uthor), **S**(ource), **I**(nstitution), **C**(oncept), **P**(ublisher), or **F**(under)





OpenAlex solves several important questions for the analysis of bibliographic data:

- ① identification of bibliographic units (IDs, [disambiguation](#))
- ② free access (share derived data, [Download to your machine](#))
- ③ improving content through user participation ([Submit a request](#))



OpenAlex2Pajek / Sources

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

In this contribution, we present an extension, the function `OpenAlexSources`, that creates networks related to a selected journal (all papers published by the chosen journal and all works citing/cited by these papers). Since in networks the units (works, authors, sources, keywords, etc.) are identified by their OpenAlex IDs, another function, `unitsInfo`, provides the user with additional information about the units appearing in the results of analyses.

We applied the new functions to create bibliographic networks for the journals Metodološki zvezki – Advances in Methodology and Statistics ([S4210169332](#), [AMS](#)) and Ars Mathematica Contemporanea ([S61442588](#), [AMC](#)).



Collecting works

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

If you open these examples in a web browser, they will look much better if you have a browser plug-in such as **JSONVue** installed.

A. List of works published by a given source (journal) (**call**) – in a single line

```
https://api.openalex.org/works?  
filter=primary_location.source.id:S4210169332&  
select=id,title,type,cited_by_count,publication_year
```

B. List of citing works of a given work (**call**)

```
https://api.openalex.org/works?filter=cites:W4206962290&  
select=id,title,type,cited_by_count,publication_year&  
per_page=200&page=1
```

C. List of works cited by a given work (**call**)

```
https://api.openalex.org/works?filter=openalex:  
W4205437711|W4206962290|W2096252182|W4206003933&  
select=id,title,publication_year,referenced_works
```

D. Let j be the selected source (journal). Determine **(A)** the set W_j of works published in the journal j . Now we can determine

- the set W_{in} of works citing some work from W_j – for each $k \in W_j$ determine **(B)** the set W_k of works citing the work k . The set W_{in} is the union of all W_k s.
- the set W_{out} of works cited from some work from W_j – for each $k \in W_j$ determine **(C)** the set W_k of works cited by the work k . The set W_{out} is the union of all W_k s.
- the set of relevant works is $W = W_{in} \cup W_j \cup W_{out}$. To get networks, apply the procedure `OpenAlex2PajekAll` on W .

Note that for sources different from j only the citations from/to j are complete. Other citations consider only cases where at least one end-node is related to a work from the source j . The obtained networks can be used to determine the set of important sources J .



Collecting works

Creating the set of relevant works W and networks

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

E. For each important source j from J , we determine (**D**) the corresponding set of relevant works. The union of these sets W_j is used in the procedure `OpenAlex2PajekAll` to create networks. Now, the citation data are complete for all sources from J (but not for the other sources).

The size of the set W_j can be very large. To reduce it, we can consider some restrictions, such as the interval of considered years of publication, the type of publication, etc.

The programming of support for the collection of the selected source data resulted in two functions **OpenAlexSources** and **unitsInfo**.



Collecting works

Creating the set of relevant works W and networks

OpenAlex /
Sources

V. Batagelj

To build networks for a selected source sID is now simple. First, we create a vector R of all works from sID , works citing them, and works cited by them. -

```

> setwd(wdir <- "C:/test/OpenAlex/sources")
> library(httr); library(jsonlite)
> source("https://raw.githubusercontent.com/bavla/Rnet/master/R/Pajek.R")
> source("https://raw.githubusercontent.com/bavla/OpenAlex/main/code/OpenAlex2Pajek.R")
> sID <- "s42i0233660"
> R <- OpenAlexSources(sID,step=250)
OpenAlex2Pajek / Sources Tue May  6 19:32:47 2025
...
2522 source s42i0233660 works collected Tue May  6 19:32:50 2025
...
4092 citing works collected Tue May  6 19:38:59 2025
.....
14515 cited works collected Tue May  6 19:39:10 2025
17642 different works Tue May  6 19:39:10 2025

```

We save the vector R in a file.

```

> csv <- file("worksTest.csv","w",encoding="UTF-8")
> write(R,sep="\n",file=csv)
> close(csv)

```

To get the networks, we apply 'OpenAlex2PajekAll' to R



Collecting works and creating networks

Metodološki zvezki – Advances in Methodology and Statistics

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

```
> setwd(wdir <- "C:/Users/vlado/docs/papers/2025/AS/MZ")
> library(httr); library(jsonlite)
> source("https://raw.githubusercontent.com/bavla/Rnet/master/R/Pajek.R")
> source("https://raw.githubusercontent.com/bavla/OpenAlex/main/code/Ope
> sID <- "S4210169332"
> R <- OpenAlexSources(sID,step=250)
OpenAlex2Pajek / Sources Mon May 26 05:08:49 2025
  238 source S4210169332 works collected Mon May 26 05:08:50 2025
 1423 citing works collected Mon May 26 05:10:29 2025
 4490 cited works collected Mon May 26 05:10:31 2025
 5323 different works Mon May 26 05:10:31 2025
> csv <- file("worksMZ.csv","w",encoding="UTF-8")
> write(R,sep="\n",file=csv)
> close(csv)
> OpenAlex2PajekAll(NULL,name="MZ",listF="worksMZ.csv")
OpenAlex2Pajek / All - Start Mon May 26 05:12:37 2025
*** OpenAlex2Pajek / All - Process Mon May 26 05:12:37 2025
...
*** OpenAlex2Pajek / All - Data Collected Mon May 26 05:46:36 2025
hits: 5323 works: 157256 authors: 10268 anon: 120 sources: 1776
>>> Citation Cite
>>> publication year, type of publication, language of publication
>>> cited by count, countries distinct count, referenced works
>>> Authorship WA, Sources WJ, Countries WC, Keywords WK
*** OpenAlex2Pajek / All - Stop Mon May 26 05:47:50 2025
```



Analysis

Works citing/cited_by the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

We first clean the networks **Ci**, **WA**, **WJ**, ..., removing multiple links and loops.

```
Network/Create new network/Transform/Remove/Multiple lines [Single line]
Network/Create new network/Transform/Remove/Loops [No]
```

$|W| = 157256, |J| = 1776, |A| = 10268, \dots, m_{Ci} = 233191,$
 $m_{WJ} = 5294, m_{WA} = 13491, \dots$ Initially, in the citation network, there were 1481615 arcs.

The product $\mathbf{u} = \mathbf{A} \cdot \mathbf{v}$ of the network **A** with the vector **v** is defined as

$$u_i = \sum_{j:(i,j) \in L} A_{ij} \cdot v_j$$

We need the index j of the node representing MZ in the set of journals J. We can get it from $\mathbf{JW} = \mathbf{WJ}^T$

```
select WJ as the First network
Network/2-mode/Transpose
File/Network/Change label [JW]
```



Analysis

Works citing/cited_by the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

We apply the command Info/Vertex label -> Vertex number [S4210169332] on the network **JW**. We get $j = 142$ – the index of the node representing MZ.

We start with the set W_j of all works published by the journal j .

$$W_j = \{w : WJ[w, j] > 0\}$$

Let \mathbf{w}_j be its characteristic vector. Then $\mathbf{w}_j = \mathbf{WJ} \cdot [j]$ where $[j]$ is a vector over J having 1 at the j th place. We create the vector $[j]$

```
Vector/Create constant vector [1776, 0]
using vector editor (magnifying glass icon for vectors),
  change the 142nd value to 1
File/Vector/Change label [ [j] ]
select WJ as the First network
Operations/Network+Vector/Network*Vector
File/Vector/Change Label [Wj]
```



Analysis

Works citing/cited_by the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

Next, for the set W_j , we determine the set W_I of citing works and the set W_O of cited works.

$$W_I = \{w : \exists z \in W_j : Ci[w, z] > 0\} \quad \text{and}$$

$$W_O = \{w : \exists z \in W_j : Ci[z, w] > 0\}$$

The vectors $\mathbf{d}_I = \mathbf{C}\mathbf{i} \cdot \mathbf{w}_j$ and $\mathbf{d}_O = \mathbf{C}\mathbf{i}^T \cdot \mathbf{w}_j$

$$d_I(i) = \sum_k Ci[i, k] \cdot w_j(k) \quad \text{and}$$

$$d_O(i) = \sum_k Ci^T[i, k] \cdot w_j(k) = \sum_k Ci[k, i] \cdot w_j(k)$$

count: $d_I(i)$ - how many works from W_j are cited by the work i ; and
 $d_O(i)$ - how many works from W_j are citing the work i .

```
select Ci as the First network
select Wj as the First vector
Operations/Network+Vector/Network*Vector
File/Vector/Change Label [dI]
```



Analysis

Works citing/cited_by the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

Inspect the vector *dI*. We list the largest 20 nodes [+20]. Extract the selected top lines and copy them in a text file in TextPad. Remove the Rank and Vertex columns. We get a table

4.0000 W2995900225

...

Save it to a CSV file *dI.csv*. We will collect in R from OpenAlex the additional information about the selected works.

It turns out that the authors' names are not directly accessible as a data field – they are contained inside the field *authorships*. To extract them, we use the function

```
authors <- function(L) {  
  A <- L$authorships; k <- length(A); N <- rep("",k)  
  for (i in 1:k) N[i] <-  
    paste(A[i][[1]]$author$display_name,collapse=", ")  
  return(N)  
}
```



Analysis

Works citing/cited_by the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

Now we are ready to get the information about the selected works. Some data (authors and title) can be very long. To get a readable report we truncate them.

```
> LI <- read.table("dI.csv",head=FALSE,sep="")
> selW <- paste0("id,language,countries_distinct_count,cited_by_count",
+ "relevance_score,publication_year,title,authorships")
> RW <- unitsInfo(IDs=LI$V2,units="works",select=selW,order="input")
> rep <- data.frame(id=RW$id,cdc=RW$countries_distinct_count,
+ cby=RW$cited_by_count,dI=LI$V1,year=RW$publication_year,
+ authors=substr(authors(RW),1,35),title=substr(RW$title,1,45))
> rep
```




The top works citing the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

	id	cdc	cby	dI	year	authors	title
	1	W2995900225	3	3	4	2019	C Nordlund, A Žiberna Blockmodeling of Valued Networks
	2	W2184576020	1	9	4	2009	T Kogovšek, V Hlebec Stability of typologies produced on the
	3	W2240460603	3	15	4	2015	L Prota, P Doreian Finding roles in sparse economic hierarc
	4	W2185659002	2	2	4	2012	V Hlebec, T Kogovšek, + Measurement quality of social support su
	5	W4205564009	0	0	4	2012	A Žnidaršič Impact of fixed choice design on blockmo
	6	W4205097511	1	2	3	2008	T Kogovšek, V Hlebec Measuring ego-centered social networks
	7	W2807932250	1	0	3	2018	JHP Hoffmeyer-Zlotnik, + Introduction, Problem, and Research Ques
	8	W4400362431	0	0	3	2024	R González, E Aedo-Muño Nonresponse in name generators across co
	9	W4206030688	1	1	3	2010	T Kogovšek, M Mrzel, + "Please name the first two people you wo
	10	W3129803968	3	4	3	2021	M Cugmas, A Ferligoj, + Global structures and local network mech
	11	W2498378275	1	2	3	2011	V Hlebec, M Mrzel, + The Comparability of Event-Related and G
	12	W2166296097	1	9	3	2011	V Hlebec, M Mrzel, + Assessing social support networks in cro
	13	W2071989778	1	98	3	2008	V Vehovar, KL Manfreda Measuring ego-centered social networks o
	14	W4206130755	1	2	3	2011	V Hlebec, T Kogovšek How (not) to measure social support netw
	15	W2083653613	1	114	3	2014	DE Eagle, RJ Proeschold Methodological considerations in the use
	16	W2024234381	1	27	3	2012	V Hlebec, T Kogovšek Different approaches to measure ego-cent
	17	W2995396414	3	5	2	2019	A Žnidaršič, P Doreian, + An Treating Missing Network Data Before
	18	W2335008118	1	189	2	2016	A Mrvar, V Batagelj Analysis and visualization of large netw
	19	W2741577583	1	2	2	2017	D Döring, BE Haberla Consistency in behavior: Evaluation of b
	20	W2308243582	1	2	2	2014	Selvarangam SELECTING PERFECT INTERESTINGNESS MEASUR



Analysis

Works citing/cited_by the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

Some improvements: add source; in names, use only the last name, or initials + last name; ...

We can check selected works – for example [W3129803968](#).

```
Network/Create new network/Transform/Transpose [yes]
File/Network/Change label [CiT]
select Wj as the First vector
Operations/Network+Vector/Network*Vector
File/Vector/Change Label [d0]
```

Using the same approach as for **d₁** we get



The top works cited by the journal MZ

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources


MZ-AMS

AMC

Conclusions

References

	id	cdc	cby	d0	year	authors	title
	1	W2582743722	0	303929	19	2014	R Core Team R: A language and environment for statistical computing
	2	W2061901927	1	18568	10	1994	S Wasserman, K Faust Social Network Analysis: Methods and Applications
	3	W4285719527	0	0	9	1955	Deleted Work
	4	W977705565	2	473	9	2004	P Doreian, V Batagelj, + Generalized Blockmodeling
	5	W2023723604	2	128	9	1992	V Batagelj, A Ferligoj, + Direct and indirect methods for structural equation models
	6	W2116814842	3	68	8	2002	T Kogovšek, A Ferligoj, + Estimating the reliability and validity of network data
	7	W1987455866	1	258	7	1973	PW Holland, S Leinhardt The structural implications of measurement error
	8	W2017099446	1	1642	7	1971	F Lorrain, HC White Structural equivalence of individual nodes in a network
	9	W2001947224	2	105	7	1992	V Batagelj, P Doreian, + An optimizational approach to regularity in social networks
	10	W4205589890	0	29	6	2004	K L Manfreda, V Vehovar Collecting ego-centred network data
	11	W2182840202	0	15	6	2005	V Hlebec, T Kogovšek Hypothetical versus actual support in social networks
	12	W2186748749	0	16	6	2006	P Zihlerl, H Iglič, + Research Groups' Social Capital: A Case Study
	13	W1893868194	0	14	6	2006	L Coromina Soler Social networks and performance in knowledge management
	14	W2151243887	1	82	6	2006	A Žiberna Generalized blockmodeling of valued networks
	15	W2054720216	1	112	6	1999	A Ferligoj, V Hlebec Evaluation of social network measures
	16	W1556604050	1	1120	6	1989	A Vaux Social support: theory, research, and applications
	17	W2133011836	1	361	6	1983	DR White, K Reitz Graph and semigroup homomorphisms on networks
	18	W1981385379	2	201	6	2004	P Doreian, V Batagelj, + Generalized blockmodeling of two-mode networks
	19	W2109278577	1	1404	6	1999	V Batagelj, A Mrvar Pajek - Program for Large Network Analysis
	20	W1873057782	1	4378	5	2000	R Tourangeau, LJ Rips, + The Psychology of Survey Response



V. Batagelj

$$\mathbf{a}_i = \mathbf{W}\mathbf{A}^T \cdot \mathbf{w}_i$$

$a_j(a) = \#$ of works in the journal j co-authored by the author a .

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

	id	orcid	wc	cbc	papers	name
1	A5038897789	0000-0002-3691-7959	160	2391	18	Valentina Hlebec
2	A5049753566	0009-0001-4355-8608	60	642	14	Tina Kovogšek
3	A5029499420	0000-0002-3682-6854	139	2740	12	Anuška Ferligoj
4	A5039511070	0000-0002-5204-6882	153	3696	10	Germā Coenders
5	A5040950908	<NA>	65	2024	8	Katarina Košmelj
6	A5083575454	0000-0002-3253-7959	145	4129	6	Vasja Vehovar
7	A5023248667	<NA>	59	217	6	Uwe Warner
8	A5010863389	0000-0003-1534-6971	41	443	6	Aleš Žiberna
9	A5068940001	<NA>	51	3063	5	Katja Lozar Manfreda
10	A5025019965	0000-0001-6461-3007	86	661	5	Rosalia Castellano
11	A5002890522	0000-0001-7851-6216	109	678	4	Jana Mali
12	A5044693419	0000-0003-0769-0633	79	1179	4	Lluís Coromina
13	A5019207040	0000-0002-2564-8781	70	3835	4	Janez Stare
14	A5033311124	0000-0001-8557-4692	100	8835	4	Andrej Mrvar
15	A5001676164	0000-0002-0240-9446	271	13374	4	Vladimir Batagelj
16	A5046373528	0000-0002-2248-1517	68	376	4	Irena Ograjenšek
17	A5041301436	0000-0003-3069-9863	66	743	4	Nataša Kejžar
18	A5022627222	<NA>	160	1316	4	Jürgen H. P. Hoffmeyer-Zlotnik
19	A5052875930	0000-0001-7906-0580	1024	13664	4	Dario Gregori
20	A5102781233	0000-0002-5550-7007	131	401	4	Malgorzata Graczyk
21	A5025045918	0000-0002-5395-1593	113	280	4	Bronislaw Ceranka
22	A5011534481	<NA>	28	102	3	Anton Cedilnik
23	A5065490876	0000-0002-3301-7840	182	5385	3	Patrick Doreian
24	A5055592225	0000-0001-6861-9553	68	579	3	Gennaro Punzo
25	A5084724910	0000-0003-4261-8928	89	1241	3	Giuseppe Scandurr


[2-4]

OpenAlex /
Sources

V. Batagelj

$$ACiA = WA^T \cdot Ci \cdot WA$$

$ACiA[a, b] = \#$ of times author a cites author $b \equiv$
 $\#$ of citations of a work of author a to a work of author b .



$$JJ = WJ^T \cdot Ci \cdot WJ$$

$JJ[i, k] = \#$ of times journal i cites journal $k \equiv$
 $\#$ of citations of a work from journal i to a work from journal k .



Analysis

Citations between authors (and journals)

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

```
select Ci as the First network
Network/Create new network/Transform/1-mode to 2-mode
select WA as the First network
Network/2-mode/Transpose
File/Network/Change label [AW]
select 2-mode Ci as the Second network
Networks/Multiply networks
select WA as the Second network
Networks/Multiply networks [yes]
File/Network/Change label [ACiA]
```

$n_{ACiA} = 10268$, $m_{ACiA}^A = 119301$, and 701 loops.

Using Network/Info/Line values we select the threshold $t = 15$. We make a link cut at level t .

For journals we get $n_{JJ} = 1776$, $m_{JJ}^A = 8382$, and 141 loops.

Using Network/Info/Line values we select the threshold $t = 30$. We make a link cut at level t .

MZ citations between authors

link cut at level 15, loops removed

OpenAlex /
Sources

V. Batagelj

OpenAlex


Sources

MZ-AMS

AMC

Conclusions

References



V. Batagelj

OpenAlex / Sources



MZ citations between journals

link cut at level 30, Sunknown removed

OpenAlex /
Sources

V. Batagelj

OpenAlex


Sources

MZ-AMS

AMC

Conclusions

References





Creating networks

AMC – Ars Mathematica Contemporanea

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References


```
> OpenAlex2PajekAll(NULL,name="AMC",listF="worksAMC.csv")
OpenAlex2Pajek / All - Start Mon May 26 06:10:05 2025
*** OpenAlex2Pajek / All - Process Mon May 26 06:10:05 2025
...
*** OpenAlex2Pajek / All - Data Collected Mon May 26 07:20:44 2025
hits: 12758 works: 137751 authors: 10849 anon: 185 sources: 1192
*** OpenAlex2Pajek / All - Stop Mon May 26 07:21:54 2025
```



V. Batagelj

References

	id	cdc	cby	dl	year	authors	title
1	W4395099390	2	3	7	2023	A Pasotti, JH Dinitz	A Survey of Heffter Arrays
2	W1082115497	2	16	6	2015	D Cvetković, P Rowlinson +	Graphs with least eigenvalue -2: Ten y
3	W1846554597	1	7	6	2015	A Malnič, R Požar	On the split structure of lifted group
4	W2894294252	2	40	6	2022	X Liu, S Zhou	Eigenvalues of Cayley Graphs
5	W2885665086	3	13	5	2018	JL Gross, IF Khan +	Calculating genus polynomials via stri
6	W3187989029	0	0	5	2021	FG Yin, YQ Feng +	Prime-valent Symmetric graphs with a q
7	W4311499018	1	0	5	2022	FG Yin, YQ Feng +	Prime-valent symmetric graphs with a q
8	W3158572985	1	3	5	2021	JH Koolen, MY Cao +	Recent Progress on Graphs with Fixed S
9	W3095252518	1	0	5	2020	J Bokowski	Punkt-Geraden-Konfigurationen
10	W3022932399	1	3	5	2020	DW Morris, K Wilk	Cayley graphs of order $k p$ are hamilton
11	W2884984121	0	2	5	2018	T Short	The saturation number of carbon nanoco
12	W4284887997	1	0	5	2022	M Grech, A Kisiielewicz	Asymmetric edge-colorings of graphs wi
13	W4404725349	1	0	5	2024	M Bachratý, M Hagara	Observations about skew morphisms of c
14	W2501786760	0	2	5	2013	R Nedela, M Škoviera	Maps
15	W2981706891	1	6	5	2019	T Dobson, Š Miklavčič +	On Automorphism Groups of Deleted Wrea
16	W296963698	2	12	5	2019	GHJ Lanel, HK Pallage +	A survey on Hamiltonicity in Cayley gr
17	W3031054242	3	7	4	2020	Y Chen, JL Gross +	Recurrences for the genus polynomials
18	W2964137422	2	4	4	2014	JL Gross, M Kotrbčik	Genus distributions of cubic series-pa
19	W4225266799	1	2	4	2022	L Lu, Z Lou, Q Hua	Mixed graphs with smallest eigenvalue
20	W4280594573	1	0	4	2022	K Kutnar, D Marušič	Symmetries in graphs via simplicial au



V. Batagelj

Sources

MZ-AMS

AMC

Conclusions

References

	id	cdc	cby	d0	year	authors	title
1	W1558273801	1	1537	45	2003	T Pisanski, P Potočník +	Topological Graph Theory
2	W1976677460	1	7335	45	1997	W Bosma, J Cannon +	The Magma Algebra System I: The User La
3	W4285719527	0	0	33	1955		Deleted Work
4	W4298236575	2	2074	29	1989	AE Brouwer, AM Cohen +	Distance-Regular Graphs
5	W4238591275	2	6085	27	2001	C Godsil, G Royle	Algebraic Graph Theory
6	W2490805901	0	1023	25	2011	RH Hammack, W Imrich +	Handbook of Product Graphs
7	W51037165	2	445	22	2002	P McMullen, E Schulte	Abstract Regular Polytopes
8	W1480793893	1	165	22	2009	B Grünbaum	Configurations of Points and Lines
9	W3138922280	0	252	21	2013		Topological Graph Theory
10	W2917893419	0	1321	21	1964		Finite Permutation Groups
11	W2051170661	0	1736	21	1966	F Haimo, H Wielandt	Finite Permutation Groups.
12	W2060397425	0	335	20	1978	GA Jones, D Singerman	Theory of Maps on Orientable Surfaces
13	W2798943694	0	1534	20	1996	B Mortimer, JD Dixon	Permutation Groups
14	W247697463	0	5066	17	2009	C Godsil, G Royle	Algebraic Graph Theory
15	W1855706715	1	297	16	1996	MO Albertson, KL Coll	Symmetry Breaking in Graphs
16	W2117862969	1	280	16	1998	M Xu	Automorphism groups and isomorphisms of
17	W2490728539	1	5093	16	1967	B Huppert	Endliche Gruppen I
18	W4234295943	1	811	16	1996	JD Dixon, B Mortimer	Permutation Groups
19	W1515707356	1	3110	16	1974	N Biggs	Algebraic Graph Theory
20	W4300303686	0	3115	15	1977	E Kay, JA Bondy +	Graph Theory with Applications



The top authors by the number of works in the journal AMC

OpenAlex /
Sources

V. Batagelj

OpenAlex
Sources

MZ-AMS

AMC

Conclusions

References

	id	orcid	wc	cbc	papers	name
1	A5009207700	0000-0002-1257-5376	310	4639	38	Tomaž Pisanski
2	A5028549991	0000-0002-8452-3057	235	5157	27	Dragan Marušič
3	A5083674096	0000-0001-6851-3214	324	3542	17	Riste Škrekovski
4	A5036402562	0000-0002-9836-6398	124	877	12	Klavdija Kutnar
5	A5061875089	0000-0002-0256-6978	241	3016	12	Marston Conder
6	A5011391021	0000-0002-8353-896X	176	1412	11	Jin-Xin Zhou
7	A5103154620	0000-0001-5028-3545	159	2987	10	Primož Potočnik
8	A5081540165	0000-0002-3734-7230	74	427	9	Monika Pilšniak
9	A5000602953	0000-0002-5901-7646	220	2813	9	Jozef Širán
10	A5078908489	0000-0002-4439-502X	184	1130	9	Dimitri Leemans
11	A5004612329	0000-0002-4949-4203	198	1037	9	Zoran Stanić
12	A5025392880	0000-0002-0157-7405	343	1703	9	Pablo Spiga
13	A5013070295	0000-0003-4245-9226	78	1472	9	Aleksander Malnič
14	A5085576668	0000-0003-3214-0609	224	2309	8	Yan-Quan Feng
15	A5101478915	0000-0002-2564-9530	162	5093	8	Jonathan L. Gross
16	A5036070439	0000-0003-1766-4834	130	690	8	Gabriel Verret
17	A5043525348	0000-0002-0881-7336	770	8480	8	Cheryl E. Praeger
18	A5009892196	0000-0003-2416-669X	147	818	7	Joy Morris
19	A5089379545	0000-0002-6041-1106	239	1581	7	Janez Žerovnik
20	A5039728806	0000-0002-5477-6803	92	927	7	Irene Sciriha
21	A5101686757	0000-0002-7082-7025	226	3198	7	Gareth A. Jones
22	A5083411825	0000-0002-8326-513X	136	2103	7	Tomislav Došlić
23	A5037896222	0000-0002-0475-9335	170	4124	7	Wilfried Imrich
24	A5049148828	0000-0002-1556-4744	647	11134	7	Sandi Klavžar
25	A5066245855	0000-0002-9826-704X	151	1949	7	Roman Nedela
26	A5059638892	0000-0002-2878-0745	98	556	7	Štefko Miklavic
27	A5071017819	0000-0001-5412-4656	386	4954	6	Michael Giudici
28	A5066088171	0000-0002-9082-7647	183	3747	6	Juan A. Rodríguez-Velázquez
29	A5113798192	<NA>	134	759	6	Dave Witte Morris
30	A5047753351	0000-0003-2106-1104	447	14010	6	Patrick W. Fowler
31	A5022919726	0000-0002-7868-6925	104	2911	6	Thomas W. Tucker
32	A5089473322	0000-0001-8185-067X	735	10163	6	Michael A. Henning
33	A5054789661	0000-0003-0935-5724	64	175	6	Leah Wrenn Berman
34	A5075057406	0000-0002-1034-3993	129	2899	6	Brian Alspach
35	A5033117907	0000-0002-2108-7518	139	1830	6	Martin Škovič



AMC citations between authors

link cut at level 75, loops removed

OpenAlex /
Sources

V. Batagelj

OpenAlex


Sources

MZ-AMS

AMC

Conclusions

References





AMC citations between journals

link cut at level 50, loops and Sunknown removed

OpenAlex /
Sources

V. Batagelj

OpenAlex


Sources

MZ-AMS

AMC

Conclusions

References





Conclusions

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

- 1 The data in the OpenAlex database is not completely error-free. Most errors can be considered as noise – important units will float to the surface.
- 2 If the error is serious and is reflected in the final result, we correct it accordingly and repeat the analysis.
- 3 We can also contribute to the quality of the data in the OpenAlex database by informing the database maintainers about errors.



Acknowledgments

OpenAlex /
Sources

V. Batagelj

OpenAlex

Sources

MZ-AMS

AMC

Conclusions

References

The computational work reported in this paper was performed using the R [5] package `OpenAlex2Pajek` and the program **Pajek** for analysis of large networks [6]. The code and data are available at Github/Bavla/ **OpenAlex**.

This work is supported in part by the Slovenian Research Agency (research program P1-0294 and research project J5-4596), and prepared within the framework of the COST action CA21163 (HiTEc).

1. Priem, J., Piwowar, H. & Orr, R. OpenAlex: A fully-open index of scholarly works, authors, venues, institutions, and concepts. *arXiv preprint arXiv:2205.01833* (2022).
2. Batagelj, V. & Cerinšek, M. On bibliographic networks. *Scientometrics* **96**, 845–864 (2013).
3. Batagelj, V. On fractional approach to analysis of linked networks. *Scientometrics* **123**, 621–633 (2020).
4. Batagelj, V. & Maltseva, D. Temporal bibliographic networks. *Journal of Informetrics* **14**, 101006 (2020).
5. Team, R. C. R: A language and environment for statistical computing. 2020. *R Foundation for Statistical Computing: Vienna, Austria* (2020).
6. De Nooy, W., Mrvar, A. & Batagelj, V. *Exploratory social network analysis with Pajek: Revised and expanded edition for updated software*. (Cambridge university press, 2018).