Surprise - They're Different!


Comparing Frequentist and Bayesian Approaches in Public Policy

Stefani Langehennig, Zach del Rosario, Mine Dogucu

2024 Midwest Political Science Association Conference

06 April 2024

- Traditional Frequentist methods (NHST) are taught in social science classrooms, particularly public policy and political science.
- Two considerations:
 - 1. Teaching quantitative methods alongside substantive theories is hard (Connelly et al. 2021; Gunn 2017; Bates & Jenkins 2007)
 - 2. Different methods produce different outcomes (Luque & Sosa 2023; Gill & Witko 2013)
- Bayesian methods provide an intuitive, and perhaps more appropriate, approach for answering public policy questions (Gill & Witko 2013; Wagner & Gill 2005)



The 5E Instructional Model (Duran & Duran 2004)

Activating epistemological frames:

- Engage. Get students interested
- Explore. Students do self-directed inquiry
- Explain. Give students conceptual tools
- Elaborate. Let students work with the tools
- Evaluate. Assess the learning outcomes

The Big Idea:

Introduce an applied learning activity for students of public policy that exposes them to Bayesian methods + explores the differences between this statistical paradigm and more commonly used approaches.

Activity Learning Goals:

- 1. Evaluate hypotheses with inferential statistical models
- 2. Connect (1) with real-world factors
- 3. Understand how Frequentists vs. Bayesian assumptions can lead to different conclusions

Overall Goal:

Engineer a "classroom controversy" to motivate students to find their own understanding of (3).


• Students were recruited for the pilot version of the activity from the University of Denver and Olin College of Engineering.

• Activity cadence:

- → Problem Context
- → Activity Introduction
- → Activity Application
- → Activity Closing

Context

- Dataset: Climate and Economic Justice Screening Tool (CEJST)
 - Executive Order issued by President Biden in January 2021
 - U.S. Census tract level data on dozens of indicators
- Exploratory data analysis (EDA)



Introduction

- Students review and discuss ideas around statistical inference
- Research Question: Do Black Americans experience a disproportionate level of energy burden?
- Critical differences one-pager

Table 1: General Inference

Frequentist	Bayesian
Deduction from Pr(data H0), by setting α in advance Accept H1 if Pr(data H0) < α	Induction from $Pr(\theta \mid data)$, starting with $Pr(\theta)$ $1-\alpha\%$ of most likely parameter values fall within a $1-\alpha$ HPD
Accept H0 if $Pr(data \mid H0) \alpha$	


Table 2: Model Summaries

Frequentist	Bayesian
Point estimates and standard errors	Descriptions of the posterior distribution such as means and quantiles
95% confidence intervals indicating that $19/20$ times the interval covers the true parameter value	Highest posterior density intervals indicating region of highest posterior probability $1-\alpha\%$ of most likely parameter values fall within a $1-\alpha$ HPD

Activity Application: There's a catch!


Frequentist version:

- 1. Overview of a Frequentist statistical model
- 2. Assessing estimates and confidence
- 3. Outcomes across different states



Bayesian version:

- 1. Overview of a Bayesian statistical model
- 2. Assessing posteriors and confidence
- 3. Outcomes...pick a state for the prior



Activity Closing

- Students come together for a full class discussion about the conclusions they draw from their respective analysis.
- There's an apparent controversy here students from the groups will have come to different conclusions.
- Students finish the activity by "jigsawing" and discussing the differences between general inference and model summaries for Frequentists and Bayesians.

Evaluation

Evaluation

- Pre- and post-pre-survey designs were used to assess students' attitudes and awareness about statistical inference.
- Goal: capture changes in self-perceived attitudes about a topic by asking them to consider where they think their beliefs were *before* the activity, followed by where they think they are now (Hiebert & Magnusson 2014).

To what degree do you (dis) agree with the following statement: There is no

uncertainty in the results of a statistical analysis.							
	Strongly disagree	Somewhat disagree	Neither agree nor disagree	Somewhat agree	Strongly agree		
Before activity	0	\circ	\circ	0	\circ		
After activity	0	\circ	\circ	\circ	\circ		
In 1-2 sentences, describe your reasoning for your answers to Q1 (just above).							
					//		

Evaluation

- Perceived attitudes about inferential statistics, both before and after the activity, were a bit of a mixed bag.
- While the results for the Likert battery were "noisy", the open-ended responses were somewhat illuminating.
- More work to be done here...

Discussion

Discussion

- Bayesian methods are another possibility that non-statistics disciplines should consider both in the classroom and in the wild.
- Using an applied, student-driven approach, this activity moves beyond simple comparisons by using an activity with a real-data application.
- Some evidence that the goal of equipping them with the tools & logical processes necessary to apply either approach as they see fit was met.
- Next steps

Thank you!

- **△** Email
- **■** Website
- in LinkedIn
- **G**itHub
- ORCID