
How to rank webpages?

Google PageRank: Links from highly ranked pages are worth more than links from lower ranked pages.

If:

- ullet the rank of a page is x
- ullet the page has n links to other pages

then each link from that page is worth x/n.



Next: From systems of linear equations to vector equations.

$$\begin{cases} x_1 + 2x_2 = 4 \\ 2x_1 + 7x_2 = 9 \\ 4x_1 + x_2 = 0 \end{cases} \qquad x_1 \begin{bmatrix} 1 \\ 2 \\ 4 \end{bmatrix} + x_2 \begin{bmatrix} 2 \\ 7 \\ 1 \end{bmatrix} = \begin{bmatrix} 4 \\ 9 \\ 0 \end{bmatrix}$$

Why vectors and vector equations are useful:

- They show up in many applications (velocity vectors, force vectors etc.)
- They give a better geometric picture of systems of linear equations.

Definition

A column vector is a matrix with one column.

Note. Columns of a matrix are column vectors.

Notation

 \mathbb{R}^n is the set of all column vectors with n entries.

Operations on vectors in \mathbb{R}^n

1) Addition of vectors:


$$\begin{bmatrix} a_1 \\ \vdots \\ a_n \end{bmatrix} + \begin{bmatrix} b_1 \\ \vdots \\ b_n \end{bmatrix} = \begin{bmatrix} a_1 + b_1 \\ \vdots \\ a_n + b_n \end{bmatrix}$$

2) Multiplication by scalars:


$$c \cdot \left[\begin{array}{c} a_1 \\ \vdots \\ a_n \end{array} \right] = \left[\begin{array}{c} ca_1 \\ \vdots \\ ca_n \end{array} \right]$$

Geometric interpretation of vectors in $\ensuremath{\mathbb{R}}^2$


Vector coordinates:



Vector addition:



Scalar multiplication:



Vector equations

$$x_1\mathbf{v}_1 + x_2\mathbf{v}_2 + \ldots + x_p\mathbf{v}_p = \mathbf{w}$$

Example. Solve the following vector equation:

$$x_1 \begin{bmatrix} 2 \\ 3 \end{bmatrix} + x_2 \begin{bmatrix} 4 \\ -2 \end{bmatrix} = \begin{bmatrix} 10 \\ 3 \end{bmatrix}$$

How to solve a vector equation

$$x_1\mathbf{v}_1 + \ldots + x_p\mathbf{v}_p = \mathbf{w}$$
 vector of equation

make a matrix

 $\begin{bmatrix} \mathbf{v}_1 & \dots & \mathbf{v}_p & \mathbf{w} \end{bmatrix}$ augmented matrix

row reduction

[reduced matrix]

read off solutions

$$\begin{cases} x_1 = \dots \\ \dots & \dots \\ x_p = \dots \\ \text{solutions} \end{cases}$$