## **Definition**

Let V, W be vector spaces A linear transformation is a function

$$T\colon V\to W$$

which satisfies the following conditions:

- 1)  $T(\mathbf{u} + \mathbf{v}) = T(\mathbf{u}) + T(\mathbf{v})$  for all  $\mathbf{u}, \mathbf{v} \in V$
- 2)  $T(c\mathbf{v}) = cT(\mathbf{v})$  for any  $\mathbf{v} \in V$  and any scalar c.

**Note.** If  $T\colon V\to W$  is a linear transformation then for any vector  $\mathbf{b}\in W$  we can consider the equation

$$T(\mathbf{x}) = \mathbf{b}$$

## **Definition**

If  $T: V \to W$  is a linear transformation then:

1) The kernel of T is the set

$$\mathsf{Ker}(T) = \{ \mathsf{v} \in V \mid T(\mathsf{v}) = \mathbf{0} \}$$

2) The image of T is the set

$$Im(T) = \{ w \in W \mid w = T(v) \text{ for some } v \in V \}$$

## Proposition

If  $T: V \to W$  is a linear transformation then:

- 1) Ker(T) is a subspace of V
- 2) Im(T) is a subspace of W

## **Theorem**

If  $T: V \to W$  is a linear transformation and  $v_0$  is a solution of the equation

$$T(\mathbf{x}) = \mathbf{b}$$

then all other solutions of this equation are vectors of the form

$$\mathbf{v} = \mathbf{v}_0 + \mathbf{n}$$

where  $\mathbf{n} \in \text{Ker}(T)$ .

# Example.

$$D\colon C^{\infty}(\mathbb{R}) \longrightarrow C^{\infty}(\mathbb{R})$$
$$f \longmapsto f'$$