



# MTH 309Y LINEAR ALGEBRA EXAM 3

December 11, 2018

Name:		
Person Number:		

- Textbooks and electronic devices (calculators, cellphones etc.) are not permitted.
- You may use one sheet of notes.
- For full credit explain your answers fully, showing all work.
- Each problem is worth 20 points.

1	
2	
3	
4	
5	
Total:	

1. Consider the following vectors in  $\mathbb{R}^4$ :

$$\mathbf{v}_1 = \begin{bmatrix} 1 \\ 0 \\ -1 \\ 1 \end{bmatrix}, \quad \mathbf{v}_2 = \begin{bmatrix} 2 \\ 1 \\ -1 \\ 0 \end{bmatrix}, \quad \mathbf{v}_3 = \begin{bmatrix} 2 \\ -2 \\ -1 \\ 3 \end{bmatrix}, \quad \mathbf{u} = \begin{bmatrix} 3 \\ 3 \\ 3 \\ 3 \end{bmatrix}$$

The set  $\mathcal{B} = \{v_1, v_2, v_3\}$  is a basis of some subspace V of  $\mathbb{R}^4$ .

- a) Find an orthogonal basis  $\mathfrak{D} = \{\mathbf{w}_1, \mathbf{w}_2, \mathbf{w}_3\}$  of the subspace V.
- **b)** Compute the vector  $proj_V \mathbf{u}$ , the orthogonal projection of  $\mathbf{u}$  on V.



2. Find the equation $f(x) = ax + b$ of the least square line for the points $(1,0)$ , $(-1,2)$ , $(2,1)$ .
3

**3.** Consider the following matrix *A*:

$$A = \left[ \begin{array}{rrr} 0 & 1 & 2 \\ 1 & 1 & 0 \\ 4 & 2 & 2 \end{array} \right]$$

For each value of  $\lambda$  given below determine if it is an eigenvalue of A.

- a)  $\lambda = 0$
- **b)**  $\lambda = -1$
- c)  $\lambda = -2$



#### 4. Consider the matrix

$$A = \begin{bmatrix} 1 & 8 & 4 \\ -2 & 11 & 4 \\ 2 & -8 & -1 \end{bmatrix}$$

Knowing that eigenvalues of A are  $\lambda_1=3$  and  $\lambda_2=5$  diagonalize this matrix; that is, find a diagonal matrix D and an invertible matrix P such that

$$A = PDP^{-1}$$

Note: you do not need to compute  $P^{-1}$ .

- **5.** For each of the statements given below decide if it is true or false. If it is true explain why. If it is false give a counterexample.
- a) If A is a  $2 \times 2$  matrix and  $\mathbf{v}$  is an eigenvector of A corresponding to an eigenvalue  $\lambda$  then  $2\mathbf{v}$  is an eigenvector of A corresponding to the eigenvalue  $2\lambda$ .
- **b)** If V is a subspace of  $\mathbb{R}^2$  and  $\mathbf{w}$  is a vector such that  $\operatorname{proj}_V \mathbf{w} = -\mathbf{w}$  then  $\mathbf{w}$  must be the zero vector.
- c) If A is a square matrix which is both symmetric and orthogonal then  $A^2$  is the identity matrix.
- d) If A and B are  $2 \times 2$  matrices which are both orthogonally diagonalizable, then the matrix A + B is also orthogonally diagonalizable.