



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	TMC_GIT	GENERATION DATE	Oct 15, 2020 3:39:34 PM
AUTHOR		Talend Cloud VERSION	7.3.1.20200219_1130

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


Properties	Values
Name	TMC_GIT
Language	java

Description	
-------------	--

Description

Properties	Values
Name	j_test_case
Author	
Version	0.1
Purpose	
Status	
Description	
Creation	Oct 15, 2020 2:20:55 PM
Modification	Oct 15, 2020 3:39:33 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault


Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------

Component List

Component Name	Component Type
tDBOutput_1	tMysqlOutput
tFileInputDelimited_1	tFileInputDelimited
tMap_1	tMap

Components Description

Component tMysqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"Training"
Username	"root"
Password	*****
Table	"Customer"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	True
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""

Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	""
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[[{SCHEMA_COLUMN=ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=LAST_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=EMAIL, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=JOB_TITLE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=COMPANY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CITY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=STATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CAMPAIGN_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=LEAD_SCORE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]]
Use Hint Options	false
Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false


DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBObject_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
ID	false	String	7		true	
NAME	false	String	9		true	
LAST_NAME	false	String	9		true	
EMAIL	false	String	28		true	
JOB_TITLE	false	String	36		true	
COMPANY	false	String	12		true	
CITY	false	String	13		true	
STATE	false	String	5		true	

DATE	false	String	14		true	
CAMPAIGN_ID	false	String	18		true	
LEAD_SCORE	false	String	3		true	

Original Function Parameters:
Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	Customer	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_1
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited

Update components	true
REPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
File name/Stream	"C:/Workspace/Talend Cloud/StudentFiles/TalendCloud/Customers.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	" "
Escape char	""
Text enclosure	""
Header	1
Footer	0
Limit	
Skip empty rows	false

Uncompress as zip file	false
Die on error	false
Schema	Built-In
Temporary directory	"C:/Talend_DI_7.3.1/Talend-Studio-20200219_1130-V7.3.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=NAME, TRIM=false}, {SCHEMA_COLUMN=LAST_NAME, TRIM=false}, {SCHEMA_COLUMN=EMAIL, TRIM=false}, {SCHEMA_COLUMN=JOB_TITLE, TRIM=false}, {SCHEMA_COLUMN=COMPANY, TRIM=false}, {SCHEMA_COLUMN=CITY, TRIM=false}, {SCHEMA_COLUMN=STATE, TRIM=false}, {SCHEMA_COLUMN=DATE, TRIM=false}, {SCHEMA_COLUMN=CAMPAIGN_ID, TRIM=false}, {SCHEMA_COLUMN=LEAD_SCORE, TRIM=false}, {SCHEMA_COLUMN=CREDITCARDNUMBER, TRIM=false}]]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false


Decode table	{[SCHEMA_COLUMN=ID, DECODE=false}, {SCHEMA_COLUMN=NAME, DECODE=false}, {SCHEMA_COLUMN=LAST_NAME, DECODE=false}, {SCHEMA_COLUMN=EMAIL, DECODE=false}, {SCHEMA_COLUMN=JOB_TITLE, DECODE=false}, {SCHEMA_COLUMN=COMPANY, DECODE=false}, {SCHEMA_COLUMN=CITY, DECODE=false}, {SCHEMA_COLUMN=STATE, DECODE=false}, {SCHEMA_COLUMN=DATE, DECODE=false}, {SCHEMA_COLUMN=CAMPAIGN_ID, DECODE=false}, {SCHEMA_COLUMN=LEAD_SCORE, DECODE=false}, {SCHEMA_COLUMN=CREDITCARDNUMBER, DECODE=false}]}
Destination	
Min column number of optimize code	100
Label format	Customer
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for metadata_customer :

Column	Key	Type	Length	Precision	Nullable	Comment
ID	false	String	7		true	
NAME	false	String	9		true	
LAST_NAME	false	String	9		true	
EMAIL	false	String	28		true	
JOB_TITLE	false	String	36		true	

COMPANY	false	String	12		true	
CITY	false	String	13		true	
STATE	false	String	5		true	
DATE	false	String	14		true	
CAMPAIGN_ID	false	String	18		true	
LEAD_SCORE	false	String	3		true	
CREDITCARDNUMBER	false	String			true	

Original Function Parameters:
Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_1



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
ID	String		true
NAME	String		true
LAST_NAME	String		true
EMAIL	String		true
JOB_TITLE	String		true
COMPANY	String		true
CITY	String		true
STATE	String		true
DATE	String		true
CAMPAIGN_ID	String		true
LEAD_SCORE	String		true
CREDITCARDNUMBER	String		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties(out1):

Properties	Values
Name	out1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	row1.DATE.contains("2015")

Metadata Table Entries(out1):

Name	Type	Expression	isNullable
ID	String	row1.ID	true
NAME	String	row1.NAME	true
LAST_NAME	String	row1.LAST_NAME	true
EMAIL	String	row1.EMAIL	true
JOB_TITLE	String	row1.JOB_TITLE	true
COMPANY	String	row1.COMPANY	true
CITY	String	row1.CITY	true
STATE	String	row1.STATE	true
DATE	String	row1.DATE	true
CAMPAIGN_ID	String	row1.CAMPAIGN_ID	true
LEAD_SCORE	String	row1.LEAD_SCORE	true

Constraint Table Entries(out1):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------