

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	TMC_GIT	GENERATION DATE	Oct 15, 2020 4:26:10 PM
AUTHOR		Talend Cloud VERSION	7.3.1.20200219_1130

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	TMC_GIT
Language	java

Description	

Description

Properties	Values
Name	j_test_case
Author	
Version	0.1
Purpose	
Status	
Description	
Creation	Oct 15, 2020 2:20:55 PM
Modification	Oct 15, 2020 4:26:09 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

Component List

Component Name	Component Type
tDBOutput_1	tMysqlOutput
tFileInputDelimited_1	tFileInputDelimited
tMap_1	tMap

Components Description

Component tMysqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component Parameters:

Component Parameters:		
Properties	Values	
Database	tMysqlOutput	
Unique Name	tDBOutput_1	
Component Name	tMysqlOutput	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/MySQL	
Startable	false	
SUBTREE_START	false	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlOutput	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java	
Subjob color		

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"Training"
Username	"root"
Password	******
Table	"Customer"
Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SW	(HTEH
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	1111

Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	111
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false
Field options	[{SCHEMA_COLUMN=ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=LAST_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=LAST_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=JOB_TITLE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=COMPANY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CITY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=DATE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CAMPAIGN_ID, UPDATE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=LEAD_SCORE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, INSERTABLE=true}, INSERTABLE=
Use Hint Options	false
Hint Options	
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	

Support null in "SQL WHERE" statement	false
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_1:

Column		Туре	Length	Precision	Nullable	Comment
Column	Ney	Туре	Lengin	Precision	Nullable	Comment
ID	false	String	7		true	
NAME	false	String	9		true	
LAST_NAME	false	String	9		true	
JOB_TITLE	false	String	36		true	
COMPANY	false	String	12		true	
CITY	false	String	13		true	
STATE	false	String	5		true	
DATE	false	String	14		true	
CAMPAIGN_ID	false	String	18		true	

LEAD_SCORE false String 3 true	
--------------------------------	--

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
LABEL	Customer	OUTPUT(S)	tMap_1

Component Parameters:

Component Parameters:				
Properties	Values			
Unique Name	tFileInputDelimited_1			
Component Name	tFileInputDelimited			
Version	0.102 (ALPHA)			
Family	File/Input			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFileInputDelimited			
Update components	true			
IREPORT_PATH				

JAVA_LIBRARY_PATH	C:\Talend_DI_7.3.1\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	WHIEH
Schema	Built-In
File name/Stream	"C:/Workspace/Talend Cloud/StudentFiles/TalendCloud/Customers.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	" "
Escape char	
Text enclosure	
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false

г

Schema	Built-In
Temporary directory	"C:/Talend_DI_7.3.1/Talend-Studio-20200219_1130-V7.3.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	п. п.
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=NAME, TRIM=false}, {SCHEMA_COLUMN=LAST_NAME, TRIM=false}, {SCHEMA_COLUMN=EMAIL, TRIM=false}, {SCHEMA_COLUMN=JOB_TITLE, TRIM=false}, {SCHEMA_COLUMN=COMPANY, TRIM=false}, {SCHEMA_COLUMN=CITY, TRIM=false}, {SCHEMA_COLUMN=STATE, TRIM=false}, {SCHEMA_COLUMN=DATE, TRIM=false}, {SCHEMA_COLUMN=CAMPAIGN_ID, TRIM=false}, {SCHEMA_COLUMN=LEAD_SCORE, TRIM=false}, {SCHEMA_COLUMN=CREDITCARDNUMBER, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	[{SCHEMA_COLUMN=ID, DECODE=false}, {SCHEMA_COLUMN=NAME, DECODE=false}, {SCHEMA_COLUMN=LAST_NAME, DECODE=false}, {SCHEMA_COLUMN=EMAIL, DECODE=false}, {SCHEMA_COLUMN=JOB_TITLE, DECODE=false}, {SCHEMA_COLUMN=COMPANY, DECODE=false}, {SCHEMA_COLUMN=CITY, DECODE=false}, {SCHEMA_COLUMN=STATE, DECODE=false}, {SCHEMA_COLUMN=DATE, DECODE=false}, {SCHEMA_COLUMN=COMPAIGN_ID, DECODE=false}, {SCHEMA_COLUMN=CAMPAIGN_ID, DECODE=false}, {SCHEMA_COLUMN=LEAD_SCORE, DECODE=false}, {SCHEMA_COLUMN=CREDITCARDNUMBER, DECODE=false}]

Destination	
Min column number of optimize code	100
Label format	Customer
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata_customer :

Schema for metadata_	<u>oustonici</u>	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	String	7		true	
NAME	false	String	9		true	
LAST_NAME	false	String	9		true	
EMAIL	false	String	28		true	
JOB_TITLE	false	String	36		true	
COMPANY	false	String	12		true	
CITY	false	String	13		true	
STATE	false	String	5		true	

DATE	false	String	14	true	
CAMPAIGN_ID	false	String	18	true	
LEAD_SCORE	false	String	3	true	
CREDITCARDNUMBER	false	String		true	

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tDBOutput_1



Component Parameters:

Joinponent i didineters.		
Properties	Values	
tStatCatcher Statistics	false	
Enable parallel execution	false	

Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Metadata Table Entries(row1):				
Name	Туре	Expression	isNullable	
ID	String		true	
NAME	String		true	
LAST_NAME	String		true	
EMAIL	String		true	
JOB_TITLE	String		true	
COMPANY	String		true	
CITY	String		true	
STATE	String		true	
DATE	String		true	
CAMPAIGN_ID	String		true	
LEAD_SCORE	String		true	
CREDITCARDNUMBER	String		true	

Constraint Table Entries(row1):

Name Type	Expression	isNullable	
-----------	------------	------------	--

Mapper table for tMap_1 (output): Mapper table Properties(out1):

Properties	Values
Name	out1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	row1.DATE.contains("2015")

Metadata Table Entries(out1):

Name	Туре	Expression	isNullable
ID	String	row1.ID	true
NAME	String	row1.NAME	true
LAST_NAME	String	row1.LAST_NAME	true
JOB_TITLE	String	row1.JOB_TITLE	true
COMPANY	String	row1.COMPANY	true
CITY	String	row1.CITY	true
STATE	String	row1.STATE	true
DATE	String	row1.DATE	true
CAMPAIGN_ID	String	row1.CAMPAIGN_ID	true
LEAD_SCORE	String	row1.LEAD_SCORE	true

Constraint Table Entries(out1):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table i reporties (tai).			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable