

## *parasite-mediated sexual selection*

2 April 2023

What causes sexual ornaments and behavior (**secondary sexual characteristics**): primary are the gonads and reproductive equipment themselves)?

Peacock's tail, bird song repertoires, conspicuous color patterns, sexual displays

This is a conspicuous problem: occurred to Darwin

Two possibilities for sexual selection are (1) male-male competition (horns etc.) or (2) female choice. (Competition is usually among males, and choice usually by females, because females usually invest more in offspring.) We will focus on female choice.

### *Fisherian "runaway" model ("sexy son")*

- trait initially advantageous
- preference and trait become genetically correlated (trait expressed in males, preference in females)
- *Requirements*: heritability of trait and preference. trait not too expensive (no requirement that the trait should be expensive)
- *Tests/predictions*:
  - negative or zero correlation between male quality and trait
  - genetic correlation between trait and preference (Houde and Endler compared guppy populations in different streams)
  - high variability among populations in ornaments?

### *Zahavi "handicap" principle*

The **handicap principle** says that traits are not chosen despite their being costly, but *because* they are costly. **Good genes** model. Ornaments are a signal of good genes: they must be costly, otherwise you can't rely on the honesty of the signal.

- **revealing traits**: indicate male condition/quality
- **conditional traits**: only expressed by high-quality males
- viability ("Zahavi") traits: expressed by everyone, but kill off low-quality males (may not work??)

Penn & Számadó (2020):

Rather than being wasteful over-investments, honest signals evolve in this scenario because selection favours efficient and optimal investment into signal expression and minimizes signalling costs ... This model is better understood within a Darwinian framework of adaptive signalling trade-offs, without the added burden and confusing logic of the Handicap Principle.

Problem with handicap principle: what maintains genetic variation for “goodness”? Under normal conditions (directional selection), one would expect that soon everyone would have good genes and there would be no variability (nothing for females to choose from except luck). Constant mutation could lead to a *mutation-selection balance*, or a variable environment could keep changing what genes are “good”. Of course (as we know), parasites represent a strong driver of variability in the biotic environment.

### *Hamilton-Zuk hypothesis*

(the Red Queen returns)

a subset of ‘good-genes’ models

**requirements** (Combes (2005) p. 185)

- females prefer resistant (showy) males (also required by Fisher)
- correlation between quality (resistance) and trait (*not* required by Fisher), or negative correlation between parasite load and trait
- (genetic) heritable variation in resistance (the hardest one to prove)
- Parasite load decreases host viability (otherwise there is no point in selecting resistant males)
- (genetic) heritable variation in trait

### *Evidence for H-Z: between-species*

If H-Z is operating, we expect a **positive** correlation between parasite load and showiness across species. This correlation has been found, for example, in Hamilton and Zuk’s original study which correlated human judgements of species brightness with information on ectoparasite load. Other studies have been more equivocal.

There are some problems with between-species comparisons, though:

- **reverse causality**: showiness could cause parasitism (e.g. brighter species could attract more ectoparasites, or species that invest more in showiness could have less to invest in parasite resistance)
- **ecological correlates**: showiness and parasitism could both be driven by other factors (hole-nesting, polygyny)
- falsifiability: when a correlation is not found, how do you decide whether the data are really good enough to reject?
- **phylogenetic inertia**
- **dynamics**: how do we know that parasite-driven sexual selection isn’t so effective that it drives parasite loads to *lower* levels in showy species?

*Evidence for H-Z: within species*

**Guppies** (Martin & Johnsen, 2007):

- *Gyrodactylus turbulli* infestation lowers brightness of parasitized males
- it also reduces the number of sexual displays
- females prefer brighter males
- we don't know whether resistance is heritable
- we can't rule out transmission avoidance (see below)

**Barn swallows** (Møller, 1990):

- females prefer males with longer tails (manipulative experiments, shortening and lengthening male tails)
- males with longer tails have fewer mites (field observation)
- chicks with heavy mite loads are smaller at fledging, leading to lower survivorship/fecundity/fitness
- *heritable variation in resistance*: cross-fostering offspring of long-tailed males in the nests of short-tailed males (and vice versa) shows that offspring of long-tailed fathers inherit their fathers' low mite loads. This rules out the hypotheses that
  - long-tailed males have just avoided parasitism by luck
  - females are selecting males for paternal care (**direct benefits**) [and offspring are less parasitized, e.g., because they're better nourished]
  - offspring benefit by avoiding direct transmission of mites from fathers (also **direct benefits**)

*Meta-analysis* (Poulin & Hamilton, 1997)

- negative relationship between parasite load & expression of secondary sex characters (more in experiments)
- no difference with/without parental care
- no difference between behavioral and morphological traits
- direct measures of immune function give stronger results than measures of parasite load
- stronger for ectoparasites (transmission avoidance?)

*Alternatives*

Alternatives to H-Z: both can be tested (with some difficulty) by manipulative cross-fostering experiments

- selection for parental care (direct benefits) [can be ruled out in species without parental care]

- selection for parasite avoidance.
  - e.g.: sage grouse & red ink hematomas (Spurrier et al. in Clayton (1991)) [can be ruled out for non-directly transmitted parasites; stronger evidence for ectoparasites suggests parasite avoidance]
- selection for female fecundity (pipefish, Combes (2005) p. 180)

### *Immunocompetence handicap hypothesis*

Secondary sexual traits seem to be negatively correlated with immunosuppression

Folstad & Karter (1992): turning off your immune system is the ultimate handicap. Thus, it is not a coincidence that females prefer traits that are linked to (temporary) immunosuppression; males that can afford to turn off their immune systems during the mating season must have good genes ... (**note** switch from original H-Z!)

Good links between androgens and secondary sex characteristics. Some support for the link between testosterone (and other androgens) and immunosuppression, but variable results in different experiments. Immunoredistribution rather than immunosuppression? [Evans et al. (2000); Roberts et al. (2004);

Other axes of signalling and immune function: carotenoid, melanin systems (McGraw & Ardia, 2003; Simons et al., 2012)

*Stress-linked immunocompetence handicap* (Buchanan, 2000) “testosterone has a dual effect: it leads to immunosuppression through a mechanism involving corticosterone but, conversely, leads to increased immunocompetence probably via dominance influencing access to resources”. **possibly** explains the mess ... (Bortolotti et al., 2009)

Where are we? Balenger & Zuk (2014)

Humans: do females prefer male faces associated with lower cortisol/higher testosterone/better immunity (Rantala et al., 2012)? across countries, do females prefer ‘masculine’ men more in countries with more parasite exposure (DeBruine et al., 2012)?

### *References*

- Balenger, S. L., & Zuk, M. (2014). Testing the Hamilton–Zuk Hypothesis: Past, Present, and Future. *Integrative and Comparative Biology*, 54(4), 601–613. <https://doi.org/10.1093/icb/icu059>
- Bortolotti, G. R., Mougeot, F., Martinez-Padilla, J., Webster, L. M. I., & Pierny, S. B. (2009). Physiological Stress Mediates the Honesty of Social Signals. *PLOS ONE*, 4(3), e4983. <https://doi.org/10.1371/journal.pone.0004983>

- Buchanan, K. L. (2000). Stress and the evolution of condition-dependent signals. *Trends in Ecology & Evolution*, 15(4), 156–160. [https://doi.org/10.1016/S0169-5347\(99\)01812-1](https://doi.org/10.1016/S0169-5347(99)01812-1)
- Clayton, D. H. (1991). The influence of parasites on host sexual selection. *Parasitology Today*, 7(12), 329–334. [https://doi.org/10.1016/0169-4758\(91\)90211-6](https://doi.org/10.1016/0169-4758(91)90211-6)
- Combes, C. (2005). *The art of being a parasite*. University of Chicago Press. <https://archive.org/details/artofbeingparasi0000comb>
- DeBruine, L. M., Little, A. C., & Jones, B. C. (2012). Extending parasite-stress theory to variation in human mate preferences. *Behavioral and Brain Sciences*, 35(2), 86–87. <https://doi.org/10.1017/S0140525X11000987>
- Evans, M. R., Goldsmith, A. R., & Norris, S. R. A. (2000). The effects of testosterone on antibody production and plumage coloration in male house sparrows (*Passer domesticus*). *Behavioral Ecology and Sociobiology*, 47(3), 156–163. <https://doi.org/10.1007/s002650050006>
- Folstad, I., & Karter, A. J. (1992). Parasites, Bright Males, and the Immunocompetence Handicap. *The American Naturalist*, 139(3), 603–622. <https://doi.org/10.1086/285346>
- Martin, C. H., & Johnsen, S. (2007). A field test of the Hamilton–Zuk hypothesis in the Trinidadian guppy (*Poecilia reticulata*). *Behavioral Ecology and Sociobiology*, 61(12), 1897–1909. <https://doi.org/10.1007/s00265-007-0430-2>
- McGraw, K. J., & Ardia, D. R. (2003). Carotenoids, Immunocompetence, and the Information Content of Sexual Colors: An Experimental Test. *The American Naturalist*, 162(6), 704–712. <https://doi.org/10.1086/378904>
- Møller, A. P. (1990). Effects of a Haematophagous Mite on the Barn Swallow (*Hirundo rustica*): A Test of the Hamilton and Zuk Hypothesis. *Evolution*, 44(4), 771–784. <https://doi.org/10.1111/j.1558-5646.1990.tb03804.x>
- Penn, D. J., & Számadó, S. (2020). The Handicap Principle: How an erroneous hypothesis became a scientific principle. *Biological Reviews*, 95(1), 267–290. <https://doi.org/10.1111/brv.12563>
- Poulin, R., & Hamilton, W. J. (1997). The Hamilton and Zuk Hypothesis Revisited: A Meta-Analytical Approach. *Behaviour*, 134(3–4), 299–320. <https://doi.org/10.1163/156853997X00485>
- Rantala, M. J., Moore, F. R., Skrinda, I., Krama, T., Kivleniece, I., Kecko, S., & Krams, I. (2012). Evidence for the stress-linked immunocompetence handicap hypothesis in humans. *Nature Communications*, 3(1), 694. <https://doi.org/10.1038/ncomms1696>
- Roberts, M. L., Buchanan, K. L., & Evans, M. R. (2004). Testing the immunocompetence handicap hypothesis: A review of the ev-

idence. *Animal Behaviour*, 68(2), 227–239. <https://doi.org/10.1016/j.anbehav.2004.05.001>

Simons, M. J. P., Cohen, A. A., & Verhulst, S. (2012). What Does Carotenoid-Dependent Coloration Tell? Plasma Carotenoid Level Signals Immunocompetence and Oxidative Stress State in Birds—A Meta-Analysis. *PLOS ONE*, 7(8), e43088. <https://doi.org/10.1371/journal.pone.0043088>

---

Last updated: 2023-04-03 13:16:18.114057