



Exact-Kendall B with second-order entry rho = 0.02

$B = -\log(P_{\text{burn}})$, $B = Ky_{\text{BL}}\log(1 + 1/\text{cal}(I))$



$E_{\text{abs}} = \left|B_K^{(2)} - B_{\text{ref}}\right|$, $E_{\text{rel}} = \frac{\left|B_K^{(2)} - B_{\text{ref}}\right|}{\left|B_{\text{ref}}\right|}$



Exact-Kendall B with second-order entry rho = 0.04

$B = -\log(P_{\text{burn}})$, $B = Ky_{\text{BL}}\log(1 + 1/\text{cal}(I))$



$E_{\text{abs}} = \left|B_K^{(2)} - B_{\text{ref}}\right|$, $E_{\text{rel}} = \frac{\left|B_K^{(2)} - B_{\text{ref}}\right|}{\left|B_{\text{ref}}\right|}$



Exact-Kendall B with second-order entry rho = 0.06

$B = -\log(P_{\text{burn}})$, $B = Ky_{\text{BL}}\log(1 + 1/\text{cal}(I))$



$E_{\text{abs}} = \left|B_K^{(2)} - B_{\text{ref}}\right|$, $E_{\text{rel}} = \frac{\left|B_K^{(2)} - B_{\text{ref}}\right|}{\left|B_{\text{ref}}\right|}$



Exact-Kendall B with second-order entry rho = 0.08

$B = -\log(P_{\text{burn}})$, $B = Ky_{\text{BL}}\log(1 + 1/\text{cal}(I))$

$E_{\text{abs}} = \left|B_K^{(2)} - B_{\text{ref}}\right|$, $E_{\text{rel}} = \frac{\left|B_K^{(2)} - B_{\text{ref}}\right|}{\left|B_{\text{ref}}\right|}$



Exact-Kendall B with second-order entry rho = 0.10

$B = -\log(P_{\text{burn}})$, $B = Ky_{\text{BL}}\log(1 + 1/\text{cal}(I))$

$E_{\text{abs}} = \left|B_K^{(2)} - B_{\text{ref}}\right|$, $E_{\text{rel}} = \frac{\left|B_K^{(2)} - B_{\text{ref}}\right|}{\left|B_{\text{ref}}\right|}$

