

1. Use power series to find the orders of the following zeros for the indicated functions.

(a) $f(z) = 1 + \cos(z)$ at $z_0 = \pi$.

(b) $g(z) = z^3 \sin(z^2)$ at $z_0 = 0$.

2. Find all isolated singularities for the following functions and classify them as removable, poles, or essential. If the singularity is a pole, find its order.

(a) $f(z) = \frac{z}{e^z - 1}$.

(b) $g(z) = \frac{1}{(z^2 + 1)^3(z - 1)^2}$.

3. Let D be an open simply connected domain and suppose that $f : D \rightarrow \mathbb{C}$ is holomorphic. Use the open mapping principle to prove that if $|f(z)| = 1$ for all $z \in D$, then f is a constant.

4. Let C be a simple, closed, piecewise smooth curve in an open simply connected domain D . Suppose that f is holomorphic on D , and $|f(z)| = 1$ for all $z \in C$. Prove that f contains a zero inside C or f is constant on D . Hint: if f has no zero inside C , then what does the maximum modulus principle say about f and $1/f$?

5. Let $\gamma(t) = 2e^{it}$. What are the winding numbers of $f \circ \gamma$ and $g \circ \gamma$ around the origin for the functions $f(z) = \frac{z}{e^z - 1}$ and $g(z) = \frac{\sin^2 z}{z^5(z^2 + 1)}$.

6. Use residues to evaluate the following integrals.

(a) $\oint_{|z|=2} \frac{z}{z^4 - 1} dz.$

(b) $\oint_{|z|=1} \frac{1}{z^2 \sin z} dz.$