GWAS-Metric	Stat	Formula (Eq. #)
GM ( <b>Eq. 103</b> )	mean	$2\sum_{a\in\mathcal{A}}F(a)$ (110) where $F(a) = 2(1-f_a)^3f_a + 2f_a^3(1-f_a) + (1-f_a)^2f_a^2$
	variance	$2\sum_{a\in\mathcal{A}} F(a)[1-2F(a)] $ (110) where $F(a) = 2(1-f_a)^3 f_a + 2f_a^3 (1-f_a) + (1-f_a)^2 f_a^2$
AM ( <b>Eq. 104</b> )	mean	$2\sum_{a\in\mathcal{A}} F(a)$ (115) where $F(a) = (1-f_a)^3 f_a + f_a^3 (1-f_a) + (1-f_a)^2 f_a^2$
	variance	$\sum_{a \in \mathcal{A}} [G(a) - 4F^2(a)] $ where $F(a) = 2(1 - f_a)^3 f_a + 2f_a^3 (1 - f_a) + (1 - f_a)^2 f_a^2  \text{and}$ $G(a) = (1 - f_a)^3 f_a + f_a^3 (1 - f_a) + 2(1 - f_a)^2 f_a^2$
TiTv ( <b>Eq. 105</b> )	mean	$[(\gamma_0 + \gamma_2 + 2\gamma_1) \sum_{a \in \mathcal{A}} F(a) + \left[\frac{3}{2}(\gamma_0 + \gamma_2) + 2\gamma_1\right] \sum_{a \in \mathcal{A}} G(a)] $ where $F(a) = (1 - f_a)^3 f_a + f_a^3 (1 - f_a) \text{ and } G(a) = (1 - f_a)^2 f_a^2$
	mean	$ \left[ \frac{1}{4} (\gamma_0 + \gamma_2) + \gamma_1 \right] \sum_{a \in \mathcal{A}} F(a) + \left[ \frac{9}{8} (\gamma_0 + \gamma_2) + 2\gamma_1 \right] \sum_{a \in \mathcal{A}} G(a)  + \sum_{a \in \mathcal{A}} \left( [\gamma_0 + \gamma_2 + 2\gamma_1] F(a) + \left[ \frac{3}{2} (\gamma_0 + \gamma_2) + 2\gamma_1 \right] G(a) \right)^2 $ where $F(a) = (1 - f_a)^3 f_a + f_a^3 (1 - f_a)  \text{and}  G(a) = (1 - f_a)^2 f_a^2$