Adaptable Information Models in the Global Change Information System

Brian Duggan¹², Andrew Buddenberg³, Steve Aulenbach¹², Robert Wolfe¹⁴, Justin Goldstein¹²

¹US Global Change Research Program
²University Corporation for Atmospheric Research
³National Oceanic and Atmospheric Administration
⁴National Aeronautics and Space Administration

December 16, 2014

http://data.globalchange.gov http://github.com/USGCRP/gcis























United States Global Change Research Program

- 1. Introduction and Functionality
 - About
 - The Third National Climate Assessment
 - Identifiers
 - Lexicons
 - RESTful API
 - · Semantic API
- 2. Information Model
 - Relational
 - Semantic
- 3. System Architecture
 - Diagram
 - · Relational Model Changes
 - · Semantic Model Changes
- 4. Conclusion, Ongoing Work, Future Plans

- 1. Introduction and Functionality
 - About
 - The Third National Climate Assessment
 - Identifiers
 - Lexicons
 - · RESTful API
 - · Semantic API
- 2. Information Mode
 - Relational
 - Semantic
- 3. System Architecture
 - Diagram
 - · Relational Model Changes
 - Semantic Model Changes
- 4. Conclusion, Ongoing Work, Future Plans

About

 $\verb|http://data.globalchange.gov|\\$

The Third National Climate Assessment

On May 6, 2014, the US Global Change Research Program released the Third National Climate Assessment (NCA3).

- PDF(s) (http://data.globalchange.gov/report/nca3)
- Website (http://nca2014.globalchange.gov)

The Third National Climate Assessment

- 829 pages
- Over 300 authors, numerous editors, analysts, graphics producers, scientists, data scientists, software developers, and web teams
- 161 findings, 284 figures, 3,395 bibliographic references (journal articles, books, reports

Identifiers


- /article/10.1080/15287390801997625
- /report/usfs-pnw-gtr-855
- /reference/007a7014-723e-4ceb-a395-5c986b1bf884
- /image/26fc56f4-b4e0-425b-adc8-14c6d961d558
- /organization/nasa
- /person/0000-0001-6667-7047
- /dataset/nca3-cddv2-r1
- /platform/aqua
- /instrument/modis
- /model/ccsm3

Lexicons

Associations between GCIS identifiers and external terms.

- GCIS identifier : /platform/aqua
- PODAAC identifier : AQUA
- CEOS identifier: 206

RESTful API



Semantic API



platform instrument dataset dataset journal article figure

Semantic API


```
PREFIX gcis: <a href="mailto://data.globalchange.gov/gcis.owl"> .
PREFIX prov: <a href="http://www.w3.org/ns/prov#">http://www.w3.org/ns/prov#> .
SELECT ?figure ?article ?dataset ?another_dataset
        ?instrument ?platform
FROM <a href="http://data.globalchange.gov">http://data.globalchange.gov</a>
WHERE {
   ?figure prov:isDerivedFrom ?article .
   ?article prov:isDerivedFrom ?dataset .
   ?dataset prov:isDerivedFrom ?another_dataset .
   ?another_dataset gcis:hasInstrument ?instrument .
   ?instrument gcis:hasPlatform ?platform .
   ?figure gcis:isFigureOf ?chapter .
   ?chapter gcis:ChapterNumber "2" .
   ?report gcis:hasChapter ?chapter .
   ?report dcterms:title "The Third National Climate Assessment"
}
```

- 1. Introduction and Functionality
 - About
 - The Third National Climate Assessmen
 - Identifiers
 - Lexicons
 - · RESTful AP
 - · Semantic API
- 2. Information Model
 - Relational
 - Semantic
- 3. System Architecture
 - Diagram
 - Relational Model Changes
 - · Semantic Model Changes
- 4. Conclusion, Ongoing Work, Future Plans

Relational

- Canonical representation
- One-many, many-one, many-many relationships
- Referential integrity
- Strict type checking
- Column constraints
- Cascading updates and deletes
- Well-known optimization techniques
- Wide-spread adoption
- Extendable (hstores in PostgreSQL)
- Closed world assumption

Relational



Semantic

- Relationships are first class objects
- Concepts are formally defined in an ontology
- Formal definitions help remove ambiguities
- Interoperability with other systems
- Open world assumption

Semantic


http://bit.ly/gcis-dbpedia

```
PREFIX bibo: <a href="http://purl.org/ontology/bibo/">http://purl.org/ontology/bibo/>
PREFIX gcis: <a href="mailto:right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-right-r
 PREFIX cito: <a href="http://purl.org/spar/cito/">http://purl.org/spar/cito/>
 PREFIX dcterms: <a href="http://purl.org/dc/terms/">http://purl.org/dc/terms/>
PREFIX dbprop: <a href="http://dbpedia.org/property/">http://dbpedia.org/property/>
 PREFIX dbpo: <a href="http://dbpedia.org/ontology/">http://dbpedia.org/ontology/>
 SELECT DISTINCT ?dbpjournal ?gcisjournal ?issn
 FROM <a href="from://data.globalchange.gov">http://data.globalchange.gov</a>
 WHERE {
                   SERVICE <a href="http://data.globalchange.gov/sparql">SERVICE <a href="http://data.gov/sparql">SERVICE <a h
                                                     ?gcisiournal a bibo: Journal .
                                                     ?gcisjournal bibo:issn ?issn .
                                                     ?gcisjournal dcterms:hasPart ?gcisarticle .
                                                     ?gcisarticle a bibo:Article .
                                                     ?gcisarticle dcterms:isPartOf ?gcisjournal .
                                                     ?gcisarticle cito:isCitedBy <a href="http://data.globalchange.gov/report/nca3">http://data.globalchange.gov/report/nca3</a> .
                     }
                   SERVICE <a href="http://dbpedia.org/spargl">http://dbpedia.org/spargl</a>> 1
                           ?dbpjournal dbprop:frequency "Monthly" @en .
                           ?dbpjournal dbpo:issn ?issnd .
                   FILTER(?issnd = ?issn)
```

Find monthly journals that have had an article cited by the NCA3 report.

- 1. Introduction and Functionality
 - About
 - The Third National Climate Assessmen
 - Identifiers
 - Lexicons
 - · RESTful AP
 - · Semantic API
- 2. Information Mode
 - Relational
 - Semantic
- 3. System Architecture
 - Diagram
 - · Relational Model Changes
 - · Semantic Model Changes
- 4. Conclusion, Ongoing Work, Future Plans

Diagram



Relational Model Changes

Changes to the schema propagate to the JSON API. JSON key names match the column names, and nested JSON objects correspond to relationships.

- 1. Write a test for new REST functionality.
- 2. Run the tests. Do the tests pass?
- 3. Yes? Done.
- 4. No? Write a schema patch.
- 5. Goto step 2.

The tests remain part of the test suite, which is run continuously.

Semantic Model Changes

Change to the triple are handled by turtle templates.

- 1. Write a test with a SPARQL query that should succeed.
- 2. Run the tests. Do they pass?
- 3. Yes? Done.
- 4. No? Modify the turtle templates.
- 5. Go to step 2.

The tests remain part of the test suite, which is run continuously.

Semantic Model Changes

Sample turtle template :

- 1. Introduction and Functionality
 - About
 - The Third National Climate Assessmen
 - Identifiers
 - Lexicons
 - · RESTful AP
 - · Semantic API
- 2. Information Mode
 - Relationa
 - Semantic
- 3. System Architecture
 - Diagram
 - Relational Model Changes
 - · Semantic Model Changes
- 4. Conclusion, Ongoing Work, Future Plans

Current work involves extending the data model for models and model runs, *in situ* station data, spatial metadata (PostGIS), agency-wide publication systems, authors of journal articles, and connecting to disparate sources of information using lexicons, APIs and semantic queries.

Thank You

http://data.globalchange.gov/about (mailing list) http://www.globalchange.gov http://github.com/usgcrp/gcis

Also thanks : Curt Tilmes, Hook Hua, Brian Wilson, Gerald Manipon, Angel Li, April Sides, Sarah Champion, Bradley Akamine, Amanda McQueen, Peter Fox. Marshall Ma and the Tetherless World Institute at RPI