# EcoPCO® AR-X

### Multi-Purpose Insecticide

**KILLS:** Ants, carpet beetles, carpenter ants, carpenter bees, centipedes, chocolate moths, clover mites, cockroaches, crickets, drug store beetles, earwigs, elm leaf beetles, fleas, millipedes, pillbugs, scorpions, silverfish, spiders, termites and trogodermas

**FOR USE IN:** Homes, non-food areas of offices, hotels, motels, schools, hospitals, nursing homes, day-care centers, factories, warehouses, stores, supermarkets, restaurants, food handling establishments, food processing plants, bottling plants, and transportation equipment

### SPECIMEN LABEL

#### **ACTIVE INGREDIENTS:**

\*Contains petroleum distillates

2-Phenethyl Propionate	1.0%
OTHER INGREDIENTS*	
TOTAL:	

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid, Precautionary Statements and Directions for Use including Storage and Disposal instructions

EPA Reg.No. 89459-60 EPA Est. No. 082661-IL-001

### PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled, or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID		
IF SWALLOWED:	Immediately call a poison control center	
	or doctor. Do not induce vomiting unless	
	told to do so by a poison control center	
	or doctor. Do not give any liquid to the	
	person. Do not give anything by mouth to	
	an unconscious person.	
IF INHALED:	Move person to fresh air. If person is not	
	breathing, call 911 or an ambulance, then	
	give artificial respiration, preferably mouth-	
	to-mouth, if possible. Call a poison control	
	center or doctor for further treatment	
	advice. (continued)	

IE ON CAIN UD	Take off the conteminated elething Dines
	Take off the contaminated clothing. Rinse
CLOTHING:	the skin immediately with plenty of water
	for 15-20 minutes. Call a poison control
	center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently
	with water for 15-20 minutes. Remove
	contact lenses, if present, after the first
	5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for
	treatment advice.
NOTE TO PHYSICIAM: Contains natroloum distillate vamiting	

**NOTE TO PHYSICIAN:** Contains petroleum distillate – vomiting may cause aspiration pneumonia.

HOT LINE NUMBER: Have the container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-248-7763, 24 hours per day, 7 days per week.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters, or surface waters. Applying

this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. See Directions for Use for additional precautions and requirements.

PHYSICAL AND CHEMICAL HAZARDS: FLAMMABLE. Contents Under Pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **USE RESTRICTIONS**

- Apply this product only as specified on this label.
- Do not contaminate food or feedstuffs.
- THIS PRODUCT IS FOR USE IN NON-FOOD AREAS ONLY.
- Not for use in outdoor residential misting systems (indoor or outdoor).
- Do not use in aircraft cabins.
- Do not make applications during rain. Do not water the treated area to the point of runoff.
- Do not allow workers or other persons to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the treated area during application.
- Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Do not make space spray applications when facility is in operation. Prior to space spray applications, cover or remove food. Prior to space spray applications, cover food processing surfaces or clean after treatment and before use.
- All outdoor applications must be limited to spot or crackand-crevice applications only, except for the following permitted uses: (1) Treatment to soil or vegetation around structures; (2) Applications to lawn, turf, and other vegetation and; (3) Applications to building foundations, up to a maximum height of 3 feet. Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches, and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only.
- Do not apply directly into sewer or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow this product to enter any drain during or after application.
- Remove pets, birds and cover fish aquariums before spraying.

#### Shake well before using.

This product will not stain carpet, floors or walls. Since it is impossible for the manufacturer to test all combinations of surfaces, fibers and coatings, good application practices recommend that you test the spray in an inconspicuous area when treating a new fiber, paint or surface.

This product is a formulated contact aerosol for use in Homes and NON-FOOD AREAS of Offices, Hotels, Motels, Schools, Hospitals, Nursing Homes, Day-care Centers, Factories, Warehouses, Stores, Supermarkets, Restaurants, Food Handling Establishments, Food Processing Plants, Bottling Plants, and Transportation Equipment (Automobiles, Buses, Trucks, Trailers, Boats, Ships and Trains).

Crack-Crevice and Void Treatments: Important: Use the green injector nozzle tip provided.

Interior Treatments: For crawling insects, inject into all crack-crevice and void spaces where insects may be crawling, hiding or living. Release approximately 1 second of product per crack-crevice application and from 2 to 3 seconds per cubic foot of closed void space treated. Apply more liberally for heavy infestations. Applications can be made behind baseboards, cabinets, walls, ceilings, door and window frames, and around water pipes and appliances. Ensure contact with as many insects as possible.

Grain Weevils, Flour Beetles, Chocolate Moths, Drugstore Beetles, Trogodermas, and Elm Leaf Beetles: Inject into cracks and crevices and/or voids where these insects may be harboring, such as cabinets, pantries, wall voids and in machinery.

For application in NON-FOOD AREAS of food handling establishments only. A food handling establishment is an area or place other than a private residence in which food is held, processed, prepared, and/or served. Non-food areas of food handling establishments include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). Inject between different elements of construction, between equipment and floor, openings leading to voids and hollow surfaces in walls, and equipment legs and bases, where insects hide. Avoid contact with food, drinking water, dishes, utensils, food processing equipment, and food preparation surfaces.

**Exterior Perimeter Treatments:** For crawling insects, apply to cracks-crevices where insects may enter premises or harbor. Use with extension tube as necessary. Areas to be treated include weep holes, under siding, wall voids, soffits, around attic vents, windows, doors and pipes. Treatment of infested fences and tree holes is permitted.

Wood Destroying Insects (Localized Treatment): Beetles, Borers, Carpenter Ants, Carpenter Bees, Termites and Wood Wasps: Locate suspected infestation and/or insect tunnels and cavities. Drill pilot holes 8 to 10 inches apart into insect tunnels, galleries and inaccessible closed voids. Inject 5 to 10 seconds per hole. Do not contact electrical wiring, plumbing, etc. when drilling. For carpenter bees, seal bee entrances after application. Drywood Termites - Probe to locate galleries, drill holes and inject 5-10 seconds spray per hole into active galleries. Powder Post Beetles - treat infested wood using injection tube\*. Apply small amounts directly into and around entrance holes.

\* Except in TN

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area away from heat or open flame that is inaccessible to children and animals.

**Container Disposal:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

Questions or Comments: Call 1-800-248-7763 weekdays, 9:00 a.m. to 5:00 p.m. CST

VOC compliant in all states.

