

# Exam Applied Stochastic Modeling

## 29 March 2018, 18:30-21:15 hours

This exam consists of **5** problems, each consisting of several questions. All answers should be motivated, including calculations, formulas used, etc. It is allowed to use 1 sheet of paper (or 2 sheets written on one side) with **hand-written** notes. The use of a calculator is allowed.

For each question it is indicated in brackets how many points can be obtained. The grade for the exam is then given by:  $\# \text{ points} \times \frac{9}{33} + 1$ .

**Exercise 1.** At a science center, a popular exposition is open during the interval  $[0, 8]$  (representing 9:00 - 17:00 hours). During the interval  $[0, 6]$  visitors arrive according to an inhomogeneous Poisson process with rate  $\lambda e^{-t}$  at time  $t \in [0, 6]$ . After time 6, no new visitors arrive. For simplicity, we assume that visitors arrive one at a time. We also assume that a visit takes exactly 2 hours.

- [2 pt.] Determine the expected number of *new* visitors that arrive during  $[0, 1]$  and the expected number of *new* visitors that arrive during  $[5, 6]$ .
- [3 pt.] Determine  $m(\tau)$ , i.e., the mean number of visitors at the exposition at time  $\tau$ , for  $\tau \in [0, 8]$ . What is the probability that at time 7 the science center is already empty?
- [2 pt.] Make a sketch of  $m(\tau)$  as a function of  $\tau \in [0, 8]$  and explain its behavior. Also, argue when the peak in  $m(\tau)$  occurs.

**Exercise 2.** Consider a queueing system with 2 queues in parallel and a Poisson arrival process with rate  $2/3$ . Customers are routed to one of the two queues directly upon arrival (and leave after receiving service). Each queue has a single server and an infinite waiting buffer. There are two types of customers. A customer is of type 1 with probability  $\alpha \in [0, 1]$ , and of type 2 otherwise. The service times of type 1 are exponential with rate  $\alpha$  and the service times of type 2 are exponential with rate  $1 - \alpha$ .

- [1 pt.] Verify that the mean service time of an arbitrary customer is  $\mathbb{E}S = 2$ .
- [3 pt.] Suppose that the routing of both customers types is completely random (i.e. a customer is assigned to queue 1 with probability 0.5, independent of all other customers). Determine the expected waiting time for an arbitrary customer.
- [3 pt.] Suppose that type 1 is routed to queue 1 and type 2 is routed to queue 2. Determine the expected waiting time for both types and the expected waiting time for an arbitrary customer.
- [2 pt.] Make a sketch of the expected waiting times of an arbitrary customer as a function of  $\alpha \in [0, 1]$  for the routing mechanisms in parts a and b and explain its behavior.

**Exercise 3.** An open queueing network consists of two queues, both having a single server. New customers arrive to queue 2 according to a Poisson process with rate  $\lambda$ . After being served at queue 1, customers go to queue 2 with probability  $2/3$  and go back to queue 1 with probability  $1/3$ . After being served at queue 2, customers leave the network with probability  $p$  and go to queue 1 with probability  $1 - p$ . The service times at queue 1 are exponential with rate 1 and at queue 2 exponential with rate 2.

- a. [2 pt.] Formulate the routing equations for this system. For which values of  $\lambda$  and  $p$  is the system stable?
- b. [2 pt.] Give the balance equation for state  $(n_1, n_2)$  with  $n_1, n_2 > 0$  and  $n_i$  denoting the number of customers in queue  $i$ .

**Exercise 4.** Consider the open queueing network of Exercise 3. It is decided to transform the open network into a closed network. Specifically, assume that there are  $N$  customers in the network, whereas  $\lambda = 0$  and  $p = 0$ .

- a. [4 pt.] Draw the state diagram with the transition rates for the number of customers at queue 1 and determine the distribution of the queue length at queue 1.
- b. [3 pt.] Assume that  $N = 1$ . We are interested in the probability that the customer is at queue 1. Give regeneration epochs and use renewal theory to determine the probability that the customer is at queue 1.

**Exercise 5.** A company tries to find the optimal balance in fixed and flexible labor workforce. To do so, the company considers a single period of time. The fixed workforce is  $S$  employees and has to be determined in advance. The demand for labor during this single period is according to a random variable  $D$ . When the demand exceeds the fixed workforce, the company hires flexible labor from an external company. The fixed workforce costs 100 per employee, whereas flexible labor costs 150 per employee.

- a. [4 pt.] Give the total workforce costs for such a single period as a function of  $S$ , and give an expression for the occupancy of the fixed workforce (i.e. the expected fraction of fixed workforce for which there is demand). Determine the optimal fixed workforce  $S^*$  that minimizes the total costs.
- b. [2 pt.] Suppose that the demand  $D$  follows a normal distribution with mean  $\mu$  and standard deviation  $\sigma$ . What is the impact on  $S^*$  when the variability in demand  $\sigma$  increases, whereas the mean  $\mu$  remains the same? And what would  $S^*$  be when  $\sigma \downarrow 0$ ?