	TOPIC	Α	В	С
1.	GRAINS  1 Serving = 1 slice bread or tortilla; ½ bagel, roll, English muffin or pita; ½ cup cooked rice or pasta; 1 cup cereal	☐ Usually eat: less than 4 servings of grain products a day	☐ Usually eat: 4-5 servings of grain products a day	☐ Usually eat: 6 or more servings of grain products a day
2.	WHOLE GRAINS	☐ Usually eat: white breads, white rice, low fiber cereals like corn flakes, Rice Krispies, etc.	☐ Sometimes eat: less than 4 servings of grain products a day	☐ Usually eat: whole grain breads, brown rice, whole grain cereals like oatmeal, bran cereals, Wheaties™, etc.
3.	FRUITS & VEGETABLES  1 Serving = ½ cup cooked or 1 med. fruit or 1 cup leafy raw vegetables or 4 oz.  100% fruit or veg. Juice	☐ Usually eat: 1 serving or less a day	☐ Usually eat: 2-4 servings a day	☐ Usually eat: 5 or more servings a day
4.	DAIRY FOODS  1 Serving = 1 cup milk or yogurt; 1 ½ -2 ounces cheese	☐ Rarely eat or drink: 2 or more servings of milk, yogurt, or cheese a day	☐ Sometimes eat or drink: 2 or more servings of milk, yogurt, or cheese a day	☐ Usually eat or drink: 2 or more servings of milk, yogurt, or cheese a day
5.	MEAT, CHICKEN, TURKEY OR FISH  1 Serving = 3 oz. (the size of a deck of cards) or  1 regular hamburger,  1 chicken breast or leg, or 1 pork chop	☐ Usually eat: more than 6 ounces of meat, chicken, turkey or fish per day	Sometimes eat: more than 6 ounces of meat, chicken, turkey or fish per day	☐ Rarely/never eat: more than 6 ounces of meat, chicken, turkey or fish per day
6.	<b>EATING OUT</b> in restaurants or getting take-out food	☐ Usually eat out or get take-out food: twice a week or more	☐ Usually eat out or get take-out food: once a week or more	☐ Usually eat out or get take-out food: less than once a week OR usually eat low-fat restaurant meals
7.	<b>RED MEAT</b> (includes beef, hamburger, pork, lamb or veal)	☐ Usually eat: three times a week or more	☐ Usually eat: twice a week	☐ Usually eat: once a week or less
8.	<b>RED MEAT CHOICES</b> (includes beef, hamburger, pork, lamb or veal)	☐ Usually eat: high-fat cuts, such as ribs, brisket, T-bone steak, prime rib, sausage, regular or lean ground beef	☐ Usually eat: high-fat cuts, such as ribs, brisket, T-bone steak, prime rib, sausage, regular or lean ground beef	☐ Usually eat:  Iean beef such as round,  Ioin, flank, Iean pork and  Iamb such as Ioin and Ieg,  veal,  ground turkey breast OR  rarely/never eat meat
9.	COLD CUTS, HOT DOGS, BREAKFAST MEATS	☐ Usually eat: salami, bologna, other cold cuts, hot dogs, bacon, sausage	☐ Sometimes eat: salami, bologna, other cold cuts, hot dogs, bacon, sausage	Usually eat: roast beef, turkey breast, ham or low-fat cold cuts, low-fat hot dogs, low fat bacon/sausage
10.	CHICKEN, TURKEY, ETC	☐ Usually eat: chicken, turkey, and other poultry with skin	☐ Sometimes eat: chicken, turkey, and other poultry with skin	☐ Usually eat: chicken, turkey, and other poultry without skin
11.	CHICKEN AND FISH CHOICES	☐ Usually eat: fried chicken and/or fried fish and shellfish	☐ Sometimes eat: fried chicken and/or fried fish and shellfish	☐ Usually eat: chicken and fish that is baked, broiled, grilled, poached, roasted, etc

TOPIC	Α	В	С
12. <b>MEATLESS MAIN DISHES</b> such as all-bean chili, bean burrito, lentil soup, meatless spaghetti sauce	☐ Rarely eat: meatless main dishes	☐ Usually eat: meatless main dishes less than twice a week	☐ Usually eat: meatless main dishes twice a week or more
13. MILK	☐ Usually eat: whole milk or cream	☐ Usually eat: 2% reduced-fat milk	☐ Usually eat: 1% low-fat or skim milk
14. <b>CHEESE</b> includes cheese on pizza, sandwiches, snacks and in mixed dishes	☐ Usually eat: regular cheese such as cheddar, Swiss and American	Sometimes eat: regular cheese such as cheddar, Swiss and American	☐ Usually eat: reduced-fat or part-skim cheese OR rarely eat cheese
15. FROZEN DESSERTS ice cream, etc	☐ Usually eat: regular ice cream, ice cream bars/sandwiches	☐ Sometimes eat: regular ice cream, ice cream bars/sandwiches	☐ Usually eat: sherbet, sorbet, low-fat frozen yogurt or ice cream OR rarely eat frozen desserts
16. COOKING METHOD	☐ Usually add: oil, butter or margarine to the pan	☐ Sometimes add: oil, butter or margarine to the pan	☐ Usually eat: broil, bake, or steam without fats or oils or use cooking sprays (Pam)
17. FRIED FOODS such as french fries, egg rolls, onion rings, etc	☐ Usually eat: fried foods	☐ Sometimes eat: fried foods	☐ Rarely/Never eat: fried foods
18. SPREADS added at the table	☐ Usually put: butter or stick margerine on bread, potatoes, vegetables, etc	☐ Usually put: liquid or tub margerine on bread, potatoes, vegetables, etc	☐ Usually put: "light" tub margerine on bread, potatoes, vegetables, etc OR eat them plain
19. SALAD DRESSING & MAYONNAISE	☐ Usually use: regular salad dressing or mayonnaise	☐ Sometimes use: regular salad dressing or mayonnaise	☐ Usually use: light or fat-free salad dressing and mayonnaise
20. SNACKS	☐ Usually eat: regular chips, crackers and nuts	Sometimes eat: regular chips, crackers and nuts	☐ Usually eat: fruit, pretzels, low-fat crackers or baked chips
21. DESSERTS AND SWEETS	☐Usually eat: donuts, cookies, cake, pie, pastry or chocolate	☐Sometimes eat: donuts, cookies, cake, pie, pastry or chocolate	☐ <b>Usually eat:</b> fruit, angel food cake, low- fat or fat-free sweets
22. ADDED SALT	☐Usually: add salt to food when cooking or at the table	☐ Sometimes: add salt to food when cooking or at the table	☐ Rarely/Never: add salt to food when cooking or at the table
23. CANNED FOODS, FROZEN PACKAGED MEALS	☐ Usually: choose regular canned/frozen/packaged foods	☐Sometimes: choose regular canned/frozen/packaged foods	☐ Usually: choose low sodium canned/frozen/packaged foods OR rarely eat these foods
24. SALTY SNACKS	☐ Often eat:	☐ Sometimes eat:	☐ Rarely/Never eat:
chips, pretzels, crackers, salted nuts  25. <b>DESSERTS AND SWEETS</b>	salty snacks  Usually eat: high sugar desserts and sweets	salty snacks  Sometimes eat: high sugar desserts and sweets	salty snacks  Usually eat: low sugar desserts and sweets

26.	SODA, PUNCH, ETC Soda, pop, fruit drink, punch, Kool- Aid™, etc	☐ Usually drink:  16 oz or more of regularly (non-diet) soda, punch etc per day	☐ Usually drink:  8-15 oz or more of regularly (non-diet) soda, punch etc per day	☐ Usually drink: Less than 8 oz or more of regularly (non-diet) soda, punch etc per day			
27.	BEER, WINE, LIQUOR  1 Drink = 12 oz beer, 5 oz. wine, one shot of hard liquor or mixed drink with 1 shot	☐ Often drink: more than 1-2 alcoholic drinks in a day	Sometimes drink: more than 1-2 alcoholic drinks in a day	□Rarely/Never drink: more than 1-2 alcoholic drinks in a day			
	FI  Total check in column A =  Total check in column B =		x 1 =				
	Total check in column C =						
	If your score is:	т	OTAL:				
	<ul> <li>□ 27-45: There are many ways you can make your eating habits healthier.</li> <li>□ 46-63: There are some ways you can make your eating habits healthier.</li> <li>□ 64-81: You are making many healthy choices.</li> </ul>						
	Look back at your Rate Your	Plate.					
	Do you have any answers in Co healthy choices. Look at your a you start eating more like Colu	nswers in Columns A ai	nd B. Where you checke	_			
	Set Goals. Write down eating o	hanges you are ready t	o make now.				
	Goal 1:						
	Goal 2:						
	Goal 3:						