# **Exercises: Data Definition and Data Types**

This document defines the exercise assignments for the MySQL course @ Software University.

## O. Create Database

You now know how to create database using the GUI of the Workbench. Now it's time to create it using SQL queries. In that task (and the several following it) you will be required to create the database from the previous exercise using only SQL queries. Firstly, just create new database named minions.

#### 1. Create Tables

In the newly created database Minions add table minions (id, name, age). Then add new table towns (town id, name). Set id and town id columns of both tables to be primary key as constraint, id's must be auto increment. Submit yours create table queries in Judge together for both tables (one after another separated by ";") as Run queries & check DB.

#### 2. Alter Minions Table

Before continuing with the next assignments, rename the town\_id to id using Workbench's GUI.

Do not submit this query on the Judge System.

Change the structure of the Minions table to have **new column town** id that would be of the same type as the id column of towns table. Add new constraint that makes town\_id foreign key and references to id column of towns table. Submit your create table query in Judge as MySQL run skeleton, run queries & check DB

# 3. Insert Records in Both Tables

Populate both tables with sample records given in the table below.

minions						
id	name	age	town_id			
1	Kevin	22	1			
2	Bob	15	3			
3	Steward	NULL	2			

towns					
id name					
1	Sofia				
2	Plovdiv				
3	Varna				

Use only insert SQL queries. Submit your INSERT statements in Judge as Run skeleton, run queries & check DB.

# 4. Truncate Table Minions

Delete all the data from the minions table using SQL query. Submit your query in Judge as Run skeleton, run queries & check DB.

# 5. Drop All Tables

Delete all tables from the minions database using SQL query. Submit your query in Judge as Run skeleton, run queries & check DB.













# 6. Create Table People

Using **SQL query** create table "people" with columns:

- id unique number for every person there will be no more than 2<sup>31</sup>-1people. (Auto incremented)
- name full name of the person will be no more than 200 Unicode characters. (Not null)
- picture image with size up to 2 MB. (Allow nulls)
- height In meters. Real number precise up to 2 digits after floating point. (Allow nulls)
- weight In kilograms. Real number precise up to 2 digits after floating point. (Allow nulls)
- gender Possible states are m or f. (Not null)
- **birthdate** (Not null)
- biography detailed biography of the person it can contain max allowed Unicode characters. (Allow nulls)

Make id primary key. Populate the table with 5 records. Submit your CREATE and INSERT statements in Judge as Run queries & check DB.

### 7. Create Table Users

Using **SQL query** create table **users** with columns:

- id unique number for every user. There will be no more than 2<sup>63-1</sup> users. (Auto incremented)
- username unique identifier of the user will be no more than 30 characters (non Unicode). (Required)
- password password will be no longer than 26 characters (non Unicode). (Required)
- profile picture image with size up to 900 KB.
- last\_login\_time
- is\_deleted shows if the user deleted his/her profile. Possible states are true or false.

Make id primary key. Populate the table with 5 records. Submit your CREATE and INSERT statements. Submit your CREATE and INSERT statements as Run queries & check DB.

# 8. Change Primary Key

Using **SQL queries** modify table **users** from the previous task. First **remove current primary key** then create **new** primary key that would be combination of fields id and username. The initial primary key name on id is pk\_users. Submit your query in Judge as Run skeleton, run queries & check DB.

# 9. Set Default Value of a Field

Using SQL queries modify table users. Make the default value of last\_login\_time field to be the current time. Submit your query in Judge as Run skeleton, run queries & check DB.

# 10. Set Unique Field


Using SQL queries modify table users. Remove username field from the primary key so only the field id would be primary key. Now add unique constraint to the username field. The initial primary key name on (id, username) is pk\_users. Submit your query in Judge as Run skeleton, run queries & check DB.

# 11. Movies Database

Using **SQL queries** create **Movies** database with the following entities:

- directors (id, director\_name, notes)
  - director name cannot be null



















- genres (id, genre\_name, notes)
  - genre\_name cannot be null
- categories (id, category\_name, notes)
  - category\_name cannot be null
- movies (id, title, director\_id, copyright\_year, length, genre\_id, category\_id, rating, notes)
  - o title cannot be null

Set most appropriate data types for each column. Set primary key to each table. Populate each table with 5 records. Make sure the columns that are present in 2 tables would be of the same data type. Consider which fields are always required and which are optional. Submit your CREATE TABLE and INSERT statements as Run queries & check DB.

### 12. Car Rental Database

Using **SQL queries** create **car\_rental** database with the following entities:

- categories (id, category, daily\_rate, weekly\_rate, monthly\_rate, weekend\_rate)
- cars (id, plate\_number, make, model, car\_year, category\_id, doors, picture, car\_condition, available)
- employees (id, first name, last name, title, notes)
- customers (id, driver\_licence\_number, full\_name, address, city, zip\_code, notes)
- rental\_orders (id, employee id, customer id, car id, car condition, tank level, kilometrage\_start, kilometrage\_end, total\_kilometrage, start\_date, end\_date, total\_days, rate\_applied, tax\_rate, order\_status, notes)

Set most appropriate data types for each column. Set primary key to each table. Populate each table with 3 records. Make sure the columns that are present in 2 tables would be of the same data type. Consider which fields are always required and which are optional. Submit your CREATE TABLE and INSERT statements as Run queries & check DB.

#### **13. Basic Insert**

Now create bigger database called soft\_uni. You will use database in the future tasks. It should hold information about

- towns (id, name)
- addresses (id, address\_text, town\_id)
- departments (id, name)
- employees (id, first\_name, middle\_name, last\_name, job\_title, department\_id, hire\_date, salary, address\_id)

Id columns are auto incremented starting from 1 and increased by 1 (1, 2, 3, 4...). Make sure you use appropriate data types for each column. Add primary and foreign keys as constraints for each table. Use only SQL queries. Consider which fields are always required and which are optional.

Do not submit creation of database only the insert statements.

Use the SoftUni database and insert some data using SQL queries.















- towns: Sofia, Plovdiv, Varna, Burgas
- departments: Engineering, Sales, Marketing, Software Development, Quality Assurance
- employees:

name	job_title	department	hire_date	salary
Ivan Ivanov Ivanov	.NET Developer	Software Development	01/02/2013	3500.00
Petar Petrov Petrov	Senior Engineer	Engineering	02/03/2004	4000.00
Maria Petrova Ivanova	Intern	Quality Assurance	28/08/2016	525.25
Georgi Terziev Ivanov	CEO	Sales	09/12/2007	3000.00
Peter Pan Pan	Intern	Marketing	28/08/2016	599.88

Submit your INSERT queries in Judge as Run skeleton, run queries & check DB.

#### **Basic Select All Fields 14.**

Use the soft\_uni database and first select all records from the towns, then from departments and finally from employees table. Use SQL queries and submit them to Judge at once. Submit your query statements as Prepare DB & Run queries.

## 15. Basic Select All Fields and Order Them

Modify queries from previous problem by sorting:

- towns alphabetically by name
- departments alphabetically by name
- employees descending by salary

Submit your query statements as Prepare DB & Run queries.

# 16. Basic Select Some Fields

Modify gueries from previous problem to show only some of the columns. For table:

- towns name
- departments name
- employees first\_name, last\_name, job\_title, salary

Keep the ordering from the previous problem. Submit your query statements as Prepare DB & Run queries.

# 17. Increase Employees Salary

Use softuni database and increase the salary of all employees by 10%. Then select only salary column from the employees table. Submit your query statements as Prepare DB & Run queries.

#### 18. Delete All Records

Use SQL query to delete all records from the table with name occupancies. Submit your query statements as Run skeleton, run queries & check DB.











