# **Thymeleaf & Validation**

Thymeleaf Helpers, Validators



**SoftUni Team Technical Trainers** 







**Software University** 

https://softuni.bg

# **Table of Content**



# 1. Thymeleaf Helpers

- Dates
- Strings
- Numbers
- Aggregates
- Validations

# Have a Question?








# Helpers



Objects that provide built-in functionalities that helps you

enhance your view



## **Date – Custom Format**




```
WhiskeyController.java

@GetMapping("/home")
public String getHomePage(Model model){
   model.addAttribute("myDate", new Date());
   return "whiskey-home";
}
```

#### Format Date

whiskey-home.html

<div th:text="\${#dates.format(myDate,'yyyy-MMM-dd')}"></div>



# Date – Week Name of Day




```
WhiskeyController.java

@GetMapping("/home")
public String getHomePage(Model model){
   model.addAttribute("myDate", new Date());
   return "whiskey-home";
}
```

#### Day Name

whiskey-home.html

<div th:text="\${#dates.dayOfWeekName(myDate)}"></div>



# Date – List Days




```
WhiskeyController.java

@GetMapping("/home")
  public String getHomePage(Model model){
    // List of dates -> 2016-12-12, 2017-04-09 -> yyyy-MM-dd
    model.addAttribute("myDates", myDates);
    return "whiskey-home";
}
```

#### List Days

whiskey-home.html

<div th:text="\${#dates.listDay(myDates)}"></div>



## **Date – Get Current Date**




```
WhiskeyController.java

@GetMapping("/home")
public String getHomePage() {
    return "whiskey-home";
}

Today's Date
    whiskey-home.html

<div th:text="${#dates.createNow()}"></div></div>
```



# **LocalDate and Thymeleaf**



```
WhiskeyController.java

@GetMapping("/home")
public String getHomePage(Model model){
   model.addAttribute("myDate", LocalDate.now());
   return "whiskey-home";
}
```

#### Format Date

```
whiskey-home.html
```

```
${#temporals.format(myDate, 'dd-MMM-yyyy')}|
```

To use LocalDate we need to add new dependency

# Strings – is Empty



```
WhiskeyController.java

@GetMapping("/home")
public String getHomePage(Model model) {
    String whiskeyNull = null;
    model.addAttribute("whiskey", whiskeyNull);
    return "whiskey-home";
}
```

#### Null/Empty Check

whiskey-home.html

<div th:text="\${#strings.isEmpty(whiskey)}"></div>



# Strings – Substring





# Strings – Join




```
WhiskeyController.java

@GetMapping("/home")
public String getHomePage(Model model) {
    model.addAttribute("whiskeys", whiskeys);
    // Jack Daniels, Jameson
    return "whiskey-home";
}
```

#### Join

whiskey-home.html

<div th:text="\${#strings.listJoin(whiskeys,'-')}"></div>



# **Strings – Capitalize**




```
WhiskeyController.java

@GetMapping("/home")
public String getHomePage(Model model) {
   String whiskey = "jameson";
   model.addAttribute("whiskey", whiskey);
   return "whiskey-home";
}
```

### Capitalize

whiskey-home.html

<div th:text="\${#strings.capitalize(whiskey)}"></div>



## **Numbers – Format**




```
MathController.java

@GetMapping("/home")
  public String getHomePage(Model model) {
     double num = 3.14159;
     model.addAttribute("num", num);
     return "home";
  }
```

#### Format

home.html

<div th:text="\${#numbers.formatDecimal(num,1,2)}"></div>




# Numbers – Sequence



```
MathController.java

@GetMapping("/home")
public String getHomePage(Model model) {
   return "home";
}
```


#### 



# Aggregates – Sum



```
WhiskeyController.java
@GetMapping("/home")
public String getHomePage(Model model) {
    double[] whiskeyPrices
        = new double[]{29.23, 21.22,33.50};
    model.addAttribute("whiskeyPrices", whiskeyPrices);
    return "whiskey-home";
                Sum
                               whiskey-home.html
<div th:text="${#aggregates.sum(whiskeyPrices)}</pre>
```



# Thymeleaf in JavaScript



```
JSController.java

@GetMapping("/js")
public String getMapPage(Model model){
   String message = "Hi JS!";
   model.addAttribute("message", message);
   return "page";
}
```



# **Spring Validation & Thymeleaf (1)**



Making a simple Model validation and Error rendering

```
SomeModel.java

public class SomeModel {
    @NotNull
    @Size(min = 3, max = 10,
    message = "Invalid name")
    private String name;
}
```

```
SomeController.java
                                          Adding a
@Controller
public class SomeController {
                                          model to
                                          the view
@GetMapping("/add")
 public String getPage(Model model) {
   if(!model.containsAttribute("bindingModel"){
       model.addAttribute("bindingModel",
                     new BindingModel());
        return "add";
```

# **Spring Validation & Thymeleaf (2)**



Making a simple Model validation and Error rendering

```
Validate the
                                    SomeController.java
                                                                            model
   @PostMapping("/add")
    public String add (@Valid @ModelAttribute("bindingModel") SomeModel bindingModel,
BindingResult bindingResult, RedirectAttributes rAtt) {
        if(bindingResult.hasErrors()){
              rAtt.addFlashAttribute("bindingModel", bindingModel);
              rAtt.addFlashAttribute(
              "org.springframework.validation.BindingResult.SomeModel", bindingResult);
              return "redirect:/add";
        this.someService.save(bindingModel);
                                                                 Validation
                                                                   Result
        return "redirect:/home";
```

# **Spring Validation & Thymeleaf (3)**



Making a simple Model validation and Error rendering

```
Set Binding Model
                                               add.html
   <div th:object="${productBindingModel}" >
          <div class="justify-content-center">
                  <label for="name" class="h4 mb-2 text-white">Name</label>
          </div>
Access
          <input th:field="*{name}" th:errorclass="bg-danger" type="text"</pre>
                                         class="form-control" id="name" name="name"/>
Field
          <small th:if="${#fields.hasErrors('name')}"</pre>
                      th:errors="*{name}" class="text-danger"> Name error</small>
   </div>
            Render Error
            Name
            Invalid name
```

## **List All Errors**



```
add.html

    Invalid creator

 Input is incorrect

    Invalid name

    Mutation cannot be null

    Invalid description

    Invalid hours

                    add.html

    You must select capitals

Input is incorrect
```

# **Custom Annotations (1)**



- You can also implement custom validation annotations
  - Sometimes it is necessary due to complex validation functionality

```
PresentOrFuture.java
@Retention(RetentionPolicy.RUNTIME)
@Target(ElementType.FIELD)
@Constraint(validatedBy = PresentOrFutureValidator.class)
public @interface PresentOrFuture {
    String message() default "Invalid Date";
    Class<?>[] groups() default {};
    Class<? extends Payload>[] payload() default {};
```

# **Custom Annotations (2)**



- You can also use the @PresentOrFuture validation annotations.
- You will have to implement a custom validator too

# Summary



- Objects that provide built-in functionalities that helps you enhance your view
- Thymeleaf provides helpers and validations
- Making a simple Model validation and Error rendering





# Questions?

















## **SoftUni Diamond Partners**






































# **Educational Partners**





**VIRTUAL RACING SCHOOL** 



# Trainings @ Software University (SoftUni)



- Software University High-Quality Education,
   Profession and Job for Software Developers
  - softuni.bg, about.softuni.bg
- Software University Foundation
  - softuni.foundation
- Software University @ Facebook
  - facebook.com/SoftwareUniversity
- Software University Forums
  - forum.softuni.bg









## License



- This course (slides, examples, demos, exercises, homework, documents, videos and other assets) is copyrighted content
- Unauthorized copy, reproduction or use is illegal
- © SoftUni <a href="https://about.softuni.bg/">https://about.softuni.bg/</a>
- © Software University <a href="https://softuni.bg">https://softuni.bg</a>

