

CC: 3.3.6: Making a Prediction Grid

[Bookmark this page](#)

Comprehension Check due Jul 14, 2021 05:59 +06

Making a Prediction Grid: Question 1

1/1 point (graded)

What does `np.arange` do?

- ☐ Takes a tuple of `np.arrays` as the first argument and arranges them according to the second argument
- ☒ Creates regularly spaced values between the first and second argument, with spacing given in the third argument
- ☐ Takes a `range` object and returns an `np.array` range object



Submit

You have used 1 of 1 attempt

✓ Correct (1/1 point)

Making a Prediction Grid: Question 2

1/1 point (graded)

What does `enumerate` do?

- ☐ Takes an iterable and returns a range object
- ☒ Takes an iterable and returns a new iterable with tuples as elements, where the first index of each tuple is the index of the tuple in the iterable
- ☐ Takes iterables as arguments and returns an array of the total number of elements in each iterable
- ☐ Takes iterables as arguments and returns an integer of the total number of elements in all iterables



Submit

You have used 1 of 2 attempts

✓ Correct (1/1 point)

Hide Notes

[< Previous](#)

[Next >](#)

© All Rights Reserved



edX

[About](#)

[Affiliates](#)

[edX for Business](#)

[Open edX](#)

[Careers](#)

[News](#)

Legal

[Terms of Service & Honor Code](#)

[Privacy Policy](#)

[Accessibility Policy](#)

[Trademark Policy](#)

[Sitemap](#)

Connect

[Blog](#)

[Contact Us](#)

[Help Center](#)

[Media Kit](#)

[Donate](#)



© 2021 edX Inc. All rights reserved.

深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)

Hide Notes