

MIFARE RFID Card (PICC) Memory Map

1) 3D Respresentation of Entire Memory (IKB)



2) 3D Respresentation of a memory sector: made up of 4 blocks, whereby each block has 16 bytes



3) Tabular Memory Map Representation

Sector	Block	c 0	1	2	3	4	5	6 7	' 8	9	10 11	12	13	14 15	A	ccessB	its	
15	63	. 00	00	00	0.0	00 (00 1	F 07	. 80	69	FF FF	FF	FF		Г	0 0 1	1	
13	62		00					00 00			00 00			00 00		0 0 0		
	61		00					00 00			00 00			00 00		0 0 0	-	
	60		00					00 00			00 00			00 00		0 0 0	-	
14	59	00	00	00	00	00 (00 I	F 07	80	69	FF FF	FF	FF	FF FF	1	0 0 1	1	
	58	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	57	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	56	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
13	55	00	00	00	00	00 (00 I	F 07	80	69	FF FF	FF	FF	FF FF]	0 0 1	1	
	54	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	53	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	52	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0	1	
12	51		00					FF 07			FF FF			FF FF		0 0 1		
	50		00					00 00			00 00			00 00	_	0 0 0	_	
	49 48		00					00 00 00 00			00 00			00 00		0 0 0	_	
	40	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	L	0 0 0	1	
11	47	00	00	00	0.0	00 (00 1	F 07	80	69	FF FF	पप	पप	FF FF	Г	0 0 1	1	
	46		00					00 00			00 00			00 00		0 0 0		
	45		00					00 00			00 00			00 00		0 0 0	-	
	44		00					00 00			00 00			00 00		0 0 0	_	
															-		-	
10	43	00	00	00	00	00 (00 I	F 07	80	69	FF FF	FF	FF	FF FF	1	0 0 1	1	
	42	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	41	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	40	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
																	_	
9	39		00					F 07			FF FF			FF FF		0 0 1		
	38		00					00 00			00 00			00 00		0 0 0	-	
	37		00					00 00			00 00			00 00		0 0 0	_	
	36	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0	1	
8	35	00	00	00	0.0	00 (00 1	FF 07	90	60	FF FF	करू	करू	चय यय	r	0 0 1	1	
0	34		00					00 00			00 00			FF FF 00 00		0 0 1		
	33		00					00 00			00 00			00 00	_	0 0 0	_	
	32		00					00 00			00 00			00 00		0 0 0	-	
	32	•	•••			•	•	,, ,,		•	00 00	•	•	00 00		0 0 0	1	
7	31	00	00	00	00	00 (00 I	F 07	80	69	FF FF	FF	FF	FF FF	[0 0 1	1	
	30	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	29	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0	1	
	28	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0	1	
																	_	
6	27		00								FF FF					0 0 1		
	26															0 0 0		Every Block 3, Every Sector: Trailer:
	25 24		00													0 0 0	-	Key A, Key B, and Acess Bits
	24	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	L	0 0 0	1	
5	23	00	00	00	0.0	00 (00 1	F 07	80	69	FF FF	पप	पप	यम पम	Г	0 0 1	1	
	22		00					00 00			00 00			00 00		0 0 0		
	21		00					00 00			00 00			00 00	_	0 0 0	-	
	20		00					00 00			00 00			00 00	_	0 0 0	_	
4	19	00	00	00	00	00 (00 I	F 07	80	69	FF FF	FF	FF	FF FF	[0 0 1	1	
	18	00	00	00	00	00 (00 (00 00			00 00			00 00	_	0 0 0]	
	17	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	16	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
_															_		-	
3	15		00					FF 07			FF FF					0 0 1		
	14		00					00 00			00 00			00 00	_	0 0 0	-	
	13 12		00					00 00			00 00			00 00	_	0 0 0	-	
	12	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	L	0 0 0	1	
2	11	00	00	00	00	00 (00 1	F 07	80	69	FF FF	FF	FF	FF FF	Г	0 0 1	1	
	10		00					00 00			00 00			00 00		0 0 0		
	9		00					00 00			00 00			00 00	_	0 0 0	-	
	8		00					00 00			00 00			00 00	_	0 0 0	-	
1	7	00	00	00	00	00 (00 I	FF 07	80	69	FF FF	FF	FF	FF FF	[0 0 1	1	
	6	00	00	00	00	00 (00 (00 00	00	00	00 00	00	00	00 00	[0 0 0]	
	5		00					00 00			00 00				_	0 0 0	-	
	4	4D	75	73	69	6D (65 6	SE 74	61	20	OD OA	20	20	20 20	[0 0 0	1	
•	_		0.0	00	0.0	00	0.0	^-			ne ==			ne ==	-	0.0.		
0	3		00					FF 07			FF FF					0 0 1		
	2 1		00					00 00 00 00			00 00					0 0 0	-	n ₂₂₂ 2
	0		28					04 00								0 0 0		Block 0, Sector 0: Header: UID
							(00	J <u>-</u>		00		٠,					

4) Calculation of Actual Writable Memory

Note: Not all of IKB memory is usable for storing data!

While a MIFARE Classic IKB card is marketed as having IKB (IO24 bytes) of memory, not all of this memory is usable for storing data. A significant portion is reserved for keys, access control, and special-purpose blocks like the UID.

Let's recalculate the writable memory.

Memory Structure Recap

A MIFARE Classic IKB card has:

- · 16 sectors
- · 4 blocks per sector
- · 16 bytes per block

Thus:

16 sectors x 4 blocks/sector x 16 bytes/block = 1024 bytes total memory

Reserved Memory

- 1. Sector Trailers (1 block per sector):
- · Each sector has I trailer block (Block 3).
- · The trailer stores Key A, Key B, and Access Bits.
- · 16 bytes per trailer × 16 sectors = 256 bytes reserved.
- 2. Sector O, Block O (UID and manufacturer data):
- · Permanently reserved for the card's UID and manufacturer data.
- · 16 bytes reserved.

Total Reserved Memory = Memory reserved for UID + Memory reserved for trailers

- = 256 bytes + 16 bytes
- = 272 bytes

Writable Memory = Total Memory - Reserved Memory

- = 1024 bytes 272 bytes
- = 752 bytes

Verification:

Writable Memory

1. Sector O: Blocks I and 2 are writable.

Therefore, 2 blocks × 16 bytes/block = 32 bytes writable.

2. Sectors 1-15: Each sector has 3 writable blocks (Blocks O, I, and 2).

Therefore, 15 sectors \times 3 blocks/sector \times 16 bytes/block = 720 bytes writable.

Total Writable Memory = Writable memory in Sector O + Writable memory in Sectors 1-15

Total Writable Memory = 32 bytes + 720 bytes = 752 bytes