



# **Martus<sup>TM</sup> Software**

## **User Guide**

Version 3.5

© Copyright 2001-2010, Beneficent Technology, Inc. (Benetech), Palo Alto, California. Nongovernmental organizations (NGOs) may freely copy and distribute this manual, but may not sell or distribute it for commercial purposes. This documentation was developed under the auspices of Aspiration, an IRC §501(c)(3) nonprofit organization dedicated to the successful implementation of nongovernmental organization software for the nonprofit environment. This manual was written with the support of NPower, a nonprofit technology assistance provider.

The copyrighted Martus™ software itself was developed with a major grant from the Information Program of the Open Society Institute, and other funding from individual donors, foundations, and The Benetech Initiative itself. To obtain more information, visit the Martus Project website at <http://www.martus.org>.

The Martus software has been developed and is being distributed under a free/open source license. To learn more and to understand the terms of use, please visit <http://www.martus.org/license.html>. Martus is a trademark and service mark owned by Beneficent Technology, Inc., formal registration of which is pending in the United States and elsewhere. Please acknowledge this mark by use of the ™ symbol with it, when first referring to it in other documentation. For simplicity, we have not used the ™ symbol in this documentation and often refer only to “Martus” when referring to the software and the program, except on the introductory pages. Benetech claims world-wide ownership of the Martus mark for this particular set of uses and services.

## TABLE OF CONTENTS

<b>1. Introduction to the Martus™ Software.....</b>	<b>5</b>
1a. What is Martus™? .....	5
1b. Why is security so important when using Martus? .....	5
1c. How does Martus keep the data secure? .....	5
1d. What does an individual need to do to keep data secure? .....	5
1e. What are the limitations to Martus security? .....	5
1f. Why send bulletins to the server? .....	6
1g. Why is Martus an open source application? .....	6
<b>2. Getting Started.....</b>	<b>7</b>
2a. Installing.....	7
2b. Uninstalling.....	10
2c. Upgrading to a new version of Martus (Windows only).....	10
2d. Updating the Martus program file.....	10
2e. Setting up your account.....	12
2f. Choosing a password .....	14
2g. Setting up a server connection .....	15
2h. Setting your preferences .....	16
<b>3. The Martus Workspace.....</b>	<b>18</b>
<b>4. Creating a Bulletin.....</b>	<b>19</b>
4a. Completing fields in a bulletin .....	19
4b. Customizing your bulletins .....	22
<b>5. Saving and Modifying Bulletins.....</b>	<b>23</b>
5a. Saving a sealed bulletin.....	23
5b. Saving a draft .....	23
5c. Creating a new version of a sealed bulletin.....	24
5d. Modifying a draft .....	24
5e. Discarding a draft .....	24
5f. Discarding a sealed bulletin.....	25
5g. Sealing a group of draft bulletins at once .....	25
<b>6. Managing Bulletins.....</b>	<b>26</b>
6a. Default folders.....	26
6b. Other folders created by Martus.....	27
6c. Creating folders.....	28
6d. Discarding and deleting bulletins.....	28
6e. Organizing bulletins .....	29
6f. Placing bulletins on the desktop .....	29
6g. Retrieving sealed bulletins .....	30
6h. Retrieving draft bulletins .....	31
6i. Retrieving bulletins created by field desks .....	31
6j. Viewing earlier versions of a bulletin.....	32
6k. Viewing and saving attachments.....	32
6l. Viewing damaged bulletins.....	33
6m. Searching for specific bulletins.....	33
6n. Printing bulletins .....	36
6o. Creating bulletin reports .....	37
6p. Exporting bulletin data.....	39
6q. Importing bulletin(s) .....	40
<b>7. Deleting Your Bulletins and Account Information.....</b>	<b>41</b>
<b>8. Deleting All Martus Data, Including the Application.....</b>	<b>42</b>
<b>9. Keeping Your Data Secure.....</b>	<b>43</b>
9a. How Martus security works .....	43
9b. Backing up your key .....	43

9c. Restoring your key .....	44
9d. Using your password wisely .....	45
9e. Using safe computing practices.....	45
9f. Sharing your private data with colleagues.....	46
9g. Enabling other accounts to send your bulletins to a server.....	48
9h. Changing your user name or password .....	48
<b>10. Customizing Martus .....</b>	<b>49</b>
10a. Using a template in the Details field .....	49
10b. Customizing bulletin fields .....	49
10c. Using Customization Templates .....	56
10d. Customizing your bulletin display .....	58
<b>11. Frequently Asked Questions .....</b>	<b>59</b>

## **1. Introduction to the Martus™ Software**

### **1a. What is Martus™?**

Named after the Greek word for witness, the Martus Project provides an efficient and secure way to store and retrieve information about human rights abuses. Using the Martus application, you can create bulletins that record human rights abuses, attach supporting documents, specify whether the information should be public or private, and store the information on a secure server. To learn more about the problems the Martus Project addresses and future plans for the project, visit <http://www.martus.org>.

### **1b. Why is security so important when using Martus?**

The people who give you information about human rights abuses are concerned about security—and you need to be just as concerned in order to protect them and yourself. It's important that only the designated people have access to the bulletins you've created, especially the information you deem particularly sensitive (which you can maintain as private). It's equally critical that no one else is able to modify the data you submit, or to create false or inaccurate bulletins using your account.

There are steps you can take to prevent someone from using your Martus account to read the data you've collected or to submit additional data, even if they steal your computer or otherwise gain access to it.

### **1c. How does Martus keep the data secure?**

Every Martus account has a key which can only be accessed using the password for that account. When you sign in to the Martus software, your password enables the application to open the key (associated with the MartusKeyPair.dat file,) so that you can see the bulletins you've created and stored.

Your password is yours alone; without it, no one can open your private bulletins, the private data in the public bulletins you've sent to the server, or any of the bulletins on your hard drive, whether they are in draft or sealed status. However, if you've set up a Headquarters (HQ) account, the HQ accountholder (typically, your organization's main office) will still be able to see the private data that you sent to the server.

Because there are computer programs and keyboard alterations that can allow others to record the characters you type on your keyboard, the Martus software includes an on-screen keyboard for you to use when you enter your password. This makes it even harder for an intruder to discover your password.

### **1d. What does an individual need to do to keep data secure?**

Use a password that you'll remember, but that no one else can guess. Pay special attention to the guidelines in "2f. Choosing a password" in this user guide.

To keep your password secret, don't write it down anywhere that it could be found and connected with the Martus software. Don't send it to anyone through e-mail or give it to anyone over the phone, as those means of communications may not be secure.

In addition to your password, you need your key to access your account. Make backup copies of your key and store them separately from your password. (For more information, see "9b. Backing up your key.") This is important because if you are unable to start your computer or it is stolen, you'll need to install the key on another computer to access the private data you have recorded, even if it's stored on the Martus server.

### **1e. What are the limitations to Martus security?**

The Martus software uses very strong encryption technology to scramble your bulletins so that other people cannot read them on your hard drive. However, since security involves people, and people are human, Martus security has limitations. We want to make sure you understand these limitations, even though the software is designed to be very secure. Here are some of the ways your private information may be compromised:

- Somebody can find your password written down on a slip of paper
- Your password may be too simple, such as a word or a name or a simple phrase

- Somebody may watch you enter your password, or may install a new keyboard, a special connector or special software to steal your password
- You may accidentally put something secret into the public section of a bulletin
- Someone you trusted with a headquarters key could violate your trust
- Anybody who knows your password or a headquarters password could disclose that password through force, blackmail or even by accident
- Your password could be intercepted if you send it in an e-mail message, or say it on a tapped phone line
- Someone could give you an altered copy of the Martus application, which could give others access to your data
- The makers of Martus could have made a mistake in designing Martus, or a scientist might invent new technology for breaking security, or enough time may pass that computers have more power to crack the security.

Although Martus has been reviewed extensively for strength of security, and computer experts can review its design to check for flaws at any time, it is likely that private information will be accessible to other parties willing to invest the time and effort to read it at some point in the future.

Although these limitations may sound scary, Martus information is far more secure than information on paper or in most existing computer programs (including those used by banks.) We explain these limitations to make sure you understand them, and the importance of being security-conscious in your use of Martus. Although we have built a very strong lock on your information, any lock can be unlocked by a key left out, and even the strongest locks can be broken with enough effort.

**Note:** As described elsewhere in this User Guide, Martus allows you to attach files to bulletins. On most operating systems, when attachments are opened they are automatically saved in a ‘temporary’ directory, which is unencrypted. For information about the security precaution known as attachment ‘shredding,’ please see section “11. Frequently Asked Questions” (FAQ) #38.

## 1f. Why send bulletins to the server?

A Martus server is a computer server that accepts encrypted bulletins, securely backs them up, and replicates them to multiple locations, safeguarding the information from loss. (Benetech provides the server software to the organizations that host Martus servers, but it does not host Martus backup servers directly; e-mail [info@martus.org](mailto:info@martus.org) for a list of potential server hosts.) Any bulletins you haven’t sent to a server exist only on your computer. If your computer is lost, stolen, or damaged, you could lose all of that data. The server acts as a backup mechanism. With your key and your username and password, you can install Martus on a different computer and access all the public and private data in bulletins you sent to the server. And if you have set up any Headquarters (HQ) accounts, sending bulletins to the server makes them available to those accounts (both public and private data). See “9c. Restoring your key” and “9f. Sharing your private data with colleagues.”

Additionally, public information in bulletins may be available to researchers, the press, and others interested in human rights issues. If you store the bulletins on your computer, only you have access to the information; if you send them to a server that is connected to the web-based Martus Search Engine, others can learn about the public information in the cases you document.

## 1g. Why is Martus an open source application?

Independent programmers can review the code in an open source application in a way that they cannot in traditional applications. Benetech has developed Martus for use by human rights organizations, and it has not included any hidden means of collecting information from Martus users, or of having the application perform any hidden tasks. Because Martus is an open source application, you don’t have to take our word for it. Any organization can have the code independently verified to see that it does what we say it will do.

To learn more about open source technology, visit the Open Source Initiative at <http://www.opensource.org>.

## 2. Getting Started

You can install and run Martus on any computer running Windows, Mac OS, or Linux that meets the following requirements. For more information about the most current system recommendations, see the software download page on [www.martus.org](http://www.martus.org).

We recommend running the current version of Martus on Windows XP/Vista 32-bit and Mac OSX, as it has not been fully tested on other Windows/Mac operating system versions.

### Windows

- Windows 95 SE, Windows 98, Windows NT 4.0, Windows Me, Windows 2000, Windows XP, Windows Vista, or Windows 7. Please note that if you are running Windows 7, you must use Martus 3.4 or later.
- In Windows NT, Windows 2000, Windows XP Professional, Windows Vista and Windows 7, you must log in as an administrator before installing Martus.
- Pentium 233 MHz processor (300 MHz or faster recommended)
- 128 MB hard disk space available ( 1 GB or more recommended)
- 256 MB RAM (1 GB or more recommended)
- Internet connection, to back up data to the Martus server. If you do not have an internet connection, see section “9g. Enabling other accounts to send your bulletins to a server.”
- To send bulletins to a Martus Server, your Martus software must not be blocked by a firewall. If you have a software or hardware firewall, it must allow your computer to contact ports 987 and 988, or ports 80 and 443, on the Internet. If these ports are blocked when you try to select the server, you will see a message that the server is not responding.
- CD drive (for CD installation only)
- Screen resolution of 800x600 or greater

### Mac OS

- Mac OS 9.2 or higher
- Java Runtime Environment (JRE) version 1.4.2 or above
- 75 MB hard disk space available (100 MB or more recommended)
- Internet connection, to back up data to the Martus server. If you do not have an internet connection, see section “9g. Enabling other accounts to send your bulletins to a server.”
- To send bulletins to a Martus Server, your Martus software must not be blocked by a firewall. If you have a software or hardware firewall, it must allow your computer to contact ports 987 and 988, or ports 80 and 443, on the Internet. If these ports are blocked when you try to select the server, you will see a message that the server is not responding.
- CD drive (for CD installation only)
- Screen resolution of 800x600 or greater

### Linux

- Intel Pentium platform running Linux kernel v. 2.4 and glibc v. 2.2 or later
- Java 2 Standard Edition (J2SE) Java Runtime Environment (JRE) 1.4.2 (preferably version 1.4.2\_12)
- 75 MB hard disk space available (100 MB or more recommended)
- 64 MB RAM (256 MB or more recommended)
- Internet connection, to back up data to the Martus server. If you do not have an internet connection, see section “9g. Enabling other accounts to send your bulletins to a server.”
- To send bulletins to a Martus Server, your Martus software must not be blocked by a firewall. If you have a software or hardware firewall, it must allow your computer to contact ports 987 and 988, or ports 80 and 443, on the Internet. If these ports are blocked when you try to select the server, you will see a message that the server is not responding.
- CD drive (for CD installation only)
- At least 16-bit color mode with the KDE or the Gnome desktop recommended

### 2a. Installing

Martus was written using the Java programming language, and it requires a Java environment to run. The Martus installer for Windows installs both the Java 2 runtime environment and the Martus application onto your computer; it can also add a shortcut to the Martus application on your desktop or in the Start menu at

your request. If you are using Mac OS or Linux, you may already have the Java runtime environment installed; if not, install it before installing Martus.

You can download the Martus program from <http://www.martus.org>. You can download the installer for the platform you're using (if available), or an ISO CD image that contains the program files for Windows, Mac OS, and Linux. If you download the ISO CD image, you must copy it to a CD before installing Martus. However you install Martus, you may want to visit <http://www.martus.org/downloads> to download any language packs that have been added since the latest Martus release.

**Note:** As with most applications, you cannot successfully install Martus by copying Martus files you have backed up. Use the Martus installer to install the application.

#### **To install Martus for Windows:**

1. Insert the Martus CD into your CD-ROM drive or download the Martus installer from <http://www.martus.org> and run it. The Martus installer opens.

**Note:** If the Martus installer does not open automatically when you insert the Martus CD, double-click My Computer on your desktop, navigate to your CD-ROM drive, and double-click the MartusSetup.exe file.

2. Choose a setup language, and click OK.
3. Click Next in the NSIS Install Wizard dialog box to install Martus.
4. Read the license agreement, and then click Yes to accept it. If you do not accept the license agreement, the installer will not install Martus.
5. Decide whether you want to install a Martus shortcut in the Windows Start menu. Click Yes if you do, and No if you don't.
6. Decide whether you want to install a Martus shortcut on the desktop. Click Yes if you do, and No if you don't.

**Note:** It's much easier for most users to run Martus if a shortcut is included in the Windows Start menu or on the desktop. However, if you want the presence of the Martus software to be less obvious, don't install a shortcut in the Windows Start menu or on the desktop. Regardless of your choice, the Martus installer always adds a Martus shortcut to the Martus directory.

7. The installer reports its progress as it installs the Martus application and the Java files it requires. When prompted, click Finish to complete the installation.

**Note:** Even if you already have Java installed, Martus installs its own Java 2 runtime environment. The Martus installation will not change existing versions of Java.

See "2c. Upgrading to a new version of Martus (Windows only)" for information about upgrading from an old version of Martus to the current release.

#### **To install Martus for Mac OS:**

1. Insert the Martus CD into your CD-ROM drive (or download the Martus zip file) from <http://www.martus.org> and double-click it.
2. Open the LibExt folder on the CD.
3. Copy all the files within the LibExt folder to the /Library/Java/Extensions folder on your hard disk.
4. Copy the Martus folder from the CD into the /Library/Java folder on your hard disk. This will result in a folder called /Library/Java/Martus.
5. If desired, you can also copy the README files from the main CD folder to your computer. These files contain a list of changes between versions of Martus.
6. If desired, create a Martus desktop icon, or alias using the following instructions.

**Note:** These instructions may vary depending on which version of the Mac OS you are running. If these instructions are not applicable to what you see on your computer, please email us at [help@martus.org](mailto:help@martus.org).

7. Open Finder (roughly equivalent to Windows Explorer on the Windows platform) and select Applications from the left-hand options.
8. Search for the Automator application. Double-click on this application to run it.
9. When the dialog opens, select Choose. This will take you to a dialog called Untitled.



10. On the left-hand side of the dialog, you will see a list called Library, under which should be several items, such as Calendar, Contacts, etc. Double-click on the one that says Utilities.
11. This will open up the Utilities folder to the right of the Library column. Double-click on the item called Run Shell Script.
12. This will open up a new sub-window called Run Shell Script - there should be a text box that has one word, "cat", in it.
13. Delete "cat" and type the following, with carriage returns (hit Enter) between lines:

```
cd /Library/Java/Martus
```

```
java -Xbootclasspath/p:/Library/Java/Extensions/bc-jce.jar -jar martus.jar
```

14. Click the button called Run. This should launch Martus, which will confirm for you that you have done the Automator step of the process correctly.
15. Before you exit the Automator, go to File > Save As. In the subsequent dialog, name the file Martus. Under "Where", select Desktop. Finally, under "File Format", be sure to select Application. Do not select Workflow. This will create an icon on your desktop called Martus which you can double-click to run the program. Please email [help@martus.org](mailto:help@martus.org) if you need help with any of these steps.

### To install Martus for Linux:

Installation instructions for Linux are included in the LinuxJavaInstall.txt file found in the Martus/Docs directory on the installation CD. You'll find the same file in the Martus/Docs directory on your hard disk after you install Martus.

1. See if you already have Sun Java version 1.4.2 by typing:

```
java -version
```

This commands returns which version of java you are currently running and where it is installed.

If you do not have version 1.4.2 of java installed, then install Sun Java from the Martus CD, or else download the "Linux self-extracting file" from

<http://java.sun.com/j2se/1.4.2/download.html>

**Note:** To run Martus, you need to install the current version of Java Runtime Environment (JRE), not the larger Java Developer's Kit (JDK).

2. Copy all the files within the /LibExt/ directory on the Martus CD (or zip file) into the directory on your hard disk that contains your Java Install executable libraries (for example, jre/lib/ext).
3. Create a new directory on the hard disk at ~/.Martus/.
4. Copy all the files from the Martus/ directory on the installation CD into the ~/.Martus/ directory.
5. If desired, create a script to run Martus. To run the Martus program, type

```
java -Xbootclasspath/p:<path-to-Java-Install-executable-libraries>/bc-jce.jar -jar <martus directory>/martus.jar
```

For example:

```
$ /opt/j2re1.4.2/bin/java -Xbootclasspath/p:/opt/j2re1.4.2/lib/ext/bc-jce.jar -jar ~/.Martus/martus.jar
```

If you are having trouble running Martus on Linux Ubuntu 6.10, please see section "11. Frequently Asked Questions" (FAQ) #30 for help. For additional assistance installing in Linux, please email [help@martus.org](mailto:help@martus.org).

### Martus Documentation

When you install Martus, all the language versions of the user guide and quick start guide that are currently available are installed in your Martus/Docs directory. If you used the Windows installer, links to these documents are also available by going to Start > Programs > Martus. They are also available at <http://www.martus.org/downloads>, and you can visit this site to see whether new language versions are available.

## 2b. Uninstalling

To uninstall Martus in Windows without deleting your Martus bulletins or account data, choose Start > Programs > Martus > Martus Uninstall (if you opted to add short-cuts to your Start menu), double-click the `uninst.exe` file in the `Martus\bin` directory, or use the Add/Remove Programs control panel in Windows:

1. Choose Settings > Control Panel from the Start menu.
2. Double-click the Add/Remove Programs icon.
3. Select Martus from the list of applications.
4. Click Add/Remove, and then follow the on-screen instructions.

To uninstall Martus in Mac OS or Linux without deleting your Martus bulletins or account data, delete the `martus.jar` and the `bc-jce.jar` files.

If you want to delete bulletins and your key file, but keep the Martus application, choose Tools > Delete My Data. For more information, see “7. Deleting Your Bulletins and Account Information.”

If you need to remove Martus bulletins and configuration data, as well as the Martus application, choose Tools > Delete All Data and Remove Martus. This feature removes information for all accounts on the computer, not just yours, and should only be used in emergency situations. For more information, see “8. Deleting All Martus Data, Including the Application.”

When you remove Martus files using the Delete All Data and Remove Martus command, Martus deletes the files in a way that makes them more difficult to recover than just deleting the files manually. However, to verify that all Martus information has been removed, search for the Martus folder (`C:\Martus` in Windows) and any folders and files you copied during installation (Mac OS or Linux). If any of these folders or files remain, delete them, and then empty the trash or recycling bin.

**Note:** Deleted user data can still be recovered by technicians who gain access to the computer’s hard drive; however Martus deletes it in a way that makes it harder to recover. Additionally, because all bulletin data is encrypted, it is secure as long as your password is strong and remains secret. There are disk utilities available that will completely erase user data in ways that prevent the recovery of any information.

## 2c. Upgrading to a new version of Martus (Windows only)

Benetech continues to improve the Martus application, and Martus upgrades are periodically available from the Martus web site at <http://www.martus.org>.

To upgrade the Martus software for Windows, do the following:

1. Download the new version (either upgrade or regular full release files) or obtain an installation CD.
2. Run the setup program: double-click the file you downloaded or insert the CD into your disc drive. The installer notifies you that you have an older version of Martus installed.
3. Click Yes to upgrade. The new version of Martus is installed into the same directories as the older version. All data files, including account information, passwords, and bulletins, remain intact.

To upgrade to a new version of Martus on the Macintosh or Linux platforms, follow the installation instructions in “2a. Installing” to replace the existing Martus program with the new release.

## 2d. Updating the Martus program file

Benetech continues to improve the Martus application. Check <http://www.martus.org> for the latest version, and follow the instructions on the web site to validate the downloaded software using the SHA-1 sum program.

In the future, Benetech may choose to distribute an updated version of the `martus.jar` file. You should not trust the authenticity of any `martus.jar` file that is separately delivered to you, until you have verified it using the procedure that follows. Do not trust any alternative verification procedures provided to you by other means.

Use only the verification program found on an authentic Martus CD. The instructions below assume the verification program is located in the “Verify” directory of a Martus CD. If you have placed the

verification program on a floppy disk or hard disk drive, you will need to alter these instructions accordingly.

**\* In Windows:**

Open an MS-DOS prompt window and type the following three lines, substituting your own CD-ROM drive letter for “d” and the path to the .jar file you’re verifying:

```
d:
cd \verify
ven d:\path-to-file\martus.jar
```

OR, from the Start menu, choose Run and then type:

```
d:\verify\ven d:\path-to-file\martus.jar
```

(where d is the letter assigned to your CD-ROM and path-to-file is the path to the .jar file you’re verifying).

If the line “Martus JAR verified.” appears on your screen, the .jar file is legitimate.

**\* In Mac OS:**

Place the new .jar file in the existing Martus folder on your hard drive, and then run the verifier:

Open the Terminal application window, and then type in the following commands:

```
cd /Volumes
ls
cd Martus (then hit the Tab key to auto-complete the folder name)
cd verify
java -cp . JarVerifier /Library/Java/Martus/martus.jar
```

If the line “Martus JAR verified.” appears on your screen, the .jar file is legitimate.

**Note:** If you have Java 1.5 or later installed, the JarVerifier may not work correctly, and may incorrectly claim that a jar file is invalid when it is actually valid. If you have questions, please email [help@martus.org](mailto:help@martus.org).

**\* In Linux:**

Place the new .jar file in the existing ~/.Martus/ directory, and then run the verifier. The following code can be pasted into a bash or sh shell (although you may need to be signed in as 'root' to run the mount command):

```
mount=/mnt/cdrom
[ -d $mount ] || mount=/cdrom # for Debian and etc
[ -d $mount/[vV]erify ] || mount -r $mount
cd $mount/[vV]erify && java JarVerifier ~/.Martus/martus.jar
```

If the line “Martus JAR verified.” appears on your screen, then the .jar file is legitimate.

If you see “bash: java: No such file or directory” then you need to add java's 'bin' directory to your PATH. See step 1 of the Linux install procedure.

If you see “Error loading class JarVerifier: Bad major version number” then you need to install a newer version of java, and/or put the latest version of java earlier in your PATH. See the step 1 of the Linux install procedure.

**Note:** If you have Java 1.5 or later installed, the JarVerifier may not work correctly, and may incorrectly claim that a jar file is invalid when it is actually valid. If you have questions, please email [help@martus.org](mailto:help@martus.org).

## 2e. Setting up your account

Before you can use Martus, you need to create an account for yourself and set up your contact information. Multiple accounts can exist on a single computer. The first user's account is in the Martus directory; additional accounts are in subdirectories in the Martus directory.

When you set up your account, you create a username and password. Use a password you can remember. If you forget your username or password, you may not be able to access to any of your bulletins in Martus. Additionally, take precautions to keep your password secret. Your password provides access to all of the bulletins you create in Martus, and allows you to create new bulletins. Never send your password through e-mail, or tell it to anyone over the phone, as these communication methods may not be secure.

1. Start Martus. Click OK in the Martus Welcome dialog box. The Martus Sign-in dialog box opens.
  - To start Martus in Windows, choose Start > Programs > Martus > Martus, double-click the Martus shortcut on the desktop or in the Martus directory, or choose Start > Run and then type the following text:  
`C:\Martus\bin\javaw.exe -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar`
  - To start Martus in Mac OS, open a Terminal window, go to the /Library/Java/Martus folder and type: `Java -Xbootclasspath/p:/Library/Java/Extensions/bc-jce.jar -jar martus.jar`
  - To start Martus in Linux, run a script you've created or type:

```
java -Xbootclasspath/p:<path-to-Java-Install-executable-libraries>/bc-jce.jar -jar <martus directory>/martus.jar
```

For example:

```
$ /opt/j2re1.4.2/bin/java -Xbootclasspath/p:/opt/j2re1.4.2/lib/ext/bc-jce.jar -jar ~/.Martus/martus.jar
```

2. If other accounts already exist on your computer, click the New Account tab in the Signin dialog box, and then click OK. If there are no existing accounts, Martus will prompt you to either create a new account or restore an account from backup key files.
3. Choose a language from the dropdown menu in the Signin dialog box.
4. Type a username; it can contain letters, numbers, punctuation, and spaces. We recommend that you create a username that has between 8 and 50 characters, and recommend against entering non-ascii characters using the Alt + NumberPad method. Choose a username that will be easy for you to remember, and remember how you capitalize it, as Martus usernames are case-sensitive.
5. Click characters on the on-screen keyboard to type a password that has between 8 and 50 characters. (There is no cursor in the Password field, and you do not have to click in it.) Choose a password that you can remember, but that would be difficult for someone else to guess. Use a combination of letters, numbers, and punctuation to make the password more secure; Martus passwords are case-sensitive. See “2f. Choosing a password” for guidelines for creating a secure, useful password. **If you forget your username or password, there is no way for you to access the bulletins you have created or any of the data on your computer unless you have performed a multi-file key backup (or have a Headquarters account that can retrieve your bulletins.)** See “9b. Backing up your key” for more information.

**Note:** If you prefer to type your password using the computer’s keyboard, click Switch To Using Regular Keyboard. Your password may be less secure if you type it with the computer’s keyboard than if you use the on-screen keyboard, as an unauthorized person could install a device or program that could “sniff” your keyboard to record your keystrokes. If using the keyboard, we recommend against entering non-ascii characters using the Alt + NumberPad method.

6. Click OK. The sign-in screen appears a second time.
7. Enter the same username and password to verify them, and then click OK.
8. If you want to provide contact information, enter it now. (It may take a few seconds for the Martus Setup Contact Information dialog box to appear.) If you do not enter anything for Author and Organization, Martus will prompt you for the information every time you start the application.

**Martus Setup Contact Information**

This information identifies your organization.  
You must enter either an Author or Organization, and both are shown in every bulletin you create.

Author (required)

Organization (required)

Email Address

Web Page

Phone Number

Mailing Address

All other fields currently are stored on disk.

This information will be available to anyone who can view your public bulletin information.  
This allows people to contact you for further information.

You can change any of this information later, by choosing Options/Contact Info.

The Author and Organization information appear in every bulletin you create. Public bulletin data (that is, data that has not specifically been labeled private) may be available to researchers, the press, and the public through the Martus Search Engine. This contact information provides a way for someone to follow up with you or your organization for more information about your bulletins. (If you do not want to make your bulletin data available publicly, you can choose to make all of your data private.)

For Author, enter your name or your organization's name as the source of the information in the bulletins you submit. Type your organization's name, and the e-mail address, Web page address, phone number, and mailing address people should use to contact you or your organization. Any contact information you enter may become public, if you choose to send it to a server. All the fields are optional, or you may use a pseudonym or provide only your organization's information if you do not want your name to be publicly available. Click OK.

Martus prompts you to send the contact information to the Martus server. Contact information on public bulletins sent to a Martus server is also published on the Martus Search Engine, which is publicly accessible. If you want to send your contact information to the Martus server, where it will be available to anyone who has access to the Martus Search Engine, click Yes. If you want to keep your contact information confidential, click No.

If you leave Author and Organization blank, the Contact Information dialog box will appear each time you start Martus. If you need to change the contact information later, choose Options > Contact Information.

**Note:** When you close Martus after creating an account, you'll be prompted to back up your key file. If your computer malfunctions or is stolen, you'll need your key file to access your private bulletin data from Martus Servers on another computer. Martus will prompt you to back up your key file every time you start the application until you do so. For more information, see "9b. Backing up your key."

## 2f. Choosing a password

To keep your data secure, you need to use a password that cannot be easily discovered or guessed. Use the following guidelines to develop a password that you can use confidently, and that you can remember. You

are the only one who knows your password; if you forget your password, you may not be able to access your Martus data (unless you have done a multi-file backup of your account information, see "9b. Backing up your key", or have a Headquarters account that can retrieve your bulletins.)

- Do not use your username.
- Do not use a single dictionary word.
- We recommend that you use at least 15 characters.
- Use a combination of alphabet characters, numbers, and special characters (such as !@#\$%^&\*).
- Use a combination of uppercase (capital) and lowercase characters if you use a case-sensitive language.
- If you must write down your password, keep it in a secure location separate from your Martus installation.
- Create a reminder statement for yourself, and keep it somewhere secure. (Remember that if your reminder statement jogs your memory, it could also provide a clue to someone attempting to discover your password.)
- Use a password that can be remembered (use characters that are meaningful to you).
- Develop a simple method for choosing new passwords.
- Change your password if you feel that your account has been compromised. See "9h. Changing your user name or password" for information.
- If you forget your username or password, there is no way for you to access the bulletins you have created or any of the data on your computer unless you have performed a multi-file key backup (or have a Headquarters account that can retrieve your bulletins.)

## 2g. Setting up a server connection

To ensure you'll have access to your bulletins in case of computer loss or theft, send them to a Martus backup server. A Martus server is a computer server that accepts encrypted bulletins, securely backs them up, and replicates them to multiple locations, safeguarding the information from loss. Martus servers are operated by non-profit organizations (Benetech does not operate Martus servers directly). If your organization does not have a relationship with an organization that hosts a Martus server, visit <http://www.martus.org> to see the list of server hosts.

Sending bulletins to a server also lets you share them with others to whom you have given access, such as your organization's Headquarters. The press and other members of the public may have access to your public bulletins through the Martus Search Engine.

If you're connected to a server, Martus automatically backs up draft bulletins to the server when you save them. However, draft bulletins are treated as private data, and are only available to you and your Headquarters, if you've given permission to users of a Headquarters (HQ) account.


When you complete a bulletin and save it to the server, it is sealed, so that it can never be edited again (though you can create a new version of the bulletin if you need to update any information). The public data in the bulletin is available to anyone who has access to the server; private data is available only to you and your Headquarters, if you've given permission to users of a Headquarters account.

Before you can send bulletins to or retrieve them from a server, you need to identify the server in Martus. You'll need to know the server's IP address, the server's public identification code, and the magic word. Usually, you'll receive this information directly from the organization that operates the server.

To configure the server:

1. Choose Server > Select Martus Server.
2. Enter your username and password when prompted.

3. Enter the IP address for the server.
4. Enter the server's public identification code, and click OK.



5. A server compliance message appears. Click Accept if the server compliance statement meets your needs. If the server doesn't meet your needs, click Reject and then select a different server.

**Note:** Server compliance guidelines are available at <http://www.martus.org/>, in the “Download Martus Server” section. Compliant servers are expected to be secure; servers that deviate from the server compliance guidelines may be less secure. If you have questions about whether a server meets your needs, ask the person who determines policies for using Martus in your organization—or send a message to [info@martus.org](mailto:info@martus.org).

6. If prompted, type the magic word to gain permission to send bulletins to the server, and then click OK. You will not be prompted for the magic word if you are using an account that has accessed this server before.

**Note:** The magic word is not case-sensitive, and ignores spaces. So if you were given “Magic word” to use, you could also type “magic word” or “MagicWord”.

7. Click OK in the dialog box that confirms your connection to the server.

Martus stores the server information, so you don't need to enter it again unless you reinstall the application (e.g., on a different computer), or need to configure Martus to send bulletins to a different server.

To change the server settings, choose Server > Select Martus Server, and then enter the information for the new server. To remove your connection to a Martus server without connecting to a different server, choose Server > Remove Martus Server.

**Note:** Once you've selected a server, Martus will attempt to access the server each time you run the software. The server may return news about the status of your account or other important information.

## 2h. Setting your preferences

You can customize Martus for your preferred language and date format. You can also ensure that every bulletin you create remains private.

To change the language used in the Martus user interface, choose Options > Preferences. Then choose a language from the drop-down menu and click OK. Martus has been translated into several languages. Visit <http://www.martus.org> to see if there is a newer version of Martus available with additional languages, or for information about translating the user interface into a different language. Additionally, a language pack may be available on the Martus website (at <http://www.martus.org/downloads>); a language pack can contain updated versions of the Martus Client user interface translation, the User Guide, the Quick Start Guide, the Readme file, and in-program help in a particular language.

To change the date format used in lists of bulletins and in bulletins you create, choose Options > Preferences. Then choose the format you prefer from the Date Format dropdown menu and click OK.

To change the calendar type, choose Options > Preferences. Then choose the calendar type you prefer (e.g., Gregorian, Thai or Persian) from the Calendar Type dropdown menu and click OK. If you had entered bulletins before this option was available, Martus can also automatically convert dates in those old bulletins to display in Thai or Persian date format using the respective checkboxes in the Preferences screen.




If you never want to make bulletin data public, choose Options > Preferences. Then, check Prevent Creating Public Bulletins, and click OK. Until you uncheck this option, every bulletin you create in Martus is private, and you will not be able to uncheck the Keep ALL Information Private option in new bulletins.

If you are a Headquarters account and want to be notified if there are field bulletins to retrieve, go to Options > Preferences, and select "Automatically check for new Field Desk bulletins." Approximately hourly, a message will appear in the status bar (lower left corner of the screen) saying that Martus is checking for new field desk bulletins. The status bar will display another message if there are field bulletins to be retrieved, at which point you can go to the Server menu to load the Retrieve screen (see “6i. Retrieving bulletins created by field desks.”) Please note that selecting this option can cause slower server performance, especially if you have a slow internet connection, so it should only be selected if your field desk accounts are actively creating bulletins.

Please see the section “11. Frequently Asked Questions” (FAQ) for other settings for running Martus (e.g. the number of minutes before Martus times out for security) that are not available in the Preferences screen.

### 3. The Martus Workspace

When you've logged in, the Martus workspace opens. It displays the folders and bulletins stored on your computer, and previews the selected bulletin.



On the left, Martus lists folders in which bulletins are organized. By default, there are two folders, but additional folders are created when you perform certain tasks, and you can create your own folders, as well.

A single computer may have multiple Martus accounts. When Martus has been inactive for a period of time, it requires you to log in again for security purposes.

## 4. Creating a Bulletin

To create a new bulletin, click Create or choose File > Create New Bulletin. The Create Bulletin dialog box opens. Enter information in the bulletin fields.

Click the Bulletin Details button to see the Bulletin ID (a unique ID number used by Martus, and by technical support and server administrators), the bulletin's version history, as well as the author's Public Code and the Public Codes of any Headquarters accounts given access to this bulletin.

### 4a. Completing fields in a bulletin

You can type data directly into the fields, or you can copy and paste information from existing bulletins or other documents into the fields. To copy and paste, use the standard operating system keyboard shortcuts: Ctrl+C to copy in Windows or Linux, Command+C to copy in Mac OS; Ctrl+V to paste in Windows or Linux, and Command+V to paste in Mac OS. The Command key in Mac OS is sometimes also referred to as the Apple key. Or you can right-click the field in Windows or Linux, or Ctrl-click it in Mac OS, and then choose Copy or Paste from the context menu.

**Create Bulletin**

**Header**

Bulletin Details...

Version

Headquarters 1 Headquarter account(s) will be able to view this private information

**Public Information**

☐ Keep ALL Information Private

Language

Author

Organization

Title

Location

Keywords

Date of Event

☐ Exact Date ☒ Date Range

-

Date Created

Summary

Details

Save Sealed Save Draft Cancel

**Bulletin Details** - See “6j. Viewing earlier versions of a bulletin” for information about viewing the bulletin’s version history.

**Keep ALL Information Private** - Check this option to make the entire bulletin private.

**Note:** If you want to ensure that every bulletin you create remains private, choose Options > Preferences, and check Prevent Creating Public Bulletins. When this option is checked, the Keep ALL Information Private option cannot be unchecked in new bulletins.

Uncheck the Keep ALL Information Private option to make most of the information public (information in the Private section remains private regardless). When the entire bulletin is private, the padlock icon is closed and the words “Private Information” appear; when the bulletin is public, the padlock icon is open and the words “Public Information” appear. Private areas have a red border. If you wish the information in this bulletin to be publicly accessible through the Martus Search Engine, you should not check this option. Checking this option affects only the information in this bulletin; if you have sent your contact information to the server with another bulletin, your contact information may still be publicly available through the Martus Search Engine.

**Note:** Once you save a sealed bulletin to the server, any public information in the bulletin may be made available to anyone who requests it in the future, including researchers or the press.

**Language** - Choose the language you’re using to describe the event. If you are using a language that isn’t included in the list, choose Other.

**Note:** You can type your bulletin in any language, regardless of the language selected for the user interface. The user interface language determines which language is used for dialog boxes, menus, and messages in the Martus software; the bulletin language is the language used to communicate the bulletin’s contents.

**Note:** If you would like to use a shorter list of languages specific to your project, you can create a custom field drop-down list to do so. See “10b. Customizing bulletin fields” for more information.

**Author** - The Author name from your contact information appears here, but you can change it.


**Organization** – The Organization name from your contact information appears here, but you can change it.

**Title** - Type a title for the bulletin. The title should make it easy for people browsing the list of bulletins to identify the nature of the event, but it should be short enough to fit on a single line.

**Location** - Type the location of the event. Depending on the scope of the event, you may enter a country, region, city, or other location. If it doesn’t make sense to enter a location, leave the field blank.

**Keywords** - Type words that are synonyms for acts you described in the bulletin, other related words, and alternative location names, if appropriate. This is especially helpful for searching.

**Date of Event** - Enter the date of the event you’re reporting. By default, Martus displays the year as “Unknown.” You can leave the date unknown if you are uncertain when the event occurred. If the event occurred over a period of time, or if you don’t know the exact day the event occurred, click Date Range, and then enter the earliest and latest dates for the event. You can choose any year up to the current year, which Martus reads from your operating system.



**Date Created** - Verify that this is set to the current date. Martus reads the current date from the computer’s operating system. If your operating system is set to the wrong date, the Date Created field is also incorrect. You cannot edit this field.

**Summary** - Type a summary of the event.

**Details** - Type any additional details related to the event.

**Attachments** - To attach a photo or other file to the bulletin, click Add Attachment, and then select the file you want to attach; or drag the file from a folder on your computer into the Attachments field. Attachments added in the Public Information section of the bulletin will be available to anyone who has access to public data on the server. (Bulletins with large attachments will take longer to save as a draft, send to the server, retrieve from the server, or move to or from the desktop.) To view an attachment, someone reading the bulletin must have software installed that supports the format of the attachment file.

Attachments

Name	Size(Kb)		
prison report.doc	32	View	Remove


Add Attachment

**Tip:** If you want to attach a file that will only be seen by those who have access to private information, click Add Attachment in the Private Information area or drag a file into the Attachments field in the Private Information area.

**Note:** You can use the “View” button to display the attachment. If the attachment is an image (e.g. photo or scanned document) of certain file types (i.e. jpg, png, gif), the image will be displayed inline inside the bulletin (see image below). Other types of files will be loaded outside of Martus into whatever program you have set on your computer to load that type of file.


Attachments

Name	Size(Kb)		
witness photo1.jpg	26	View	Remove
martus.JPG	19	Hide	Remove



Add Attachment

**Private** - Type any additional information that you want to include in the report, but which should never be public. Data in the Private section of the bulletin remains private, even if the bulletin itself is public. Private areas have a red border. To attach a file that will only be seen by those who have access to private information, click Add Attachment in the Private Information area, or drag a file into the Attachments field in the Private Information area.



**Private Information**

Private

Three individuals from the organization spoke with me on the condition of anonymity. They provided additional photos, which provide evidence that the event actually occurred. These photos are attached here:


Attachments

Name	Size(Kb)		
photo1.jpg	103	<a href="#">View</a>	<a href="#">Remove</a>
photo2.png	27	<a href="#">View</a>	<a href="#">Remove</a>
photo3.gif	69	<a href="#">View</a>	<a href="#">Remove</a>

[Add Attachment](#)

**Note:** In Linux, you may not be able to drag attachment files into Martus.

**Headquarters** – Select any Headquarters account(s) that will be able to access this bulletin’s private (and public) information. For more information on configuring Headquarters accounts, see section “9f. Sharing your private data with colleagues.”



**Headquarters**

The selected Headquarters account(s) will be able to view the private information in this bulletin, or send this bulletin to a server, after you save it.

To add a new Headquarters account use the Tools/Configure Headquarters menu option.

Headquarters

Selected?	Label
<input checked="" type="checkbox"/>	HQ - USA
<input type="checkbox"/>	HQ - Asia
<input type="checkbox"/>	HQ - Europe

## 4b. Customizing your bulletins

There are several ways you can customize your bulletins in Martus.

If you often use similar types of information in the Details section of all your bulletins, you can create a template to save the time you spend entering or formatting the data each time. See “10a. Using a template in the Details field” for more information on this feature.

Most Martus users find that the standard bulletin fields meet their needs. However, if you need to create fields beyond the standard Martus fields, you can also create custom fields of various types. If you have certain types of data that you want to enter in every bulletin, this allows you to structure your data differently than including it in the standard Summary or Details text fields. See “10b. Customizing bulletin fields” and “10c. Using Customization Templates” for more information on this feature.

If you’d like to customize how bulletins are displayed in Martus (either while editing or in preview mode), there are various options (e.g. hiding/un-hiding long fields) that are described further in section “10d. Customizing your bulletin display.”

## 5. Saving and Modifying Bulletins

When you create a bulletin, you can seal it or save a draft. Once you've saved a sealed document to the Martus server the only way to modify it is to create a new version of the bulletin. Martus automatically saves backup copies of draft bulletins to the Martus server, but you can continue to modify a draft bulletin until you save it as a sealed document. In general, drafts are less secure than sealed bulletins because unlike sealed bulletins, they can be deleted from the server. Additionally, if someone gains access to your account, they can remove or change previously entered bulletin text.

### 5a. Saving a sealed bulletin

If the bulletin is complete and you do not want to edit it further at this time, save the sealed bulletin. Once you've clicked Save Sealed, the bulletin is sealed and no one – neither you nor anyone who gains access to your account—can make any changes to it. The only way to modify the information in a sealed bulletin is to create a new version of the bulletin. If you are connected to the Internet and have configured a server, Martus automatically sends the sealed bulletin to it. The Confirm Save Bulletin dialog box appears, warning you that the bulletin will be permanently sealed. Click Yes to save the bulletin.

The bulletin appears in the Saved Bulletins folder with the status of Sealed. When it has been successfully sent to the server, the word "Yes" appears in the Sent column.

**Note:** When you connect to a server, there may be a delay before the Sent column is populated.

If you do not have an Internet connection, or if your computer cannot connect to your designated server, the bulletin remains unsent, and the Sent column will display No until you connect to a server. If you have not yet configured a server, the Sent column will be blank. As soon as you connect to the Internet, and a valid Martus server is configured, Martus sends all waiting bulletins to the server. If there are bulletins waiting to be sent when you end a session in Martus, Martus will alert you to their status and remind you that they have not been sent to a server.

See “9g. Enabling other accounts to send your bulletins to a server” for information on options if you do not have an internet connection.

**Note:** When you view a bulletin authored by someone else, the Sent column will be blank, unless you are a Headquarters account who has retrieved a Field Office bulletin from the server.

### 5b. Saving a draft

Save a draft of the bulletin if you want to continue to add information to it in the short term, or need to verify information before sealing it.

To save a draft of the bulletin, click Save Draft. The bulletin moves to your Saved Bulletins folder with the status of Draft. To modify the bulletin later, open the Saved Bulletins folder and double-click the bulletin you want to revise. There is no way to restore older drafts of a bulletin; when you save a modified draft bulletin, it replaces the original.

Martus sends a copy of each saved draft bulletin to the server, to act as a backup copy in case the draft bulletin on your computer becomes damaged or is deleted. (If you do not have an internet connection, see section “9g. Enabling other accounts to send your bulletins to a server.”) When you make changes to the draft bulletin later, and then save it, Martus deletes the earlier draft from the server and replaces it with the current draft. Draft bulletins are always treated as private information, whether the information is marked private or not.

If you have set up your account on multiple computers, you can't access your drafts from a different computer unless they were saved to the server; and if you overwrite a draft on the server from one computer, the draft on the server will not match the draft on the other computer because the server saves the latest draft. To update an older draft with a newer draft from the server, you must delete the draft from the computer and retrieve it from the server. If you want to keep a backup copy of the older draft, you can drag the bulletin to your desktop before deleting it.

If you decide not to complete a bulletin, so it has never been sealed, you can delete the draft bulletin from the server. First, delete the draft bulletin from your computer, and then choose Server > Delete My Drafts From Server. Check the draft bulletin you want to delete and click Delete. (You must delete the copy on your computer first, as you cannot delete bulletins from the server that remain on your computer.)

**Note:** For security reasons, we recommend that all users save their bulletins as Sealed instead of Draft, unless you are going to add new data within a few hours of saving it. Draft bulletins can be deleted from the server either unintentionally or maliciously (if someone gets your username and password and account key file), and data on your computer can be removed or changed in a Draft bulletin. However if you save your bulletins as Sealed, nobody (including yourself, or someone who got your username/password/key), while new versions of a bulletin can be created, the old versions can never be changed or deleted from the server.

### 5c. Creating a new version of a sealed bulletin

Once you've sealed a bulletin, no one can make changes to it. However, you can modify a *copy* of the bulletin to provide corrections or additional information, and then save that modified copy as a later version to the server. The original sealed bulletin remains unchanged on the server; neither you nor anyone else can delete it. New versions of each bulletin are connected, so creating a new version of a bulletin saves a new copy but does not change the total number of bulletins (e.g., in searches).

To create a new version of a sealed bulletin, select the bulletin you want to modify and either click Modify or choose Edit > Modify Bulletin. Click Yes to confirm that you want to create a new version of the sealed bulletin. When you've made the changes you want to make, click Save Sealed, or click Save Draft if you want to make further changes before sealing it.

Though you may have a bulletin copied into several different Martus folders, each listing is a reference to a single file. Therefore, when you create a new version of the bulletin, that change is reflected for the bulletin in every Martus folder on your computer. Likewise, the new version is uploaded if you are connected to the server; all previous versions remain on the server.

**Tip:** Consider changing the title of the modified version of the bulletin in a way that makes it clear that it contains corrected or additional information. For example, if the original sealed bulletin is titled "Political leaders jailed," you might title the modified version "Political leaders jailed – updated."

### 5d. Modifying a draft

You can make changes to draft bulletins until you seal them. To modify a draft bulletin, double-click the bulletin, and then make changes or add information. (You can also select the bulletin's title and then click Modify or choose Edit > Modify Bulletin.) You can save the modified bulletin as a draft again or save it as a sealed bulletin. If you click Cancel, new information will be lost and the bulletin will revert to the way it appeared when you last saved it. Each time you save a draft bulletin, Martus updates the backup copy of the draft bulletin on the server. When you save the final draft bulletin to the server, Martus deletes the backup copy of the draft bulletin from the server.

If you have set up your account on multiple computers, you can't access your drafts from a different computer unless they were saved to the server; and if you overwrite a draft on one computer, the version on the server will not match the version on the other computer because the server saves the last version of the draft. To update an older version of a draft with a newer version from the server, you must delete the draft from the computer and retrieve it from the server. If you want to keep a backup copy of the original draft, you can drag the bulletin to your desktop before deleting it.

### 5e. Discarding a draft

To discard the information you've entered, click Cancel. Martus alerts you that you'll be deleting any unsaved information in the bulletin, which has not been sent yet. Click Yes to discard the unsaved information permanently. (If you click Cancel when you're modifying a draft bulletin, the bulletin will revert to the state it was in when you opened it.)



To delete draft bulletins from the server, first delete them on your computer. Then, choose Server > Delete My Drafts From Server. Check the draft bulletins you want to delete from the server and then click Delete. (You cannot delete draft bulletins from the server if they remain on your computer.)

If you have set up your account on multiple computers, and delete a draft from one computer and from the server, it will still be on the other computer. On that other computer, if you modify the draft, it will re-send it to the server, but if you never modify the draft, it will never get re-sent.

For more information, see "6d. Discarding and deleting bulletins."

### **5f. Discarding a sealed bulletin**

You can discard a bulletin from a folder, which moves it to the Discarded Bulletins folder. To permanently delete a bulletin from the hard drive, delete it from the Discarded Bulletins folder. If a sealed bulletin has been sent to the server, you can retrieve it again.

To remove a bulletin from a folder, select it and choose Edit > Discard Bulletin(s). The bulletin appears in the Discarded Bulletins folder. To delete a bulletin from your hard drive, select it in the Discarded Bulletins folder and choose Edit > Delete Bulletin(s). For more information, see "6d. Discarding and deleting bulletins."

### **5g. Sealing a group of draft bulletins at once**


You can seal a group of draft bulletins at once, instead of having to do so one-by-one. You can do this "bulk" or "batch" sealing of multiple drafts by selecting the desired bulletins and going to Edit > Seal bulletin(s). As stated in section "5b. Saving a draft", we recommend that users that have a large number of drafts seal those draft bulletins for increased security.

## 6. Managing Bulletins

Folders help you manage the bulletins you've created or retrieved from the server. Martus includes two default folders and automatically creates others for specific purposes; you can create additional folders to organize bulletins further. When you select a folder, its contents are listed to the right. For each bulletin, Martus lists the bulletin's status, whether it was sent to the server, the date of event, the bulletin title, the bulletin's author, and when it was last saved. Martus displays the selected bulletin.

**Note:** The Sent field is blank for bulletins authored by someone else, or if you are not connected to a server.

To view the Bulletin ID, the bulletin's version history, and the author's Public Code, click the Bulletin Details button.



### 6a. Default folders

Martus automatically includes two permanent folders: Saved Bulletins and Discarded Bulletins.

These default folders are different from some earlier versions of Martus. If you upgrade from a version earlier than Martus 2.0, your old folders will automatically be migrated to this new folder structure, so your bulletins will not be lost.

#### Saved Bulletins

The Saved Bulletins folder contains all bulletins that you have saved, whether they are sealed bulletins or draft bulletins, and whether they have been sent to the server or not. The status of each bulletin is listed next to it, as well as whether it has been sent to the server, and when it was last saved. You can modify draft bulletins, and you can create new versions of sealed bulletins.

If you are working offline when you click Save Sealed or Save Draft, Martus cannot send the bulletin to the server until you have an Internet connection. Additionally, a bulletin that includes one or more attachments may not have Yes in the Sent column for several minutes or possibly as long as an hour while Martus sends it to the server, especially if you have a slow Internet connection. If there are unsent bulletins when you exit the application, Martus will remind you that you have bulletins that have not been sent.

## **Discarded Bulletins**

When you discard a bulletin from another folder, it moves to the Discarded Bulletins folder. You can still work with the bulletin when it is in the Discarded Bulletins folder; if it has Draft status, you can modify it; if it has Sealed status, you can create a new version that will be saved to the Saved Bulletins folder. To completely remove a discarded bulletin from your computer, select its title in the Discarded Bulletins folder and choose Edit > Delete Bulletin(s). Or, you can right-click (Windows) or Ctrl-click (Mac OS) its title in the Discarded Bulletins folder and choose Delete Bulletin(s). This removes all information about the bulletin from your computer, but it remains on the server (if it was sent to a server before the deletion). If the bulletin has Draft status, you can delete it from the server by choosing Server > Delete My Drafts From Server; if it has Sealed status, you cannot remove it from the server.

Until you delete a bulletin from the Discarded Bulletins folder, you can move the bulletin back into any other folder. However, once you delete a bulletin from the Discarded Bulletins folder, you cannot retrieve it unless it is stored on the server.

## **6b. Other folders created by Martus**

Martus creates the Search Results, Retrieved Bulletins, Retrieved Draft Bulletins, Field Desk Bulletins, Field Desk Draft Bulletins, Recovered Bulletins, and Damaged Bulletins folders as needed. You can rename or delete each of these folders.

### **Search Results**

When you search the bulletins on your computer, Martus displays the results in the Search Results folder. The contents of this folder are overwritten the next time you search. If you want to save your search results, rename this folder; Martus will create a new Search Results folder the next time you search. To rename the Search Results folder, right-click the folder and choose Rename Search Results folder. Alternatively, you can select the folder, and then choose Folders > Rename Folder or click the folder name, and type in the desired new folder name. You cannot use punctuation in a folder name, but you can include spaces.

### **Retrieved Bulletins**

This folder contains sealed bulletins you've retrieved from the server. These bulletins are included in searches and you can copy or move them into different folders. Bulletins in this folder are sealed, so you cannot modify them, except by creating a new version of the bulletin.

### **Retrieved Draft Bulletins**

This folder contains draft bulletins you've retrieved from the server. These bulletins are included in searches and you can copy or move them into different folders. Bulletins in this folder remain in Draft status, so their data is treated as private and you can modify them.

### **Field Desk Bulletins**

Headquarters account users can download bulletins that their field desks have sent to a server. The Field Desk Bulletins folder contains any sealed field desk bulletins that you've retrieved from the server. These bulletins are included in searches and you can copy or move them into different folders. Bulletins in this folder are sealed, so you cannot modify them. You can create a new copy of a field desk bulletin, but the original remains unchanged and retains the field desk as its author.

### **Field Desk Draft Bulletins**

The Field Desk Draft Bulletins folder contains any draft field desk bulletins that you've retrieved from the server. These bulletins are included in searches and you can copy or move them into different folders. Bulletins in this folder remain in Draft status, so their data is treated as private. You can create a new copy of a field desk bulletin, but the original remains unchanged and retains the field desk as its author.

### **Recovered Bulletins**

Under normal circumstances, all bulletins are associated with folders, but power failures, hardware failures, or obscure software issues might cause bulletins to lose their association with a folder. When you start Martus, it checks for such bulletins. If Martus finds any, it alerts you and then creates a Recovered Bulletins folder for them. You can leave the bulletins there, move them into a different folder, or discard them.

### Damaged Bulletins

If data in a bulletin is garbled or missing, Martus creates a Damaged Bulletins folder and places the bulletin in it. You may still be able to read some of the information in a damaged bulletin.

## 6c. Creating folders

Create additional folders to categorize bulletins according to your interests or current projects. You can rename the Search Results folder to save your search results for later use; Martus will create a new Search Results folder the next time you search.

**Note:** You cannot use punctuation in a folder name, but you can include spaces. You can also use characters from non-Latin alphabets, such as Thai or Russian.

To create an empty folder, choose Folders > Create New Folder, or right-click in the folders area and choose Create New Folder. Then, type a name for the folder.

To rename a user-created folder, right-click on the folder and choose Rename Folder. Alternatively, you can select the folder, and then choose Folders > Rename Folder or click on the folder name, and type in the desired new folder name. You can't rename system folders such as Saved Bulletins or Discarded Bulletins.

**Note:** To change the order of the folders on the screen, choose Folders > Organize Folders, then move folders up or down to their desired positions.


## 6d. Discarding and deleting bulletins

You can discard a bulletin from a folder, which moves it to the Discarded Bulletins folder. To permanently delete all versions of a bulletin from the hard drive, delete the bulletin from the Discarded Bulletins folder. If a sealed bulletin has been sent to the server, or a draft bulletin has been backed up to the server, you can retrieve it again. (Martus automatically backs up bulletins to the server when you save them, provided you have an active Internet connection.)

To remove a bulletin from a folder, select it and choose Edit > Discard Bulletin(s). The bulletin appears in the Discarded Bulletins folder. (You can also drag the bulletin to the Discarded Bulletins folder, or right-click the bulletin and choose Discard Bulletin(s).)

To delete a bulletin from your hard drive, select it in the Discarded Bulletins folder and choose Edit > Delete Bulletin(s), or right-click it and then choose Delete Bulletin(s). Martus will alert you that you are permanently deleting the bulletin from your computer, and inform you if a copy of that bulletin exists in any other folder. Click Yes to delete the bulletin.

**Note:** If the bulletin is also listed in another folder, it will remain on your hard drive, even when you delete it from the Discarded Bulletins folder. To remove all copies of a bulletin from your computer, you must move each of them to the Discarded Bulletins folder and then delete them.



You do not need to do anything further to ensure that deleted bulletins are removed from your hard drive. Unlike most computer data, Martus bulletins are encrypted files on your hard drive—including sealed bulletins with public data, bulletins created by other people, and deleted bulletins. Therefore, unless someone gains access to your Martus account, they cannot read the bulletins you store in your folders or the bulletins you've deleted.

If you want to delete an entire folder and its contents, right-click on the folder and choose Delete Folder. Alternatively, you can select the folder, and then choose Folders > Delete Folder. Any bulletins in the folder will be moved to the Discarded Bulletins folder. You can't delete system folders such as Saved Bulletins or Discarded Bulletins.

## 6e. Organizing bulletins

You can list bulletins in multiple folders, but only one copy resides on your hard drive. Each listing references the copy on your hard drive. A bulletin cannot be listed twice in a single folder.

To move a bulletin from one folder to another, drag it. Or select the bulletin and choose Edit > Cut Bulletin(s), and then select the new folder and choose Edit > Paste Bulletin(s). You can also right-click the bulletin or folder and choose Cut Bulletin(s) or Paste Bulletin(s) from the context menu. (When you use the Cut Bulletin(s) command, the bulletin appears in the Discarded Bulletins folder.)

To select all the bulletins in a folder, select the folder and choose Edit > Select All Bulletins (or right-click the bulletin and choose Select All Bulletins.).

If you want a bulletin to appear in multiple folders, select the bulletin and choose Edit > Copy Bulletin(s); then select the new folder and choose Edit > Paste Bulletin(s). (Or right-click the bulletin and choose Copy Bulletin(s) from the context menu; then right-click the folder and choose Paste Bulletin(s) from the context menu.)

You can rearrange bulletins within a folder, to list them by status, date of event, title, date the bulletin was last saved, or author. Just click the column heading to sort by that field. Click the column heading again to reverse the sort (for example, to reverse the order of the dates from newest to oldest or vice versa). The bulletins will be displayed in that order until you click a different column heading.

## 6f. Placing bulletins on the desktop

You can drag (or copy/paste) a bulletin to the desktop (or other location on your computer), or drag a bulletin from the desktop back into Martus. Dragging a bulletin to the desktop enables you to keep a backup copy of a bulletin you're working on outside of Martus (especially useful for saving intermediate versions of drafts). Martus names exported bulletins with the extension .mba (for Martus Bulletin Archive). These files contain only the latest version of each bulletin.

You can e-mail .mba files to other people, or copy them to a floppy disk. Draft bulletins remain fully encrypted, including the parts labeled public, so they cannot be viewed by any other user except a designated Headquarters account. When you e-mail or copy sealed bulletins, anyone may read the public parts of the bulletin using Martus software, but the private sections remain encrypted. Because you cannot view another user's private or draft data unless your account is one of their Headquarters accounts, their imported bulletins are labeled with a warning message saying "The author has not given you permission to view the private portions of this bulletin." Data in .mba files can only be viewed in Martus; you cannot open them in applications such as Microsoft Word. To use the data in applications other than Martus, export bulletins as XML files (see "6p. Exporting bulletin data"), or create an html report file (see "6n. Printing bulletins").

**Note:** Because e-mail is not secure, anything you e-mail may be intercepted by someone else.

**Note:** In Linux, you may not be able to drag bulletins between Martus and your desktop. See section "11. Frequently Asked Questions" (FAQ) #35 ("Is there another way to get encrypted bulletin files out of Martus than dragging to the Desktop?") for instructions on how to do this in Linux.

## 6g. Retrieving sealed bulletins

Occasionally, you may need to download bulletins that you have sent to the server. You can download any bulletin you have sent that is not currently on your computer. (Martus does not permit you to retrieve bulletins that you already have.) You can choose to retrieve only the latest version of a bulletin or all versions. Users with small disk drives or slow internet connections may choose to retrieve only the most recent version, especially for large bulletins.

1. Choose Server > Retrieve My Sealed Bulletins.

**Note:** The dialog box may not appear immediately, depending on the speed of your Internet connection.


**Tip:** You can sort the bulletins in the Retrieve screen by clicking on the column headers to help you find the bulletins you need (especially useful if you have a long list.) For example, you can sort by date (to find most recent bulletins) or by size (if you want to wait to retrieve a very large bulletin at a later time.) The sort functionality is ascending only.

2. In the Retrieve Bulletins dialog box, check the boxes next to the bulletins you want to retrieve. To select all the bulletins, click Check All; to deselect all the bulletins, click Uncheck All.

**Note:** By default, the Retrieve Bulletins dialog box displays only bulletins that are not currently on your computer. Check “Show all bulletins on this server and on this computer” to see all your sealed bulletins that have been backed up to this server; you cannot retrieve bulletins that are currently on your computer.

3. Select “Retrieve all bulletin versions” to retrieve all versions of a bulletin; select “Retrieve latest bulletin version only” to retrieve only the current version of the bulletin.
4. You can select a bulletin row with the mouse, and click Preview to see subset of the contents of the selected bulletin before you download it.
5. Click Retrieve. The bulletins appear in the Retrieved Bulletins folder.

**Note:** Martus retrieves bulletins in the background, so that you can continue to work in Martus. When Martus has retrieved the bulletins, it displays them in the Retrieved Bulletins folder. To cancel the bulletin retrieval, open the Retrieve My Sealed Bulletins dialog box again.



Retrieve?	Title	Last Saved	Version	Size (Kb)
<input type="checkbox"/>	Abuse of residents	06/11/2004 15:53	1	1231
<input type="checkbox"/>	Activist disappears - approved	09/28/2005 12:25	4	10
<input type="checkbox"/>	Computer stolen	06/11/2004 09:09	1	152
<input checked="" type="checkbox"/>	Freedom of expression limited	09/04/2004 14:47	1	8
<input type="checkbox"/>	Journalist jailed	02/01/2005 11:47	4	42
<input checked="" type="checkbox"/>	Political prisoners tortured	11/04/2004 10:20	1	8
<input checked="" type="checkbox"/>	Shots fired during protest	02/04/2005 13:36	2	48
<input type="checkbox"/>	Villagers killed -- updated	04/26/2007 14:11	5	10

☐ Show bulletins that are only on the server.  
☒ Show all bulletins on this server and on this computer.

☒ Retrieve all bulletin versions  
☐ Retrieve latest bulletin version only

Check All   Uncheck All   Preview

Retrieve   Cancel

## 6h. Retrieving draft bulletins

Draft bulletins are copied to the server in case the originals on your computer are damaged or accidentally deleted, or you lose access to your computer. You can download your draft bulletins from the server if the bulletins are not currently on your computer. (As with sealed bulletins, Martus does not permit you to retrieve bulletins that you already have.)

1. Choose Server > Retrieve My Draft Bulletins.

**Note:** The dialog box may not appear immediately, depending on the speed of your Internet connection.

**Tip:** You can sort the bulletins in the Retrieve screen by clicking on the column headers to help you find the bulletins you need (especially useful if you have a long list.) For example, you can sort by date (to find most recent bulletins) or by size (if you want to wait to retrieve a very large bulletin at a later time.) The sort functionality is ascending only.

2. In the Retrieve Draft Bulletins dialog box, check the boxes next to the bulletins you want to retrieve. To select all the bulletins, click Check All; to deselect all the bulletins, click Uncheck All.

**Note:** By default, the Retrieve Draft Bulletins dialog box displays only bulletins that are not currently on your computer. Check “Show all bulletins on this server and on this computer” to see all your draft bulletins that have been backed up to this server; you cannot retrieve bulletins that are currently on your computer.

3. Select “Retrieve all bulletin versions” to retrieve all versions of a bulletin; select “Retrieve latest bulletin version only” to retrieve only the current version of the bulletin (if you have a small disk drive or slow internet connection you may want to retrieve only the most recent version, especially for large bulletins).
4. You can select a bulletin row with the mouse, and click Preview to see a subset of the contents of the selected bulletin before you download it.
5. Click Retrieve. The bulletins appear in the Retrieved Draft Bulletins folder.

**Note:** Martus retrieves bulletins in the background, so that you can continue to work in Martus. When Martus has retrieved the bulletins, it displays them in the Retrieved Draft Bulletins folder. To cancel the bulletin retrieval, open the Retrieve My Draft Bulletins dialog box again.

## 6i. Retrieving bulletins created by field desks

If you are using a Headquarters account, you can retrieve draft or sealed bulletins created by field desk workers who have given your account permission to access their data. (See “9f. Sharing your private data with colleagues.”) To download those bulletins, choose Server > Retrieve Field Desk Sealed Bulletins or Server > Retrieve Field Desk Draft Bulletins.

**Tip:** You can sort the bulletins in the Retrieve screen by clicking on the column headers to help you find the bulletins you need (especially useful if you have a long list.) For example, you can sort by author (if you only want to retrieve the bulletins from a particular field office, by date (to find most recent bulletins) or by size (if you want to wait to retrieve a very large bulletin at a later time.) The sort functionality is ascending only.

When you view a field desk bulletin, a bright yellow and black “Field Desk Bulletin” label appears at the top of the bulletin.


If you would like to be notified if there are field bulletins to retrieve, go to Options > Preferences, and select “Automatically check for new Field Desk bulletins.” Approximately hourly, a message will appear in the status bar (lower left corner of the screen) saying that Martus is checking for new field desk bulletins. The status bar will display another message if there are field bulletins to be retrieved, at which point you can go to the Server menu to load the Retrieve screen as described above.

## 6j. Viewing earlier versions of a bulletin

You can view any version of a sealed bulletin on your computer. However, you can only make changes to a new version.

To view an earlier version of the bulletin, select the bulletin and click Bulletin Details. Then, select a version from the History list, and click View Selected Version. You cannot make changes to the content of the bulletin, but you can copy text to the clipboard and paste it into a text file or new bulletin (including the most recent version of this bulletin). When you have finished viewing the bulletin version, click OK.

**Note:** If you are a Headquarters account, and you didn't have access to an earlier version of a field bulletin, Martus will list the earlier version in the bulletin details, but it won't retrieve that version of the bulletin to your computer.



If a Headquarters account creates a new version of a field desk bulletin they can see the public code(s) of the previous author(s) and the bulletin id(s) of the previous author's versions of the bulletins, in the "Extended history" section below the current user's version information.

**Note:** When viewing Extended History for a bulletin, the earliest author is displayed at the top of the Extended History section, and the most recent (before the current author) is at the bottom. Within each author's section, if an author created multiple versions of the bulletin, the earliest/oldest version's bulletin id is at the top of the list, and the latest/newest is at the bottom.

## 6k. Viewing and saving attachments

If you are using Windows, you can view an attachment without saving it to your hard drive: click View Attachment. The application associated with the attachment's file type opens the attachment. (You can change the file type's association in Windows Explorer.)


If you are using Mac OS or Linux, or if you want to save the attachment to your hard drive, drag the attachment to the desktop or a folder on your computer. Or click Save Attachment, and save the file to any location on your computer. Then open the file in an application that can read the file's format. For example, if a .doc file is attached, open the file in Microsoft Word. If a .pdf file is attached, open the file in Adobe Acrobat Reader.

**Note:** To view the attachment, you must have an application installed that supports the file format of the attachment. Attachments are not encrypted when you save them onto your hard drive.



## 6l. Viewing damaged bulletins


Occasionally, data may be lost or garbled in a bulletin stored on your computer. If Martus detects missing data, it displays a yellow warning at the top of the bulletin that reads: “Warning: Portions may be missing or damaged.” Often, you can still read some information in the bulletin. If the bulletin is also stored on the server, you may be able to retrieve the entire bulletin successfully: drag a backup copy of the bulletin to your desktop, delete the bulletin from Martus, and then try retrieving it from the server. You may also see this message when viewing the bulletins of another user because you cannot view their private data or drafts unless you are one of their Headquarters accounts.



## 6m. Searching for specific bulletins

You can search for bulletins on your computer that contain specific words or phrases, or that contain specified dates. You can also choose to search all fields, limit your search to certain fields, or search for different words or phrases in different fields. You can search both standard and custom fields. Note that searching any field includes attachment filenames, but not the content of attachments. Martus searches all versions of every bulletin (both public and private, sealed and draft) in every folder, unless the bulletin only exists in the Discarded Bulletins folder.

1. Click Search.
2. In the Search dialog box, select the field to search, indicate how the bulletin field should compare to the search terms, and enter the word(s) or date(s) you are searching for. You can search for words in any language. If you are searching for terms in a table/grid, select which column in the grid to search.



**Note:** If multiple fields have the same label, click the plus sign next to the label name to choose the appropriate field. Martus displays the tag name and field type (e.g., “text”) for each field with that label. If you have multiple dropdown fields with the same label, Martus will merge all the values into one list in the Search screen. Any customized field labels that contain only spaces will be replaced with that field's tag in the search field list.

3. If you would like to add additional search constraints, press Enter or click Insert Row to create a new search row. You can search another field or limit your search to a certain date or date range.

4. If you would like to delete a search constraint, select that row and click Delete Selected Row.

**Note:** There are several ways bulletin fields can compare to search terms.

**contains** : Any bulletins in which the specified field contains the search terms

**=** : Only the bulletins in which the specified field exactly matches the search terms

**!=** : Bulletins in which the specified field does not match the search terms

**>** : Bulletins in which the field's value is greater than the search value

**>=** : Bulletins in which the field's value is greater than or equal to the search value

**<** : Bulletins in which the field's value is less than the search value

**<=** : Bulletins in which the field's value is less than or equal to the search value

5. Click Search. A dialog box will display the search progress, and allow you to cancel the search at any time if you wish.
6. When the search is complete, the Search Results dialog box reports how many bulletins were found that matched your criteria. Click OK.
7. The Search Results folder lists the bulletins found in your search. (The folder contains copies of the bulletins; the originals remain in their original folders.) If your search resulted in no bulletins, the Search Results folder will still contain the bulletins from the previous search.

**Note:** By default, Martus searches all versions of every bulletin. If you do not see your search terms/dates in the final version of the bulletin displayed in the Search Results folder, your criteria may have been matched in an earlier version of the bulletin. You can access previous versions by clicking the "Bulletin Details..." button at the top of the bulletin. For more information, see "6j. Viewing earlier versions of a bulletin." To search only the most recent versions of bulletins, select Only Search Most Recent Versions of Bulletins in the Search dialog box. The Search dialog box will remember this selection the next time you run a search.

**Note:** By default, Martus searches all rows of any grid (table) fields for your criteria and doesn't require that the terms are all on the same row. See section "10b. Customizing bulletin fields" for more information about grid fields. If you want to specify that all grid column specifications in the Search screen be matched to a single row of bulletin grid data, check the "Match grid column specifications" checkbox in the Search screen. For example, if you want to search for a specific victim name in a single grid row in your bulletins created after a certain date, select the checkbox and enter the following fields in the Search screen: "Victim Information: First Name" = x and "Victim Information: Last Name" = y and "Date Created" >= YYYY-Mon-DD. If you do not select the "Match grid column specifications" checkbox, Martus will find bulletins created after your specified date where any row has the first name you specified and any other row has the last name specified, but not necessarily in the same bulletin row (you could have a row with "First Name" = x and "Last Name" = b, and a different row with "First Name" = a and "Last Name" = y, and Martus will find that bulletin as matching the search because you did not specify that it had to match in a single row).

**Note:** Because Martus searches all rows of any grid (table) fields for your criteria, it may find bulletins where one grid row matches your criteria but other rows do not. For example you could have a bulletin with a grid that has a location field in it and you have multiple rows of data in the grid with locations A, B, and C. If you search for bulletins where location != C (does not equal C), Martus will find that bulletin because there are 2 rows in the bulletin grid where the location is not C, even though there is one row where the locations IS C.

**Note:** In this release, Martus will not include data-driven dropdown fields in the Search screen. See "10b. Customizing bulletin fields" for more information about these fields.


**Note:** In this release, if you are searching on a multi-level dropdown, all searches are exact matches, not partial or "starts with" matches. This means that you have to pick the exact level at which you want to be searching. For example, an "Event Location" field that has three levels (State/City/Neighborhood) will have three entries in the search field list: Event Location: State, Event Location: City, and Event Location: Neighborhood. So if you want to find any bulletins that have an Event Location anywhere in California

(regardless of the City), you have to pick the “Event Location: State” field to search on and pick California off the dropdown list choices. If you pick Event Location: City to search on and then pick California but leave the City level blank, Martus will only find entries where there was no City data entered (City was blank), as opposed to ANY location with California regardless of what data was entered at the City level.

**Note:** If you have fields in your bulletins with the same tag but different labels and/or field types, Martus may use the tag and field type to try and determine when different fields were meant to be the same when it searches. So we encourage you to make your field tags and labels in a customization clearly related to each other to avoid any confusion. See section “10b. Customizing bulletin fields” for more information about configuring custom fields.

For some additional help with searching, see section “11. Frequently Asked Questions” (FAQ), #46 and #47, or email [help@martus.org](mailto:help@martus.org).

To save your search criteria, click Save This Search in the Search dialog box. Then, give the search criteria a name you’ll recognize later. Martus saves it with the .mss (Martus Search Specification) extension in the folder you choose. To use search criteria you’ve saved, click Load Previous Search in the Search dialog box, and then navigate to the .mss file you want to use.



**Note:** Martus will remember the immediately previous search criteria without you needing to load it.

### Search tips

- To search for an exact phrase, type it with quotation marks around the phrase (e.g., "Witness Testimony"). If you do not put quotation marks around the phrase, Martus will search for the words individually.
- Martus will find the text you enter whether it's a complete word or part of a larger word. For example, if you search for the word *prison*, you'll see bulletins that include the words *prison*, *imprison*, and *imprisonment*. Likewise, if you search for the word *prison*, Martus will find bulletins that include attachments with names such as *photos-prison.jpg* and *prisoners-report.doc*.
- You can search for words in any language. Martus searches are not case-sensitive in English and other purely Latin character languages, so it doesn't matter whether a word is capitalized or not.
- Use the word "or" to broaden your search, or the word "and" to narrow it. You can use the and / or dropdowns to specify different fields you want search across (e.g., you want to search for bulletins that have "Last Saved Date" in the last week and have a certain author). If you want to search on multiple text values within a single bulletin field, you can use *or* or *and* in-between words in the "Search For..." entry box. For example, if you search "Any Field" for *prison or jail* you'll see a list of bulletins that contain either word anywhere in the bulletin. If you search for *prison and assault* you'll see a list of

bulletins that contain both words. The keyword "and" is implied, so if you search for *prison assault* Martus will find the same bulletins as if you searched for *prison and assault*.

- When you use both "and" and "or" , your search terms are grouped from the beginning of your list (either across bulletin fields or within a particular field). For example, if you enter *prison or jail and trial* in the "Search For..." entry box, Martus will search for any bulletins that contain either of the words prison or jail, and also contain the word trial. But if you enter *prison and jail or trial* Martus will search for any bulletins that contain both the words prison and jail, or contain the word trial.
- If you are using a language other than English, you can use the translation of the words "or" or "and" in that language *or* you can use the English words "or" and "and" to search. For example, if you are using Martus in Spanish, use the word "o," "y," "or," or "and" when searching.
- For languages that do not use spaces to separate words, you need to put spaces before and after any "or" / "and" keywords you use in your search.


To save your search results, right-click the Search Results folder and choose Rename Search Results Folder; then enter a new name for the folder. Alternatively, you can select the folder, and then choose Folders > Rename Folder or click on the folder name again, and type a new folder name. The next time you search, Martus will create a new Search Results folder. If you do not rename the Search Results folder, the contents will be overwritten the next time you search.

To print the results of your search, see "6n. Printing bulletins ."

## 6n. Printing bulletins

Martus allows you to print one or more bulletins at a time. To print:

1. Select the bulletin(s) you would like to print and click Print (or choose File > Print Bulletin(s).)
2. The Print Options dialog box appears. You have the option of including or excluding the bulletin's private information, and printing to a printer or sending the output to an html report file on your computer.
3. Click Continue.



4. If you have chosen to send html formatted output to a report file, the Print To Which File dialog box appears. Name the file and select a destination for it (or select an existing file) and click Save.
5. If you have chosen to print the bulletin contents to a printer, the standard Print dialog box opens with options available for your printer.

Martus prints a list of attachments, but not the contents of the attachments. To print an attached file, click Save Attachment, save it to a folder on your hard drive, and then open it and print it in an appropriate application, such as an image-editing or word-processing application. In Windows, you can simply click View Attachment, and then print the attachment from the application that opens it; you needn't save it to your hard drive first.

Martus prints only the latest version of each bulletin on your computer.


To print a set of bulletins that match a set of filter criteria, you can run a search, and print all the bulletins that are displayed in the Search Results folder. For more information on searching, see “6m. Searching for specific bulletins.”

## 6o. Creating bulletin reports


You can create customized reports from information in bulletins, and then print those reports to a printer or to an HTML file (which can be opened in a browser, or other application such as word processor or spreadsheet for further editing/formatting if desired.)

To create a report:

1. Choose File > Reports.
2. To create a new report format, click Create New Tabular Report or Create New Page Report. A tabular report lists bulletin fields as columns in a table, with each bulletin as one row in the table. A page report lists the selected subset of fields from each bulletin separately, and is formatted as bulletins appear when printed individually.




If you want to use a report format you’ve previously saved, click Use Existing Report Format, open the saved .mrf (Martus Report Format) file and skip to step 5.



3. In the Create Report dialog box, select the fields you want to include in the report, and then click OK.

If you’re creating a tabular report, click Add in the Organize Report Fields dialog box to open the Create Report dialog box, select the fields you wish to include and hit OK. You can then change the order of fields on the report by selecting a field and clicking Move Up or Move Down. Click OK when you’ve arranged the fields the way you want them.




4. In the Save Report Format As dialog box, enter a name for the format you've created, and then click Save. Martus saves the report format with an .mrf extension.

**Note:** If you Cancel out of the Save Report Format As dialog box, your report format will be lost. You must save each report format you create in order to run the report.

5. In the Search dialog box, enter the criteria for bulletins you want to include in your report. To use search criteria you've previously saved, click Load Previous Search. When you've entered the search criteria, click Search. For more information on searching, see "6m. Searching for specific bulletins."

**Note:** Martus will remember the immediately previous search criteria without you needing to load it.


6. Specify the bulletins' order in the report. You can select up to three fields by which to sort. Martus sorts the bulletins by the first field you choose, and if multiple bulletins have the same information in the first field, it then sorts by the second field, and finally by the third field. For each field, click Choose Field, select the field you want Martus to sort by, and click OK.



**Note:** Martus will remember the immediately previous sort selection until you exit Martus.

7. Choose whether to print only the bulletin information, only summary counts, or both. If you include summary counts, the report contains total counts of bulletins grouped by the fields you've chosen to sort the bulletins on. For example, if you're sorting by author and you choose to print the bulletin information and summary counts, the report will include the bulletin data and a

summary of how many bulletins were created by each author. Choose whether to print only public data or both public and private data in the report.



8. Martus displays a preview of the report that will print. Click Print to Printer to print the report to your printer. Click Print to File to save the report as an HTML file that you can open in a web browser or word-processing/spreadsheet application. If you want to make changes to the report before printing, click Cancel, choose File > Reports, and create a new report format.

**Note:** You can copy and paste text from the preview screen directly into other applications, e.g., word-processors or spreadsheets.

Martus displays only the latest version of each bulletin on your computer in the report.

See example of a tabular report below.

Print Preview			
Author	Date of Event (beginning)	Last Saved	Title
Field User 1	08/03/2004	09/25/2004	Unlawful detention
Field User 1	01/07/2004	09/25/2004	Kidnapped official
Last Saved: 09/25/2004 = 2			
Field User 1	07/01/2004	10/04/2004	Abuse of residents
Last Saved: 10/04/2004 = 1			
Author: Field User 1 = 3			
Field User 2	08/15/2004	09/30/2004	Computer stolen
Last Saved: 09/30/2004 = 1			
Field User 2	11/01/2004	07/12/2005	Political assassinations
Field User 2	02/11/2004	07/12/2005	Conflict affects villagers
Field User 2	Unknown	07/12/2005	Attacks against minorities
Last Saved: 07/12/2005 = 3			
Field User 2	09/22/2004	09/16/2005	Journalist jailed
Last Saved: 09/16/2005 = 1			
Author: Field User 2 = 5			
Field User 3	04/07/2004	10/07/2004	Attacks on human rights groups
Field User 3	10/02/2004	10/07/2004	Office ransacked
Last Saved: 10/07/2004 = 2			
Author: Field User 3 = 2			
Joe User	05/22/2004	04/25/2005	Villagers killed -- updated
Last Saved: 04/25/2005 = 1			
Author: Joe User = 1			
<b>Total Bulletins: 11</b>			
<div> Print To Printer Print To File Cancel </div>			

## 6p. Exporting bulletin data

You can export the data in a bulletin to an XML file, which you can open in any application that supports XML (Extensible Markup Language). XML documents include tags that define the structure of the

document, and the role of each document component in that structure. Martus exports only the latest version of each bulletin on your computer, but shows any previous version bulletin ids and public keys for previous authors in an “Extended History” section of the exported file, for those who need it.

To export bulletins to XML:

1. Select the bulletins you want to export, and choose File > Export Bulletins. Or, to export all the bulletins in a folder, choose File > Export Folder.
2. By default, only public data is included in the XML file. If you want to include private data, select “Include private data in export”.
3. If you want to export the bulletin attachment files, select “Include attachments in export”.
4. Click Continue.
5. Name the XML file and specify a destination for it. All the selected bulletins are included in a single XML file.
6. Click Save.
7. Click OK when Martus confirms that it has finished exporting the bulletins.

**Note:** If you specify that only public data should be exported, any bulletins whose data are all private will be skipped in the export file.

**Note:** When viewing Extended History in an exported XML file for a bulletin, the earliest author is displayed at the top of the Extended History section, and the most recent (before the current author) is at the bottom. Within each author’s section, if an author created multiple versions of the bulletin, the earliest/oldest version’s bulletin id is at the top of the list, and the latest/newest is at the bottom.

## 6q. Importing bulletin(s)

You can import bulletins from files that are formatted in XML, including bulletins that have been exported from Martus. You can also import attachments such as pictures, word-processing documents, or spreadsheets. Attachments do not have to be in XML format to be imported.

To import bulletins:

1. Choose File > Import Bulletins.
2. Navigate to the XML file for the bulletins you want to import, and click Continue.
3. Enter the name of the folder you want Martus to add the bulletins to, and click Continue

Martus reports its progress as it imports the bulletins. When it has finished, it either confirms that it was successful or reports any problems.

**Note:** In this version, bulletins will be imported as drafts.

To find out more about creating Martus XML import files from your electronic data (for example, spreadsheets or other databases), please see examples in the Martus source-code (available on the Martus CD or at <https://sourceforge.net/projects/martus>.) and email [help@martus.org](mailto:help@martus.org) if you need additional assistance.

If you have a very large file to import, or your import has a lot of special characters in it (e.g. < > ' " ) you may receive import errors. If the size of the file is the issue, you can try splitting into smaller files. Please contact [help@martus.org](mailto:help@martus.org) if you need help with any import issues.



## 7. Deleting Your Bulletins and Account Information

You can delete your key file, all of the bulletins you have stored on your hard drive, and all other information for your account without removing the Martus application itself.

**Note:** If you have not sent bulletins to the server or otherwise backed them up, the data will be permanently lost after you delete it from the computer.

To delete your account information and all your bulletins from your computer:

1. Close all other applications on your computer.


**Note:** You can delete bulletins and Martus folders while other applications are open, but Martus may not be able to remove all Martus folders if other applications are open during the process.

2. Choose Tools > Delete My Data.
3. Enter your username and password.
4. If there are files that have not been sent to a server yet, Martus will prompt you to confirm deletion. Click Yes to move to a confirmation dialog box; click No to retain bulletin files and stop the deletion process.

**Note:** Before you delete your Martus account information, make sure you have backed up your key file and will be able to restore it. If you delete your key without backing it up, you will lose access to all private data you've sent to the server; such data would be available only to Headquarters accounts that were created before the bulletins were saved and sent to a server. When you delete your key, the following will also be deleted: server settings, Headquarters account, default details values, custom fields, user-created folders in Martus, and interface preferences (e.g., date format, column widths).

5. Click Yes to confirm that you want to delete all your bulletins and your account information, including your key file, from your computer. If you do not wish to continue, click Cancel.
6. Martus automatically closes.

**Note:** Martus cannot delete any bulletins or account files that you have copied or moved to folders outside the Martus folder, such as the desktop. Such files will remain on your computer until you manually delete them. Additionally, Martus cannot delete bulletins or your information from any other computers where you set up your account, and it will not delete bulletins from the Martus Server.



## 8. Deleting All Martus Data, Including the Application

In emergency situations, you may wish to remove all trace of Martus and its data from your computer. You can delete all bulletins and information for all accounts on the computer, as well as uninstalling Martus. Martus deletes bulletin and account information in a way that makes it more difficult for intruders to recover than if you delete the files manually.

**Warning:** Do not use this procedure unless it is absolutely necessary that you remove all Martus data from the computer. By following this procedure, you will irrevocably remove all account information and all bulletins—for *all* Martus users—from the computer.

Before you use this option, ensure that all account users have backed up their key files, and that all users' bulletins have been backed up to the server or to another secure location. Without the key files, private data created by that account may be inaccessible; such data would be available only to Headquarters accounts that were created before the bulletins were saved and sent to a server.

To delete the Martus program and all users' account information, bulletins and folders, from your computer:

1. Close all other applications on your computer.

**Note:** You can delete Martus data while other applications are open, but Martus may not be able to remove all folders if other applications are open during the process.


2. Choose Tools > Delete All Data and Remove Martus.
3. Enter your username and password.
4. If there are files that have not been sent to a server yet, Martus will prompt you to confirm deletion. Click Yes to continue; click No to retain bulletin files and stop the deletion process.

**Note:** Before you delete your Martus account information, make sure you and all other users have backed up all key files and will be able to restore them. If you delete the keys without backing them up, you and others users will lose access to all private data each of you have sent to the server. When you delete the keys, the following will also be deleted: server settings, Headquarters account, default details values, custom fields, user-created folders in Martus, and interface preferences (e.g., date format, column widths).

5. If you are absolutely certain that you want to delete the Martus application, all account information, and all bulletins from the hard drive, click OK. If you do not wish to continue, click Cancel.

6. If you click OK to continue the deletion, Martus automatically closes.

**Note:** Martus cannot delete any bulletins or account files that you have copied or moved to folders outside the Martus folder, such as the desktop. Such files will remain on your computer until you manually delete them. Additionally, Martus cannot delete bulletins or your information from other computers where you've set up your account, and it will not delete bulletins from the Martus Server.



## 9. Keeping Your Data Secure

Martus has been designed with security in mind. Understanding how its security features work can help you keep your bulletins secure, while ensuring that you can continue to access them.

### 9a. How Martus security works

Every Martus account has a key which can only be accessed using the password for that account. When you sign in to Martus, your password enables the application to open the key, so that you can create new bulletins or see the bulletins you've created and stored.

Your key is yours alone; if you lose it due to hard drive failure or accidental erasure, no one will be able to open your private bulletins, the private data in the public bulletins you've sent to the server, or any of the bulletins on your hard drive, whether they are in draft or sealed status. However, if you've set up a Headquarters (HQ) account, the HQ accountholder (typically, your organization's main office) will still be able to see the private data that you sent to the server. Additionally, if you have done a multi-file backup of your account information (see "9b. Backing up your key",) you will be able to access your account.

### 9b. Backing up your key

To ensure that you'll always have access to your data, it is extremely important to keep a backup of your key. Martus offers two methods for backing up your key, either of which may be used, but we strongly recommend using both backup methods. The first method creates a single, password encrypted key backup file onto removable media (e.g., floppy disk, CD, USB storage) or a network drive; the second method backs up the key in five separate pieces (not encrypted with your password) onto multiple floppy disks or other removable media. When you back up your key in Martus, you will be led through both methods.

Your first opportunity will be to save your key, encrypted using your login name and your password, onto a single floppy disk, other removable media, or a network drive, which you should keep handy in case your computer is damaged or unavailable. When you back up your single key file to removable media or a network drive, the file contains everything you need to restore your account, as long as you know your username and password. Be sure to store the backup file in a secure location, and label it in a way that lets you identify its contents but is not obvious to others. To restore this password-protected key in the future, select "Restore Account" and "Restore account from backup key file" when signing into Martus.

The second backup opportunity requires five removable disks (e.g., floppy disks, CDs, USB storage), which you distribute to trusted friends and colleagues. This method breaks up your key into five pieces, any two of which will be required to reconstruct the key without requiring a password. If you forget your login name or your password, this method is the only way you can restore your key. Once the five files have been written to removable media disks, you should distribute them to five different people whom you will remember, but none of them should know who you have given the other files to. Do not store any of the disks together. Anyone can use two of these disks to access your account, even without knowing your username and password. To restore this key, first retrieve any two of the original five disks, and then select "Restore Account" and "Restore account from multiple disks" when signing into Martus.

To back up your single password-encrypted key file onto removable media or a network drive:

1. Insert a blank disk into your floppy (or other removable media) drive.
2. Choose Tools > Backup My Key.
3. Read the informational dialog boxes.
4. In the Back Up Key File dialog box, navigate to your floppy drive, another removable media device (e.g., USB or CD), or your network drive.
5. Give the backup key file a unique name, especially if more than one account is used on the computer. By default, Martus names the file MartusKeyPair.dat. You may choose to add a number or code word to the file, such as MartusKeyPair222.dat.
6. Click Save. Martus copies the backup key file to the location you specified.
7. Click OK in the Finished dialog box.
8. Store your backup disk or other removable media in a secure place where it is unlikely to be damaged by weather, insects, or other factors. Do not write your password on the disk or store it on the disk

electronically. No one can use the key you back up to a single file without your username and password.

9. If you do not want to back up your key file to multiple disks, click No in the dialog box that appears. We recommend backing up your key file to multiple disks. To do so, follow the instructions below.

**Note:** Create a new single password-encrypted key backup whenever you change your username or password. See “9h. Changing your user name or password” for more information.

Next, to back up your key file to five separate floppy disks or other removable media (two of which will be required to restore the key file):

1. Click Yes to create an additional set of backup files on five separate removable disks.
2. Read the informational screen and click Continue.
3. Name the file and click OK.

**Tip:** Give the file a unique name that you will remember later, and that can be distinguished from other accounts’ backup files. Each of the five files will have the same name, with a sequence number appended. For example, if you name the file kpbackup, the files will be saved as kpbackup-1.dat, kpbackup-2.dat, and so on.

4. Navigate to your floppy disk (or other removable media) drive in the Saving Backup Disk dialog box, and click Save. You must use a removable media drive (e.g., floppy, CD, USB storage) instead of your hard drive, because the program will not save two of your backup files to the same place.

**Note:** If Martus gives you an error when using a USB drive, see section “11. Frequently Asked Questions” (FAQ) #27.

5. Insert disks or other removable media as prompted, clicking OK each time to proceed to the next disk.
6. To ensure that the data has been written properly, click Yes in the Verify Disks dialog box.
7. Insert disks or other removable media as prompted, clicking OK each time to proceed to the next disk.
8. If Martus was able to verify the data on all the disks, click OK in the Verification Succeeded dialog box. If there were problems with one or more disks, repeat the backup process with different disks.
9. Read the information in the Backup Complete dialog box, and click OK.

### 9c. Restoring your key

If you have lost your computer, had a hard drive failure, or lost your key for some other reason, restore your key using your backup copy. If you know your username and password and have a single file key backup, we recommend you use that file as it is more secure. However if you have forgotten your password, you will need to restore your key from multiple disks.

To restore your key:

1. Install Martus, if it isn’t currently installed.
2. Click the Restore Account tab in the Martus Signin dialog box.
3. Select an option to restore your account: from a single backup key file or from multiple diskettes.
4. Read the informational dialog box, and click OK.
5. If you’re using a single backup key file, find the file on your hard-disk/network-drive or insert the floppy disk (or other removable media) that contains the file and navigate to it, and click OK.  
If you’re using two disks from a five-disk set, insert the first disk and navigate to the file it contains; click OK; and then insert the second disk and click OK. Make sure to redistribute the key backup disks after restoring your key.
6. If you are restoring from the single encrypted key file, log into Martus using the username and password that were associated with the key at the time you created the backup file.  
If you are restoring from the multiple backup disks, you can either use your old username and password or create a new username and password for your account.
7. You will then be asked to create a password encrypted backup file of your key with this username and password. See “9b. Backing up your key” for more details.
8. After the restoration is complete, be sure to re-distribute the key backup disks. Any time two of those disks are in the same place, anyone could use them to access your account, even without knowing your username or password.

## 9d. Using your password wisely

It is critical that your password remain secret. Do not share your password with anyone, and do not use a password that someone could easily guess.

Each time you change your password, back up your key and delete all previous single file backups (you do not need to, and should not, delete any multiple file backups you created since they are not encrypted with your password). Your new backup key file is encoded using your new password. See “9h. Changing your user name or password” for more information.

When Martus is running, it will prompt you to re-enter your username and password after ten minutes of inactivity. This is to minimize the chance that other people will be able to access your private data if you leave Martus open while you are away from your computer. If Martus prompts you for your username and password while you are editing a bulletin, and you click Cancel, changes you've made to the bulletin are lost and it reverts to its last-saved state. If you haven't ever saved that bulletin, the entire bulletin is lost. We suggest you save any bulletins you're working on and then exit Martus before you leave your system unattended.

## 9e. Using safe computing practices

If you are concerned about the security and reliability of Martus, you also need to be vigilant about protecting all other software that runs on your computer, including your operating system (such as Microsoft Windows, Mac, Linux). If attackers are able to find any security holes in your operating system, they may be able to view your private data, or to create bulletins that will appear to have been written by you.

It can require a lot of effort to thoroughly protect a computer that is connected to the Internet. But even a small amount of effort can preserve the integrity of your computer against many of the most common intrusions.

- Install virus protection software and subscribe to a virus definitions update service to protect your system from viruses and worms. McAfee (<http://www.mcafee.com/>) and Symantec (<http://www.symantec.com/>) are two of the companies offering virus scanning software and update services.
- If running under Windows, regularly check for and install critical product updates from Microsoft at <http://windowsupdate.microsoft.com> to preserve the integrity of your operating system.
- To see more extensive suggestions for protecting your computer, visit [http://www.trendmicro.com/pc-cillin/vinfo/safe\\_computing/](http://www.trendmicro.com/pc-cillin/vinfo/safe_computing/) and <http://www.staysafeonline.info/sectips.adp/>. Consider implementing as many of these suggestions as are practical for your organization.
- We also recommend that you install and regularly update spyware (also known as "malware" or "adware") protection software.

To increase the security of Martus on your computer (in case your computer falls into the wrong hands), there is an extra precaution you can take if you are running Windows. The feature erases the Windows virtual-memory swap-file (also known as a pagefile) when you shut down your computer. This file contains temporary snapshots of certain portions of data that were used by any programs while you were working. Enable this feature, and your pagefile will be erased when you shut down your computer. It may add a little time to the shutdown process.

- The instructions for enabling this feature in Windows 2000 or Windows XP Professional are: Go to - Start/Control Panel/Administrative Tools/Local Security Policy/Local Policy/Security Options, then scroll down the right-hand panel until you find "Shutdown: Clear virtual memory pagefile" or "Clear virtual memory pagefile when system shuts down".
- For other versions of Windows (such as ME or XP Home), there may be registry settings or other methods to accomplish the same goal. If you are interested in these, check with your system administrator, or search the web for the registry key called "ClearPageFileAtShutdown".

**Note:** As described elsewhere in this User Guide, Martus allows you to attach files to bulletins. On most operating systems, when attachments are opened they are automatically saved in a 'temporary' directory, which is unencrypted. For information about the security precaution known as attachment 'shredding,' please see section “11. Frequently Asked Questions” (FAQ) #38.

## 9f. Sharing your private data with colleagues

Your organization's headquarters may want to access the bulletins you create, and the bulletins created by other members of your organization. Your organization's headquarters—or anyone else you want to share your data with—can create a Headquarters (HQ) account, which will permit them to view your bulletins, including the private data in them, only if you give them permission. They will not be able to create bulletins using your account. This access can provide several advantages: it gives the organization's leaders more information, and it ensures that someone will be able to access your private bulletin data even if you lose your key file or forget your password. You can create multiple HQ accounts, which can be useful if you would like to send different bulletins to different HQ accounts, or if there are additional people inside or outside your organization who you want to review your bulletins.

All the private (and public) data in each bulletin that you save will be viewable by any HQ accounts you have selected under the bulletin's "Headquarters" section. This allows you to designate which HQ accounts are allowed to view each bulletin.

As soon as a bulletin has been saved with an HQ account, the information in that bulletin will be available to that HQ. Removing that HQ later generally will not prevent that HQ from viewing the private data that was saved when they were configured as your HQ.

To access your bulletins, your organization's headquarters must first export their public account ID and give it to you, along with their public code. Then, you import the public account ID and enter their public code.

**Note:** Only bulletins saved *after* you import the public account ID will be available to your Headquarters account. If you created a bulletin without a particular HQ account configured and/or selected, you can create a new version of the bulletin with the HQ account selected so they can view the content.

### Instructions for Headquarters users

To share the HQ public account ID and public code with people in the field:

1. Create a Martus account. (See "2e. Setting up your account.")
2. In Martus, choose Tools > Export My Public Account ID, and name the file. Martus saves the file with a .mpi (Martus Public Information) extension in your account directory in the Martus folder on your hard drive, and confirms that it has been saved.
3. Give the .mpi file to people whose bulletins you want to access.
4. Choose Help > View My Account Details.
5. Write down the public code.
6. Through a different, secure communications channel, give the same people the public code from the HQ account. It is important that the public code be communicated in a way that it cannot be altered, but it need not be secret.


**Note:** For information on accessing field desk bulletins, see "6i. Retrieving bulletins created by field desks"

### Instructions for field users who want to provide access to Headquarters users

Import the HQ public account ID and public code:

1. In Martus, choose Tools > Configure Headquarters.
2. Enter your username and password in the Martus Signin dialog box.
3. Click Add.
4. Select the .mpi file your headquarters office gave you.
5. Enter the public code your headquarters office gave you. Before continuing, confirm with your headquarters office that this really is the correct public code.
6. Click Yes to confirm that you want to grant this HQ account access to your public and private data.
7. Enter a label for the HQ account. Use a label that is meaningful to you, as you may not always remember the account's public code. The HQ label might be the name of the person or organization, or the name of a city or region, for example. You can change the label later if you want to. Only you will see the label you assign; others who view the bulletin will not see the label, for security reasons.

8. Check the default box if you would like to share all new bulletins (and new versions of bulletins) with this account by default. You can still deny access to individual bulletins as you create them (see “Headquarters” section of “4a. Completing fields in a bulletin” for more information).



The Headquarters Editor dialog box has a blue title bar with the text "Headquarters Editor" and a close button. The main area contains the following text:

These Headquarters accounts are allowed to view the private information in this bulletin, and to send this bulletin to a server on your behalf.

Default Headquarters accounts will be selected for each new bulletin or version.

Current Headquarters


Default?	Public Code	Label
<input checked="" type="checkbox"/>	2665.5316.4313.5887.5667	HQ - USA
<input type="checkbox"/>	7126.5636.1145.5643.8176	HQ - Asia
<input type="checkbox"/>	7687.7153.4218.4454.1352	HQ - Europe

At the bottom, there are four buttons: "Add...", "Remove", "Change Label", and "Save". A "Cancel" button is also present on the right side.

9. Click Save.

### Instructions for field users who want to update a group of bulletins to have a new Headquarters

If you have a new Headquarters account that does not have access to some of your old bulletins, you can give them access to a group of your bulletins at once, instead of having to do so one-by-one. You can do this “bulk” or “batch” Headquarters access update for multiple bulletins by selecting the desired bulletins, and going to Edit > Update headquarters access. This option will be grayed out unless at least one bulletin is selected and at least one HQ is configured. Martus will display a progress bar during the update and allow you to cancel if desired. Draft bulletins will be updated to reflect the new HQ information. For sealed bulletins, Martus will automatically generate a new sealed version of each bulletin.



The Update headquarters access to Bulletins dialog box has a blue title bar with the text "Update headquarters access to Bulletins" and a close button. The main area contains the following text:

This allows you to update headquarters access to existing bulletins. Each of the bulletins in the list below will be modified to add the selected headquarters accounts. If a bulletin is sealed, a new version will be created.

bulletin 4 with old HQ  
bulletin 3 with no HQ  
bulletin 2  
bulletin 1

Select the headquarters listed below that you want to add to all the bulletins listed above.

Selected?	Label
<input checked="" type="checkbox"/>	HQ1
<input type="checkbox"/>	HQ2

At the bottom, there are two buttons: "Update Headquarters Access" and "Cancel".

### Instructions for field users who want to deny all future access to Headquarters users

Users of the Headquarters account will continue to have access to any bulletins you saved while permission was given to their account. However, they will not have permission to view any future bulletins you save once you deny them access.

To prevent access to all new bulletins, you can remove a HQ account from your configuration:

1. Choose Tools > Configure Headquarters.
2. Enter your username and password in the Martus Signin dialog box.
3. Select the HQ account you want to remove.
4. Click Remove.

5. Click Yes in the Confirm Removal of Headquarters dialog box.

**Note:** You can allow or deny access to individual bulletins without removing the Headquarters account from your configuration (see “Headquarters” section of “4a. Completing fields in a bulletin” for more information). We recommend using the steps above only when you want to permanently deny a Headquarters account access to all future bulletins.

Removing the HQ account from your configuration will only prevent access to new bulletins (or new versions of sealed bulletins). Old versions of previously saved sealed or draft bulletins will still be accessible by HQ accounts configured when the bulletin was created. To revoke permission to view your existing draft bulletins, resave the draft bulletins after you remove the Headquarters account.

## 9g. Enabling other accounts to send your bulletins to a server

If you do not have the ability to connect to a server, you should have another account send your bulletins to a server for you to safeguard the information in the bulletins. If you cannot backup your bulletins to a server from your account, you will not be able to recover them if your computer is damaged or stolen. See “1f. Why send bulletins to the server?” for more information.

When you set up a Headquarters account they can send bulletins to a server for you. That is, if a field desk account does not have Internet access, its user can create bulletins in Martus and save them to a disk, and then the Headquarters users can copy the files into their Martus Client and choose Server > Resend Bulletins to send the selected bulletins to the server on behalf of the field desk. The field desk will still be listed as the bulletin's author, and the Headquarters user cannot modify the bulletin.

**Note:** We recommend that Headquarters users create a separate folder for bulletins they send to the server on behalf of their field desks or other Martus users.

## 9h. Changing your user name or password

You should change your password for security purposes if you feel your account has been compromised, and can also change your username if you wish to.

1. To change either your user name or password, choose Options > Change User Name or Password.
2. Enter your current user name and password on the Validate User screen.
3. Enter your new name and password on the next screen. You can change either or both fields. See “2e. Setting up your account” for guidelines on user name and password creation. Hit OK to accept, or Cancel to keep old username and password.
4. Repeat the new user name and password entry on the Confirm Password screen
5. You will then be prompted to back up your key with the new username and password. For more information on backing up your key, see “9b. Backing up your key.”

See “9d. Using your password wisely” for additional information.




## 10. Customizing Martus

You can customize certain aspects of your bulletins to save time, provide consistency, and ensure that specific questions are addressed in every bulletin. You can customize the Details field, and you can create additional bulletin fields. The customized fields appear in every new bulletin you create; they have no effect on existing bulletins.

### 10a. Using a template in the Details field

If you frequently enter the same type of information in the Details field (such as number of victims or government response), set up a template to appear in each bulletin you create:

1. Choose Options > Default Details Field Content.
2. Type the text that should appear in the Details field by default.
3. Click OK.



When you create any new bulletins, the text you entered in the Default Details Field Content dialog box appears in the Details section of the new bulletins. If you do not need the text in the bulletin you are creating, you can delete it, as you would any other text. To remove the default content, click Reset Content in the Details Field Default Content dialog box.

### 10b. Customizing bulletin fields

Most Martus users find that the default bulletin fields meet their needs. However, some groups find it useful to customize their bulletins to capture specific information such as the source of the bulletin data, the names of witnesses, the country in which the incident occurred, or a table of information about victims. Additionally, you may find it easier to import custom fields into other applications for reporting and analysis. You can customize the bulletins you create by rearranging the fields, adding fields, or removing fields you don't need. You can customize the fields in the upper section of the bulletin (which can be either public or private) and the lower section of the bulletin (which is always private.) You can create several kinds of custom fields, including Yes/No, date, date range, drop-down lists, grid (table), language, messages (notes), single line text, and multi-line text fields.

After you customize bulletin fields, the new field arrangement will appear in every new bulletin you create; customizing fields has no effect on your existing bulletins or on bulletins you download from the server.

Custom fields may be displayed in the Martus Search Engine so if your custom fields contain confidential information, make sure your bulletin is set to have all data private.

You can either create your own customization format, or use a template created previously (by you or one of your Headquarters accounts). See section “10c. Using Customization Templates” for directions on importing or exporting customization templates.

To create or update a customization format:

1. Choose Options > Customize Fields.
2. Read the informational dialog box. If you want to proceed, click Yes.
3. Rearrange, add, or remove field tags in the Customize Fields dialog box.

The layout of the fields in a bulletin is dictated by an XML document. The document must begin with `<CustomFields>` and end with `</CustomFields>`. When you open the Customize Fields dialog box, these tags are already in place. By default, the standard bulletin fields occur at the top of the Custom Field declaration, but you can move them if you wish. However, you cannot remove the 'author', 'entrydate', 'language', and 'title' fields.

  - To re-order fields, cut and paste them into the order you want them to appear.
  - To add a field, click an insertion point where you want the field to appear. Enter the type of field you want to use: BOOLEAN, DATE, DATERANGE, DROPDOWN, GRID, LANGUAGE, MESSAGE, MULTILINE, SECTION or STRING. Each field must have a unique tag, which can be any single word except those already used by the system, in any language, and cannot contain spaces, special characters, or punctuation. For example, you could use 'VictimsName' or 'EyeColorChoice'. Each field should be given a label, which is what will appear next to the field in the bulletin; it can contain any characters in any language except certain special characters (e.g., `<` and `>` which are used by the system). For example, you might use 'Name of 1st Witness.' See the examples below.
  - To remove a field, delete the field definition text (type, tag, label) for the field you want to remove. You cannot remove certain required fields, including the author, title, language, and entry date.
  - You can create sections (which you can hide/unhide) in your bulletins using a SECTION field type. Sections can include as many individual fields as you like.
  - You can put multiple fields on a single row in your bulletin by using `<KeepWithPrevious/>` in the field definition.
  - You can require certain fields or grid columns to be entered before saving a bulletin by using `<RequiredField/>` in the field definition.
  - You can restrict date fields, date grid columns, date range fields, and date range grid columns by using `<MinimumDate>` and/or `<MaximumDate>` tags with a date in YYYY-MM-DD format. A blank date (shown as `<MaximumDate></MaximumDate>` or `<MaximumDate/>`) means 'today', although it may allow one day earlier or later, due to time zone issues. Please note that you can require date validation of standard fields as well as custom fields. Date field Year dropdown choices will reflect the hard-coded date ranges specified in the customization. **Note:** The year format in the customization must always be a 'Gregorian' year like 2009, even if Martus is configured to use Thai or Persian dates.
  - You can populate drop-down lists (either inside or outside of a grid) in 3 ways - 1) by entering a list of `<Choices>` values in the field definition, 2) with values that have been entered in a grid elsewhere in your bulletin by using `<DataSource>` (sometimes called “data-driven dropdowns”), and 3) by creating lists of "Reusable Choices" that can be referred to by more than one field. See examples below for the correct XML definition syntax to use. Please note that in this release, Martus will not include data-driven dropdown fields in the Search screen.
  - You can set a default value for text and dropdown list fields by using `<DefaultValue>ddd</DefaultValue>`, where “ddd” is the value you choose. For dropdowns, you must use a value already in the list of choices you defined. For Reusable Choices dropdowns it can be a partial or complete code, with each level separated by dots (for a location dropdown that has both State and City levels, you could pick the default to be at either level, e.g. either CA or CA.LA, see example below). Default values can be set for both standard and custom fields, but are NOT allowed for BOOLEAN, DATE, DATERANGE, GRID, LANGUAGE, MESSAGE, and SECTION field types, and are not allowed for dropdowns where the values in the list are based on data entered in another field (i.e. data-driven dropdowns).
4. Click OK.

**Keep the following in mind when you're customizing fields:**

- XML is case-sensitive. (For example, "Witness" is not the same as "witness.")
- You can use either single or double quotes around the field type name, as long as they match. (e.g. 'STRING' is not valid. It needs to be 'STRING' or "STRING")
- A BOOLEAN field will appear as a checkbox when you are editing a bulletin, and will be displayed as Yes/No in bulletin previews and when printed.
- Both STRING and MULTILINE fields are text fields. STRING fields will expand to fit the size of the text you enter, while MULTILINE fields have a scrollbar so that the field doesn't exceed its original height.
- Use MESSAGE fields to give guidance on how to enter data, and to create comments/notes that will be displayed in every bulletin.
- When you're entering data into a grid, press Enter to create a new line, press Tab to advance to the next cell, and double-click to copy and paste text.
- A GRID can contain columns of various types: BOOLEAN, DATE, DATERANGE, DROPDOWN, and STRING.
- You may need to provide guidance to other users by giving them a customization template. To minimize the need for further instruction, use labels that clearly identify the content (such as "Name of Victim"). For more information on exporting customization templates, see section "10c. Using Customization Templates."
- Please make sure to change your field tags if you change the field label or field type when you edit your customizations, because using the same tag for different labels can cause confusion when searching or reporting on those fields. The only case in which you can keep the same tag when changing a label is if you really want the different labels to be counted as exactly the same (e.g. you are just fixing typos in the labels).
- Please note that default values are only applied when a new bulletin is created, not when a new version of a bulletin is created, so that the value of the field in the previous version is not overwritten. This means that default values entered in a bulletin using an earlier customization will be kept even if you create a new version of the bulletin with an updated customization that has a new default value.
- Dropdowns using a "Reusable Choices" list can have multiple levels (e.g. for locations that might have State and City), different fields can use one or more of the levels (e.g. if you have defined State and City levels, you could have a field that just uses the State level, and another field that uses both levels), and you do not need to define all levels for all entries (e.g. you could have defined Neighborhood values as a lower level for some larger Cities, but not all Cities need to have Neighborhoods defined). The number of levels is not limited by Martus, but please note that if you have large amounts of data in your definitions lists, or a large number of levels, performance of certain Martus bulletin operations may be affected.
- In this release, we recommend that if you want to change the number of levels in a "Reusable Choices" dropdown field when updating a customization, you also change the field tag and/or label so that they are more easily distinguished from each other in searching and reporting. If you do not, the search/report results may be confusing since fields with the same label/tag will be treated differently due to them having a different number of levels.
- "Reusable Choices" codes have the same restrictions that field tags do; they can be in any language, but cannot contain spaces, special characters, or punctuation.
- Please make sure to not use the same codes in "Reusable Choices" lists if you edit your customizations unless you are just fixing typos in the labels, because using the same code for different labels can cause confusion when searching or reporting on those fields. Ideally you should use codes that are not numeric, but are letters that are a meaningful abbreviation of the label so there is no confusion over what they stand for if you update the customization at a later date (e.g. use 2 or 3 letter abbreviations for locations instead of numbers). See section "11. Frequently Asked Questions" (FAQ), #46 for more information about how code and label choices can affect searching on these fields.
- You cannot use a multiple level / "Reusable Choices" dropdown as a data source for another dropdown inside or outside of grids. If you try to do this you will see an error message.
- Please note that when you save customization XML with a "Reusable Choices" list for dropdown fields, Martus will move those choice definitions to the bottom of the XML when you reload it.

Here are some examples; these fields would look like the ones in the figure that follows:

```
<Field type='SECTION'>
<Tag>SourceSection</Tag>
<Label>Source Section</Label>
</Field>
```

```
<Field type='STRING'>
<Tag>office</Tag>
<Label>Regional office collecting the data</Label>
<DefaultValue>California field office</DefaultValue>
</Field>
```

```
<Field type='DROPDOWN'>
<Tag>BulletinSource</Tag>
<Label>Source of bulletin information</Label>
<RequiredField/>
<Choices>
  <Choice>Media/Press</Choice>
  <Choice>Legal Report</Choice>
  <Choice>Personal Interview</Choice>
  <Choice>Other</Choice>
</Choices>
<DefaultValue>Media/Press</DefaultValue>
</Field>
```

```
<Field type='STRING'>
<Tag>SpecifyOther</Tag>
<Label>If Source = "Other", please specify</Label>
</Field>
```

```
<Field type='STRING'>
<Tag>IntervieweeName</Tag>
<Label>Interviewee Name</Label>
</Field>
```

```
<Field type='LANGUAGE'>
<Tag>IntervieweeLanguage</Tag>
<Label>Interviewee Speaks</Label>
</Field>
```

```
<Field type='DATERANGE'>
<Tag>InterviewDates</Tag>
<Label>Date(s) of interview(s)</Label>
</Field>
```

```
<Field type='BOOLEAN'>
<Tag>Anonymous</Tag>
<Label>Does interviewee wish to remain anonymous?</Label>
</Field>
```

```
<Field type='BOOLEAN'>
<Tag>AdditionalInfo</Tag>
<Label>Is interviewee willing to give additional information if needed?</Label>
<KeepWithPrevious/>
</Field>
```

```

<Field type='BOOLEAN'>
<Tag>Testify</Tag>
<Label>Is interviewee willing to testify?</Label>
<KeepWithPrevious/>
</Field>

```

```

<Field type='DROPDOWN'>
<Tag>EventLocation</Tag>
<Label>Event Location</Label>
  <UseReusableChoices code='StateChoices'></UseReusableChoices>
  <UseReusableChoices code='CityChoices'></UseReusableChoices>
  <DefaultValue>CA</DefaultValue>
</Field>

```

```

<Field type='SECTION'>
<Tag>PeopleSection</Tag>
<Label>People Section</Label>
</Field>

```

```

<Field type='GRID'>
<Tag>VictimInformationGrid</Tag>
<Label>Victim Information</Label>
<GridSpecDetails>
  <Column type='STRING'><Tag></Tag><Label>First Name</Label></Column>
  <Column type='STRING'><Tag></Tag><Label>Last Name</Label></Column>
  <Column type='BOOLEAN'><Tag></Tag><Label>Is Identified?</Label></Column>
  <Column type='DATE'><Tag></Tag><Label>Date of Birth</Label>
    <MinimumDate>1910-01-01</MinimumDate><MaximumDate/></Column>
  <Column type='DROPDOWN'><Tag></Tag><Label>Sex</Label>
  <RequiredField/>
  <Choices>
    <Choice>Male</Choice>
    <Choice>Female</Choice>
    <Choice>Unknown</Choice>
  </Choices>
</Column>
  <Column type='DROPDOWN'><Tag></Tag><Label>State of Birth</Label>
    <UseReusableChoices code='StateChoices'></UseReusableChoices></Column>
  <Column type='STRING'><Tag></Tag><Label>Ethnicity</Label></Column>
</GridSpecDetails>
</Field>

```

```

<Field type='MESSAGE'>
<Tag>MessageProfession</Tag>
<Label>Profession History Table Note</Label>
<Message>If you have information about a person who has had different professions over time, enter
multiple rows with the same First and Last Names and show the date ranges for each profession on a
separate row.</Message>
</Field>

```

```

<Field type='GRID'>
<Tag>ProfessionHistoryGrid</Tag>
<Label>Profession History</Label>
<GridSpecDetails>
<Column type='DROPDOWN'><Tag></Tag><Label>First Name</Label>
<DataSource>
<GridFieldTag>VictimInformationGrid</GridFieldTag>
<GridColumnLabel>First Name</GridColumnLabel>
</DataSource>
</Column>
<Column type='DROPDOWN'><Tag></Tag><Label>Last Name</Label>
<DataSource>
<GridFieldTag>VictimInformationGrid</GridFieldTag>
<GridColumnLabel>Last Name</GridColumnLabel>
</DataSource>
</Column>
<Column type='STRING'><Tag></Tag><Label>Profession</Label></Column>
<Column type='DATERANGE'><Tag></Tag><Label>Dates of
Profession</Label><MaximumDate/></Column>
</GridSpecDetails>
</Field>

```

```

<Field type='MULTILINE'>
<Tag>narrative</Tag>
<Label>Narrative description of events</Label>
<DefaultValue>What happened in detail is as follows:</DefaultValue>
</Field>

```

```

<ReusableChoices code='StateChoices' label='State'>
<Choice code="" label='(Not Selected)'></Choice>
<Choice code='CA' label='California'></Choice>
<Choice code='NY' label='New York'></Choice>
<Choice code='TX' label='Texas'></Choice>
</ReusableChoices>

```

```

<ReusableChoices code='CityChoices' label='City'>
<Choice code="" label='(Not Selected)'></Choice>
<Choice code='CA.SF' label='San Francisco'></Choice>
<Choice code='CA.LA' label='Los Angeles'></Choice>
<Choice code='NY.NYC' label='New York City'></Choice>
<Choice code='NY.ALB' label='Albany'></Choice>
<Choice code='TX.DAL' label='Dallas'></Choice>
<Choice code='TX.AUS' label='Austin'></Choice>
</ReusableChoices>

```

**Source Section**

Source of bulletin information: Media/Press  
 Legal Report  
 Personal Interview  
 Other

If Source = "Other", please specify:

Interviewee Name:

Interviewee Speaks: English

Date(s) of interview(s): ☐ Exact Date ☒ Date Range  
Apr 11 2005 - Apr 14 2005

Does interviewee wish to remain anonymous? ☒ Is interviewee willing to give additional information if needed? ☒ Is interviewee willing to testify? ☐

Event Location: California San Francisco

**People Section**

Victim Information

Row #	First Name	Last Name	Is Identified?	Date of Birth	Sex	State of Birth	Ethnicity
1	John	Smith	<input checked="" type="checkbox"/>	Sep 1 1975	Male	Texas	
2	anonymous	anonymous	<input type="checkbox"/>	? ? ?	Unknown	(Not Selected)	
3	Jane	Doe	<input type="checkbox"/>	? ? ?	Female	(Not Selected)	
4			<input type="checkbox"/>	? ? ?		(Not Selected)	
5			<input type="checkbox"/>	? ? ?	Unknown	(Not Selected)	

Show Expanded Delete Selected Row Insert Row

Profession History Table Note: If you have information about a person who has had different professions over time, enter multiple rows with the same First and Last Names and show the date ranges for each profession on a separate row.

Profession History

Row #	First Name	Last Name	Profession	Dates of Profession
1	John	Smith	teacher	1 Sep 1997 - 1 Jun 2000
2	John		union leader	7 Jul 2000 - 15 Feb 2004
3		Smith		? ? ? Unknown - ? ? ? Unknown
4		anonymous		? ? ? Unknown - ? ? ? Unknown
5		Doe		? ? ? Unknown - ? ? ? Unknown

Show Expanded Delete Selected Row Insert Row

Narrative description of events: What happened in detail is as follows:

**Note:** If you receive an error after you click OK, you must correct the problem before you can proceed. The error message should identify the problem, but if you are not sure what caused the error check the following:

- Ensure that the author, language, entrydate, and title fields are present.
- Remove any labels you created for standard field tags.
- Remove any tags that are repeated.
- Ensure that each custom field you created has a corresponding label.
- Make sure that all text in brackets and quotes has both a start and end bracket/quote.
- Ensure that the top and bottom panes in the customization screen both start with <CustomFields> and end with </CustomFields>.

**Note:** You can update your customization if the information you are collecting over time changes, for example by adding new fields. If you are changing fields in a customization, you should think about how you will want to search/report on bulletins created with the old customization as well as new bulletins you create with the new customization, and try to make the changes so that you can search/report on all bulletins at the same time. Changing field types may cause your searching/reporting to be more complex, so we always recommend that you test out creating bulletins with a new customization and searching/reporting on both old and new bulletins before officially updating the customization for your project. For more details on this, see section “11. Frequently Asked Questions” (FAQ) #36.

To restore the default/standard bulletin fields:

1. Choose Options > Customize Fields.
2. Click OK in the informational dialog box.
3. Click Restore Defaults.
4. Click Yes to verify that you want to restore the default fields.
5. Click OK to close the Customize Fields dialog box.

## 10c. Using Customization Templates

Martus provides the ability for a Headquarters account to export customization templates to give to field users, or users to export their own templates. Users can then import customization settings from a choice of templates. This allows users to use different custom bulletin formats for different types of data sets.

**Note:** Customization templates exported by a Martus account may only be used by that account, or shared with field accounts that have the exporting account configured as a Headquarters account.

### Instructions for exporting customization templates

1. Choose Options > Customize Fields.
2. Click OK in the informational dialog box.
3. Enter the XML representation for the layout of the template (see “10b. Customizing bulletin fields” for more information).
4. Click Export Template.
5. Enter a name for the template file. Martus saves the file with a .mct (Martus Customization Template) extension in your account directory in the Martus folder on your hard drive, and confirms that it has been saved. You can also save the file to another location if desired.

**Note:** If you are using multiple templates, we recommend choosing descriptive filenames for each template.


6. If you want to share the customization template with field users who have you configured as a Headquarters account, give them your .mct file.

### Instructions for field users who want to access (import) customization templates

1. Choose Options > Customize Fields.
2. Click OK in the informational dialog box.
3. Click Import Template.



4. Select the file exported by you or your Headquarters account.



**Note:** If you try to import a template created by an account that is not one of your Headquarters accounts (or your current account), Martus will not allow you to load the template.

5. Click OK in the confirmation dialog box.
6. After you import a customization template, the new field format will appear in every new bulletin you create. See “10b. Customizing bulletin fields” for information on restoring the default/standard Martus field format.

## 10d. Customizing your bulletin display

There are various alternate display options for bulletins (see examples in screenshot below):

- To hide fields to save space (e.g. for long text fields, or Message fields) while editing or viewing a bulletin: click on the + button next to the field label. To unhide the field again to see its contents, click on the – button next to the field label. Martus will display all bulletins with matching fields the same way, until you exit Martus.
- To hide entire sections while editing or viewing a bulletin: click on the + button next to the section label. To unhide the section again to see its contents, click on the – button next to the section label. Martus will display all bulletins with matching sections the same way, until you exit Martus.
- You can choose whether to display or edit Grid fields in the standard table view, or “expanded view” (useful if you have very wide columns or a large number of columns, that would cause you to have to scroll back and forth in the regular Grid view.) You can add “rows” to the bottom of your grid in expanded view by hitting the “Append Row” button. Martus will display all bulletins with matching grid fields the same way, until you exit Martus.

The screenshot displays the Martus interface with the 'People Section' expanded. At the top, there are three collapsed sections: 'Details', 'Source Section', and 'People Section'. The 'People Section' is expanded, revealing a 'Victim Information' sub-section. A 'Show as Grid' button is located at the top of the expanded section. Below this, three rows of data are displayed. Each row contains fields for First Name, Last Name, Is Identified?, Date of Birth, Sex, and Ethnicity. Row #1 shows 'John Smith' with a birth date of 8 May 1975 and is identified. Row #2 shows 'anonymous' with an unknown birth date and is not identified. Row #3 shows 'Jane Doe' with an unknown birth date and is not identified. An 'Append Row' button is at the bottom of the grid. At the very bottom of the interface, there is a collapsed 'Profession History Table' section.

Row #	First Name	Last Name	Is Identified?	Date of Birth	Sex	Ethnicity
Row #1	John	Smith	<input checked="" type="checkbox"/>	8 May 1975	Male	
Row #2	anonymous	anonymous	<input type="checkbox"/>	? ? Unknown		
Row #3	Jane	Doe	<input type="checkbox"/>	? ? Unknown		

**Note:** If you have a lot of your bulletin data in grids, and especially if you have a lot of bulletins, doing data entry and viewing/displaying the bulletin grids in expanded view (instead of grid/table view) can make Martus perform more slowly. If you are noticing slowness, try setting any grids in expanded view back to grid view.

## 11. Frequently Asked Questions

### 1. I've saved a bulletin, but the word "Yes" hasn't appeared in the Sent column.

Ensure you have an active Internet connection, and that you've set up a server. Bulletins are not listed as sent until they have been successfully sent to the server. Bulletins may also take up to an hour to send if you are sending a large attachment, or if the connection is slow. While Martus is sending the bulletin, it displays a progress meter in the status bar at the bottom of the screen. Additionally, when you connect to a server, there may be a delay before the Sent column is populated.

### 2. Martus won't accept my password.

Make sure you're entering the correct user name and password, especially if you changed the password recently. Your user name and password are case-sensitive. Make sure you're entering capital letters, as well as spaces and punctuation, exactly as you entered them when you created the username and password. Each time you enter an incorrect username or password, the system delays for a longer period before displaying the Martus Signin dialog box again. Since Martus does not store your password anywhere, and it uses strong encryption, there is no way to get access to your account without your username and password unless you have performed a multi-file key backup (see "9b. Backing up your key" for more information).

### 3. I want to use Martus on a co-worker's computer, but it won't accept my username/password.

You can access Martus only on a computer that contains your key file. Your username and password activate your key, which may not be present on your co-worker's computer. Using Martus 1.5 and later, there can be multiple accounts on a single computer, but your key must be available on that computer for you to access it. To access your account on your co-worker's computer, click the Restore Account tab in the Martus Signin dialog box, and then use your backup key file to create the account. And, though you can install your key on more than one computer at a time, remember that you need to update each key if you change your password, and that your data is only as secure as the least secure computer on which you have your account.

### 4. The bulletins in my account on a co-worker's computer do not match those on my computer.

If you have set up your account on multiple computers, you can't access your draft or sealed bulletins from a different computer unless they were saved to the server and retrieved to the current computer. If you overwrite a draft on the server from one computer, the version on the server will not match the version on the other computer because the server saves the last version of the draft. To retrieve the most recent draft from the backup server, you will need to delete any older drafts from your computer. If you want to keep a backup copy of the older draft, you can drag the bulletin to your desktop before deleting it. If you delete a draft from one computer and from the server, it will still be on the other computer. On that other computer, if you modify the draft, it will re-send it to the server, but if you never modify the draft, it will never get re-sent.

### 5. There are multiple Martus accounts on my computer. How can I tell which account folder is mine?

Log in to Martus using your username and password. Then choose Help > View My Account Details. The folder Martus uses to store the information for your account is listed below your public code. The first user's account is in the Martus folder; additional accounts are in subfolders in the Martus folder.

### 6. I've saved a sealed bulletin, but I need to make a few changes to it.

Once you've sealed a bulletin—whether or not you've sent it to the server, neither you nor anyone else can ever edit the original bulletin again. However, if you have information to add to a sealed bulletin, or need to make an important correction, you can create a new version of the bulletin (see "5c. Creating a new version of a sealed bulletin") and send it to a server. Both the original version and the new version will then be available on your computer and the server.

### 7. When I try to retrieve bulletins from the server, the ones I want are not listed.

By default, the Retrieve Bulletins dialog box does not list bulletins that are already present on your computer, because you cannot download those bulletins. To see all your bulletins on the server, whether they're on your computer or not, check "Show all bulletins on this server and on this computer." You may also want to search the bulletins on your computer; it's possible that the bulletin you're looking for hasn't been sent to the server.

## **8. How can I open an attachment?**

If you are using Windows, you can view an attachment without saving it to your hard drive: click View Attachment. The application associated with the attachment's file type opens the attachment. (You can change the file type's association in Windows Explorer.)

If you are using Mac OS or Linux, or if you want to save the attachment to your hard drive, click Save Attachment. Save the file to any location on your computer, and then open the file in an application that can read the file's format. For example, if a .doc file is attached, open the file in Microsoft Word. If a .pdf file is attached, open the file in Adobe Acrobat Reader.

## **9. I deleted a bulletin from the Discarded Bulletins folder, but it still appears in another folder.**

Discard the bulletin from all folders before you delete it from the Discarded Bulletins folder.

## **10. Can I back up my Martus data onto a floppy disk or tape drive?**

Yes, if you have a backup device large enough to hold all your data. Copy the entire Martus folder onto your backup media. This folder contains the Martus application, the Java runtime environment, encrypted key files, configuration data, and bulletins for all Martus accounts on the computer. For a minimal backup, copy only the MartusKeyPair.dat file and the Packets and Accounts folders from your account directory.

## **11. Why are there more languages available when creating bulletins than in the Signin screen or Options dialog box?**

The Options dialog box lets you choose a language for the Martus software user interface. Martus has been translated into several languages. Visit <http://www.martus.org> to see which languages are currently available, including any language packs that have been added since the latest Martus release. If you are interested in translating Martus into another language, please contact us at [info@martus.org](mailto:info@martus.org).

As you noticed, there are several languages available in the Language drop-down list when you create a bulletin. That option specifies the language you use to enter the data into your bulletin. You do not need to type the bulletin in the same language used in your user interface.

## **12. Why does Martus seem so slow when I'm doing some tasks?**

In previous versions of the application, we focused on adding features and security. In this version, we have added some performance improvement for very large accounts (with over 1000 bulletins.) We will continue to work on performance improvements in future versions.

Some suggestions for dealing with slow performance are below:

- a) Martus will manipulate bulletins (e.g., sorting, copying/pasting) more efficiently if they are not all in one folder. Consider using separate folders for bulletins from different weeks, by different authors, or related to different topics. Additionally, select a folder with few bulletins before exiting Martus. When you start Martus, it opens the last folder you viewed; if there are fewer bulletins in that folder, Martus will start more quickly.
- b) If you have a lot of your bulletin data in grids, and especially if you have a lot of bulletins, doing data entry and viewing/displaying the bulletin grids in expanded view (instead of grid/table view) can make Martus perform more slowly. If you are noticing slowness, try setting any grids in expanded view back to grid view.
- c) Martus may also seem slow (especially when retrieving bulletins, or performing other complex tasks) if your computer doesn't have enough memory allocated to Martus. If memory is the issue, the console log (see section "11. Frequently Asked Questions" (FAQ) #17) typically returns the error "Out of Memory." To resolve memory issues in Windows, change the command line in the desktop shortcut (right-click, and choose Properties) to the following:

```
C:\Martus\bin\java.exe -Xms256m -Xmx256m -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar
```

This will allow Martus to get more memory, and will also turn on logging so that if there is a problem we can tell what it might be. The values of the memory switches (256) are defaults. The best value is dependent on your computer's setup, so you may be able to optimize this setting. For a more specific

recommendation, send information about your computer (how much memory or RAM is installed, how much swap or page file space is available, etc.) to [help@martus.org](mailto:help@martus.org). In Windows, you can find this information by choosing Start > Programs > Accessories > System Tools > System Information. If the pagefile is small, you may want to try to increase it.

- d) There is an additional way to speed up Martus loading and navigation when an account has a large number of bulletins. You can tell Martus not to sort the bulletins in your folders in Martus when you initially load them (since sorting can take time with a lot of bulletins.) You can always click on a column header in the bulletin preview list to sort the folder if desired, but including this option will save time on startup and on entering new folders in Martus. To set Martus to run with this option, change the command line in the desktop shortcut (right-click, and choose Properties) to the following:

```
C:\Martus\bin\java.exe -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar --folders-unsorted
```

**Note:** You can combine the memory and unsorted folders options in b) and c) above for even faster loading if desired. If you want to do this, the Martus command in your Desktop Shortcut would look like this:

```
C:\Martus\bin\java.exe -Xms256m -Xmx256m -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar --folders-unsorted
```

### **13. I don't have a Martus shortcut on my desktop or in my Start menu. How can I start Martus?**

Martus always installs a shortcut in your Martus directory, which you can use to start Martus. Or, use one of the following methods, depending on your operating system:

In Windows, open a DOS prompt, change to the Martus directory, and type

```
C:\Martus\bin\javaw.exe -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar
```

to start Martus.

In Mac OS, go to the /Library/Java/Martus folder, and start Martus from the command line by typing:

```
Java -Xbootclasspath/p:/Library/Java/Extensions/bc-jce.jar -jar martus.jar
```

In Linux, start Martus from the command-shell line, by typing

```
java -Xbootclasspath/p:<path-to-Java-Install-executable-libraries>/bc-jce.jar -jar <martus directory>/martus.jar
```

For example:

```
$ /opt/j2re1.4.2/bin/java -Xbootclasspath/p:/opt/j2re1.4.2/lib/ext/bc-jce.jar -jar ~/.Martus/martus.jar
```

### **14. The Martus Welcome dialog box is slow to appear.**

Depending on your computer system, there may be a delay of several seconds between the time you double-click the Martus icon and the time the Martus logo splash screen and Welcome dialog box appear. Exactly how long it takes depends on the speed of your computer.

### **15. Can I customize my screen by changing the colors or saving changes to the screen layout?**

In this version of Martus, you cannot save all changes to the screen layout though Martus does remember certain settings on a particular computer (such as bulletin preview list column sorting). However, if you're using Windows or Mac, Martus uses your system colors. If you select a different color scheme for your operating system, it will affect Martus, too. To change the system colors in Windows, right-click your Windows desktop, choose Properties, and select the Appearance tab. Then select the color scheme you want to use.

You can customize the fields in bulletins you create, as well. See "10b. Customizing bulletin fields" for more information.

### **16. When I start Martus, the screens are all gray with no text visible.**

This may indicate a problem with your video driver. Try installing an updated video driver, which may be available from the manufacturer's website. If you can not get access to an updated driver or you still see this problem, try setting Martus properties to use 256 color (instead of 16 or 32 bit color) in Windows XP, or using 256 color under Control Panel Display Settings for Windows operating systems older than

Windows XP. Alternatively, you may be able to fix the problem by reducing the graphics acceleration setting in your video driver. For additional assistance, email [help@martus.org](mailto:help@martus.org).

### **17. I'm seeing unexpected behavior in Martus. How can I find out what's going on?**

In Windows, instead of starting Martus by double-clicking the Martus icon on your desktop, choose Run from the Start menu and type the following text to launch Martus:

```
C:\Martus\bin\java.exe -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar
```

This will open a "console log" that displays additional information as Martus runs. This information is helpful to us in diagnosing problems. If you would like to always run with the console log, right-click on the Martus icon on your desktop, select Properties, select the Shortcut tab, delete the "w" from "javaw.exe" in the Target command line, and click OK. Note the console log messages you receive as you work in Martus, and e-mail those to [help@martus.org](mailto:help@martus.org). To copy and paste the console messages into an email, please do the following:

- Right-click in the blue window title at the top of the console log window. From the menu which appears, select "Edit." (The "Edit" option is listed just below "Close" in the menu, so be careful not to accidentally close the console log window which will also cause Martus to exit.)
- From the subsequent menu, choose "Select all" - this will highlight all of the console log text in white.
- Then, hit "Enter" on the keyboard. This will copy the console log contents to the 'clipboard' of your computer.
- Paste this, using Ctrl-V or right-clicking and choosing "Paste", either directly into an email or into a file using a text editor that you attach to an email to [help@martus.org](mailto:help@martus.org).

In Mac, open a Terminal application window, go to the /Library/Java/Martus folder, and start Martus from the command line by typing: `Java -Xbootclasspath/p:/Library/Java/Extensions/bc-jce.jar -jar martus.jar` Then note the error messages you receive as you work in Martus, and e-mail those to [help@martus.org](mailto:help@martus.org). To copy and paste the messages into an email please do the following:

- Use the mouse to highlight all the text in the Terminal window.
- Either right-click and select "Copy", hit Command+C (also known as Apple key+C) or go to the Terminal menu bar and select Edit > Copy
- Paste this, either by right-clicking and choosing "Paste", hit Command+V (also known as Apple key+V) or go to the Terminal menu bar and select Edit > Paste. You can paste either directly into an email or into a file using a text editor that you attach to an email to [help@martus.org](mailto:help@martus.org).

In Linux, start Martus from the command-shell line, by typing

```
java -Xbootclasspath/p:<path-to-Java-Install-executable-libraries>/bc-jce.jar -jar <martus directory>/martus.jar
```

For example:

```
$ /opt/j2re1.4.2/bin/java -Xbootclasspath/p:/opt/j2re1.4.2/lib/ext/bc-jce.jar -jar ~/.Martus/martus.jar
```

Then note the error messages you receive as you work in Martus, and e-mail those to [help@martus.org](mailto:help@martus.org).

If the log doesn't help us identify the problem, the issue may be caused by damaged fonts. Damaged fonts may prevent Martus from starting. To determine whether a damaged font is causing the problem, run Martus with the console log (see above), and check to see whether the word "font" appears in the console messages at all. If so, it is likely that damaged fonts are causing the problem. To fix this problem in Windows, copy all of the contents of C:\Windows\Fonts to a temporary location, then delete all of the contents from C:\Windows\Fonts. Then, copy all of the contents back into that folder from the temporary location. This process will reinstall all of the fonts and, in the process, detect any corrupt/damaged fonts. Once the damaged fonts have been identified, manually delete them from C:\Windows\Fonts.

For additional assistance, email [help@martus.org](mailto:help@martus.org)

### **18. Is there any limit to the size of bulletins or attachments I can send to the server, or to the number of bulletins I can store there?**

No, currently there are no limits for the amount of data, the number of bulletins, or the size of attachments you can send to a Martus Server. However, it's possible that there may be limits on certain servers in the future.

### **19. Can I share my private data with a colleague?**

Yes, you can share private data using a Headquarters account. Any account can serve as a Headquarters account, and two accounts can serve as Headquarters accounts for each other if they want to access each

other's data. To set up a Headquarters account, follow the instructions in "9f. Sharing your private data with colleagues"

## **20. Can I get the Martus User Guide in a different language?**

Yes. In fact, you probably already have multiple versions on your computer. When you install Martus, all the language versions of the user guide and quick start guide that are currently available are installed in your Martus\Docs directory. They are also available at <http://www.martus.org/downloads>, and you can visit this site to see whether new language versions are available. Additionally, there may be language packs available at that same page on Martus web site. A language pack can contain updated versions of the Martus Client user interface translation, the User Guide, the Quick Start Guide, the Readme file, and in-program help in a particular language.

## **21. I can't see all the text in drop-down lists in the Arabic version of Martus. How can I fix this?**

When you run the Arabic version of Martus in Windows XP, text in drop-down lists may not align correctly. To see the text as expected, set Windows to display user interface elements in "Windows classic style." From the Start menu, choose Settings > Control Panel. Then, double-click Display. In the Display Properties dialog box, click the Appearance tab, and choose Windows Classic Style from the Windows And Buttons menu.

## **22. How can I make accents appear correctly when I open a Martus bulletin or report in another application?**

Web browsers or word-processing applications may not display accents correctly in bulletins or report files that you save from Martus. To ensure that accents appear, specify UTF-8 (Unicode) font/character encoding. If you do not know how to do this in the application, please email [help@martus.org](mailto:help@martus.org) for assistance.

## **23. I'm having problems connecting to the server. What should I do?**

If Martus reports that the server isn't available or that you can't connect, first try to "ping" the server (which tells you what your connectivity is like to this server). To ping the server, open a command prompt window in Windows (or a Terminal window in Mac) and type  
ping server-ip-address  
(where server-ip-address is the same address you entered when you set up the server), and then press Return.

Then, try to "tracert" the server (which will tell you what the route is between your computer and the server.) To tracert the server, in the command prompt window in Windows (or the Terminal window in Mac), type  
tracert server-ip-address  
and then press Return.

Email the results of the ping and the tracert that appear on your computer to [help@martus.org](mailto:help@martus.org) and [serverinfo@martus.org](mailto:serverinfo@martus.org). Be sure to mention that you can't connect to the server through Martus and tell us the date and time of day that you tried (please also include your timezone.) We'll determine the nature of the problem and work with the server administrator to resolve it.

## **24. I see boxes instead of text in the menus when I run the Nepali version of Martus. How can I fix this?**

To run Martus in Nepali for version 2.7.2 and earlier in Windows, you must make a minor modification to the command used to start Martus (from the command prompt, and in any desktop/Start Menu shortcuts or aliases that were created when you installed).

To run from the command line, go to your Martus directory and type:  
C:\Martus\bin\javaw.exe -Dswing.useSystemFontSettings=false -jar C:\Martus\martus.jar

To change your shortcuts, right-click on them, choose Properties, and change the Target command to:  
C:\Martus\bin\javaw.exe -Dswing.useSystemFontSettings=false -jar C:\Martus\martus.jar

For Martus 2.8 and later, this modification is done automatically, so if you are having issues with the display, email [help@martus.org](mailto:help@martus.org).



**25. I want to upgrade to a new version of Martus. Do I need to remove the old version first?**

No. You can install Martus over an existing version of the software. The installer will notify you that an older version exists. Click Yes to upgrade Martus without losing any of your data, including bulletins, account information, server configurations, or passwords. For more information, see "2c. Upgrading to a new version of Martus (Windows only)"

**26. Martus runs slowly on my laptop unless it's plugged in.**

Some laptop computers or their graphics cards have settings intended to preserve the battery life when the laptop is not plugged in, and those settings may not provide enough power for Martus to work as expected. See the documentation for your laptop and graphics cards for information about changing settings. For additional assistance, email [help@martus.org](mailto:help@martus.org).

**27. When I back up my key using USB drives, Martus doesn't recognize them as different disks.**

**What's going on?**

When you first insert a USB ("thumb drive"), the operating system assigns it a drive letter; each drive is assigned a different drive letter. However, Martus expects to find each USB in the same drive. Before backing up your keypair to USB drives, reassign the drive letter for each drive so that they are all the same. To reassign the drive letter in Windows:

1. Insert the new USB in the USB port/disk.
2. Choose Start > Settings > Control Panel
3. Double-click Administrative Tools, and then Computer Management.
4. Click Disk Management.
5. Right-click the USB drive, and choose Change Drive Letter And Paths.
6. Select the drive letter you want to assign.

For assistance with this in Mac OS or Linux, please email [help@martus.org](mailto:help@martus.org).

**28. I'm having problems getting Martus to run on a Mac.**

The problem may be occurring because until Martus 3.1, the software was not compatible with Java 1.5 (sometimes called Java 5) which is automatically installed on some newer Macs. To check which version of Java you are running, open a Terminal window and type:

```
java -version
```

If you are running Martus 3.0 or earlier and see Java version 1.5, you should download Java Runtime Environment (JRE) version 1.4.2 (preferably 1.4.2\_12) from <http://www.apple.com/downloads/macosx/apple>. You can then tell Martus to use the 1.4.2 version of Java by using the following command when you run Martus:

```
<path-to-Java-v1.4.2-Install-executable-libraries>/Commands/java  
-Xbootclasspath/p:/Library/Java/Extensions/bc-jce.jar -jar martus.jar  
(all on one line with a space after /java )
```

For example:

```
/System/Library/Frameworks/JavaVM.framework/Versions/1.4.2/Commands/java  
-Xbootclasspath/p:/Library/Java/Extensions/bc-jce.jar -jar martus.jar
```

For assistance running Martus on a Mac, please email [help@martus.org](mailto:help@martus.org).

**29. I keep losing my Headquarters configurations. What's going on?**

In Martus 3.1 and earlier, if a customization template was greater than 64k in size, the configuration file in Martus would occasionally become damaged. This would cause Martus to lose configuration data, including Headquarters configurations. In Martus 3.2 we have removed the 64K size restriction for customizations, and you should no longer experience this problem. If you are still experiencing the loss of your Headquarters configurations, please email [help@martus.org](mailto:help@martus.org) with a detailed explanation of what tasks you were performing within Martus at the time, along with any messages that are in the Martus console log (See section "11. Frequently Asked Questions" (FAQ) #17 for instructions on how to run Martus with the console log.)

**30. How do I run Martus on the Linux Ubuntu 6.10 platform?**

To run Martus on Ubuntu:

1. Download Martus 3.2 for Linux in a single compressed (zip) file from [www.martus.org](http://www.martus.org).
2. Follow the installation instructions for Martus on a Linux platform (see "2a. Installing")
3. Start the Terminal application (Applications/ Accessories/Terminal). Type the following:



```
$ cd Desktop
$ unzip MartusClient-3.2.zip
$ cd MartusClient-3.2
$ sudo cp LibExt/* /usr/lib/j2se/1.4/jre/lib/ext/.
$ cp -R Martus /usr/share/java
$ cd ~
```

#### 4. Create a Martus start script

```
$ sudo echo "java -Xbootclasspath/p:/usr/lib/j2se/1.4/jre/lib/ext/bc-
jce.jar -jar /usr/share/java/Martus/martus.jar" > /usr/local/bin/martus $ sudo chmod +x /usr/local/bin/martus
```

5. With the startup script installed in /usr/local/bin, you can start Martus simply by typing “martus” in a terminal window.

```
$ martus
```

This should successfully run Martus on the Ubuntu platform. For further assistance, please email [help@martus.org](mailto:help@martus.org).

#### **31. I created a Martus account solely for the purpose of testing and training and will not be creating bulletins with real data using this account. How do I let server administrators know about it?**

Go to Help > View My Account Details. Martus will bring up a screen displaying various account information, including a twenty-digit public code composed of 5 4-digit numbers. Please send this public code information to [help@martus.org](mailto:help@martus.org), letting us know that it is a test account.

#### **32. I'm running Martus with the console log, but it seems to have stalled. What's going on?**

In Windows, if you click within the console log (see section “11. Frequently Asked Questions” (FAQ) #17 for more information), it can cause Windows to suspend that process. When this happens, you will see the word "Select" at the beginning of the console Window Title, or title bar. To "unselect" the console, right-click in the body of the console – this should cause the "Select" message in the Window Title to disappear. To prevent this from happening in the future, right-click in the title bar of the console, select Properties, select the Options tab, and uncheck "Quick Edit Mode." When you hit OK, pick "Modify shortcut that started this window."

#### **33. I'm running Martus, but I can't find the Martus window. How can I find it?**

If you have other programs open, Martus may be hidden behind one of them. Hitting Alt+Tab will scroll through the icons of the various applications that are running, including Martus. Releasing the Alt and Tab keys when you are at the Martus icon will bring it up on the screen.

#### **34. I'm running Martus in Arabic, but the Arabic text in the column headers is displaying left justified. How can I fix this?**

When you run Martus in Arabic in Windows XP, text in column headers may not align correctly. Setting Windows to display user interface elements in "Windows classic style" will center the Arabic column headers. To center Arabic column headers, from the Start menu, choose Settings > Control Panel. Then, double-click Display. In the Display Properties dialog box, click the Appearance tab, and choose Windows Classic Style from the Windows And Buttons menu.

#### **35. Is there another way to get encrypted bulletin files out of Martus than dragging to the Desktop?**

Starting in version 3.4, there is a test version of import/export functionality for “Martus Bulletin Archive” (MBA or .mba) files. This feature has not been fully completed, but will be helpful for those users who are running Martus in Linux (where dragging bulletins does not usually work), or those who don't want to use the mouse to drag their bulletins to the desktop (or other location on their computer). Please note that a) if you import an exported .mba file into a folder where that bulletin already existed, you will not get a message saying that the import completed; b) once the bulletin is imported, the folder list does not automatically refresh, so you have to click on a different folder and then back to the import folder for the newly imported bulletin to appear; and c) when you save an exported Martus Bulletin Archive file, you have to manually add the “.mba” extension to the filename (while you can leave the file with no extension,

if you do not add the “.mba” to the filename, the import dialog will not automatically filter the files displayed in your folders when you go to find the file to import). To access this feature, you must add the “--alpha-tester” option to the end of your Martus command line. You can do this by right-clicking on the Martus desktop shortcut, choosing Properties, selecting the Shortcut tab, and adding the “--alpha-tester” (without quotes) at the end of the text in the Target box. Once you have changed your Martus command, you will be able to find the import/export MBA file functionality under the File menu, by picking the “<menu:ExportMBA>” and “<menu:ImportMBA>” options. Bulletins will automatically import to the folder you are in when you pick the option off the menu.

**36. I want to update my customization for a new version of some bulletins that already have data entered but am worried that changes might mess something up. What should I do to avoid any problems?**

When you change customizations, Martus will do its best to update the old formatted data to the new customization if you create a new version of a bulletin with the old customization. If you add completely new fields but don't change any of the old fields, the new version of the bulletin will have all the old fields filled in as they were in the previous version, and the new fields will be blank and you can fill them in. If you delete fields, the new version of the bulletin will not contain those fields, but you can go back to see the deleted fields in the previous version if it was a sealed bulletin instead of a draft (by hitting the Bulletin Details button in the Header section of the bulletin), and copy any info from the old version into a different field in the new one if desired.

You have to be very careful if you make changes to the customization definitions of old fields. If you keep the same tag and label, but change the type of field, Martus may be able to transfer the old data into the new field type, but not in all cases. For example,

- if you change field type from DROPDOWN to STRING, the data will be transferred over, but
- if you change from STRING to BOOLEAN, the data will be lost.
- If you change from a DATE to DATERANGE, your data will be transferred, but
- if you change from DATERANGE to DATE, you will lose the end date from your earlier data.

DROPDOWN and GRID fields are subject to additional rules regarding the modification of dropdown options/values and grid columns. If you

- add options/values to a dropdown list, the old data will be transferred over. But
- if you modify or delete an option/value, all bulletins for which that option was selected will lose that data.
- If you want to add columns to a grid, please make sure to do so at the end of the old grid definition and not in the middle, or the old data will not be transferred to the new version of the bulletin.

If you change fields and lose old data in the new version as a result, please note that you can go back to see the deleted data in the previous version if it was a sealed bulletin instead of a draft (by hitting the Bulletin Details button in the Header section of the bulletin), and copy any info from the old version into a different field in the new one if desired.

In this release, if you want to change the number of levels in a “Reusable Choices” dropdown field when updating a customization, you should also change the field tag and/or label so that they are more easily distinguished from each other in searching and reporting. If you do not, the search/report results may be confusing since fields with the same label/tag will be treated differently due to them having a different number of levels.

If you update the default value for a field, please note that the new default value will only be applied when a new bulletin is created, not when a new version of a bulletin is created, so that whatever the value of the field in the previous version was will remain the same and not be overwritten.

In general if you are making changes to your customization, please make sure to test the transferring of data using a test bulletin.

**37. It seems like one of the cells I entered in a grid wasn't saved. How could this happen?**

In versions earlier than Martus 3.5, when you're entering text data into a grid, please make sure to hit Tab (or Enter to create a new row) or select another cell in the grid after each cell you enter before saving the bulletin so that all the values you entered will be saved.

**38. If I open a bulletin attachment in Martus does it stay encrypted or could someone who gets hold of my computer read it somehow?**

When attachments are stored in Martus bulletins they are encrypted, so that nobody except you can read them. However, when you open an attachment in a Martus bulletin so that another program loads it (e.g. a document in Microsoft Word), your computer Operating System creates a temporary version of the file that is not encrypted, and that file is usually saved to your hard drive, in the standard Temp directory for your Operating System (e.g. "C:\Documents and Settings\your-user-name\Local Settings\Temp" in Windows XP) or "/tmp" for Mac and Linux. If you are concerned about anyone seeing these files, you should at least delete them and empty your Recycled Bin (this will remove them from view of most users, but sophisticated users could still find the content with some work), but best of all would be to use an electronic file "shredder" (E.g. <http://www.fileshredder.org/> for Windows) for any Martus files in the Temp directory. The Martus files in the temp directory will be given names based on the attachment name in Martus. For example, a file named Interview.doc in Martus might appear as something like Interview23424.doc in the Temp directory. This may not work for all Operating Systems, but if you cannot find the Temp directory, you can try opening the file in Martus, and then saving it with a different name so that you can see where the current version of the file is being stored.

**39. I want to change the number of minutes Martus waits before timing out for security – how can I do this?**

You can change the Martus time-out length when there is no activity to be however long you want, instead of always timing out at the default of 10 minutes. In addition to providing extra security if you are working in a public place or on a shared computer and want to shorten the timeout to only a few minutes, you can also improve the performance of long operations (such as retrieval of bulletins from the server) by setting the timeout to a longer amount of time if you are working in a secure location. Different time-out lengths are allowed by setting a parameter in the command line used to run Martus. The parameter is "--timeout-minutes=X" where X can be any number of minutes. For example, to set the timeout length for Martus running on your computer in Windows to always be 5 minutes for a higher level of security, change the command line in the desktop shortcut (right-click, and choose Properties) to the following:

```
C:\Martus\bin\java.exe -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar --timeout-minutes=5
```

For instructions on how to change the Martus command line for Mac or Linux, see section 2a of the User Guide or email [help@martus.org](mailto:help@martus.org).

**40. I want to use Martus in Burmese but the fonts don't seem to be displaying correctly. How can I get Burmese text to show up in Martus?**

Some additional steps are needed to have Burmese display correctly in Martus, The instructions for Windows are below, if you are using another operating system, please contact [help@martus.org](mailto:help@martus.org) for help. Please do the following

- a) If you don't already have it, download and install the "MyaZedi.ttf" file on your system. In Martus 3.5 or later, you can find MyaZedi.ttf in your Martus\lib\fonts directory. If you are using a version of Martus earlier than 3.5, you can search for MyaZedi.ttf online and download it. For Windows, copy MyaZedi.ttf into both C:\Windows\Fonts (can also be done through the Control Panel) and C:\Martus\lib\fonts (if using a version of Martus earlier than 3.5). Please note that Martus has been tested with this font, but other fonts may be possible as well (if you want to use another font, or are using a Mac, please contact [help@martus.org](mailto:help@martus.org) for help).
- b) You will then need a Burmese specific Java font support file to use in Martus called font.properties.burmese. In Martus 3.5 or later, this file will be in your Martus\lib directory. If you are using a version of Martus earlier than 3.5, you can contact [help@martus.org](mailto:help@martus.org) to get the file, and copy it to the Martus\lib directory.
  - i. Use the Windows explorer to open up the directory 'C:\Martus\lib' and rename "font.properties" to "font.properties.original".
  - ii. Create a copy of the "font.properties.burmese", and rename it to "font.properties"
- c) Depending on your setup, you may also need to do the following to get the Window titles to display correctly in Burmese
  - For Windows XP/7/Me
    - i) Right click on your desktop and choose properties
    - ii) Choose the Appearance Tab
    - iii) Click the Advanced button
    - iv) Under "Item" choose "Active Title Bar"

- v) Change the font to “MyaZedi.ttf”
- For Windows Vista
  - i) Right click on your desktop and choose personalize
  - ii) Choose the Window Color and Appearance Tab
  - iii) Click the Advanced button
  - iv) Under “Item” choose “Active Title Bar”
  - v) Change the font to “MyaZedi.ttf”
- For Windows 98/2000
  - i) Right click on your desktop and choose properties
  - ii) Choose the Appearance Tab
  - iii) Under “Item” choose “Active Title Bar”
  - iv) Change the font to “MyaZedi.ttf”

Start Martus as usual. Pick Burmese from the language dropdown on the signin screen in Martus. If you get a message saying that the translation is out of date with the current version of Martus, check to see if there is a Martus language pack (Martus-bur.mlp) available at <http://www.martus.org/downloads/#burmese>, and if there is, please download it and copy into your C:\Martus directory, and run Martus again.

While you cannot type Burmese text into Martus, you can copy/paste Burmese text into Martus fields.

#### **41. I want to run Martus in Khmer, but the fonts don’t seem to be displaying correctly. How can I get Khmer text to show up in Martus?**

In this version of Martus, Khmer fonts will not show up correctly with the version of Java that comes with the Martus install on Windows (Java4). However, you can run Martus with a newer version of Java (Java6 also sometimes called Java 1.6), and install a Khmer font file for Martus to use, and Khmer text will display correctly. Instructions to do this in Windows are as follows (if you are using Mac, please email [help@martus.org](mailto:help@martus.org)):

- a) Before starting Martus, download Java 6 (available here: <http://www.java.com/en/>) and direct the Martus software to use Java 6 instead of Java 4 by doing the following:
- b) Right-click on the Martus icon on your desktop, select Properties, and select the Shortcut tab. Replace what is in the Target command line with the below:

`"C:\Program Files\Java\jre6\bin\java.exe" -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar`  
or the equivalent based on where you installed Java6:

`"C:\where-you-installed-java\jre6\bin\java.exe" -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar`

- c) Make sure that Khmer fonts are installed so that Martus can access them. In Martus 3.5 or later, you can find a Khmer font file (KhmerOS.ttf which has been tested with Martus) in your Martus\lib\fonts directory. If you are using a version of Martus earlier than 3.5, you can search for KhmerOS.ttf online and download it.
- d) Copy KhmerOS.ttf (or your preferred font file) to the following locations:
  - C:\Windows\Fonts (can also be done through the Control Panel),
  - C:\Program Files\Java\jre6\lib\fonts\fallback (or equivalent based on where you installed Java6, C:\where-you-installed-java\jre6\lib\fonts\fallback). If the “fallback” directory does not exist, create it to put the font file in it.

When you start Martus, in the log in screen you will see a small language dropdown in the lower left-hand corner. This should now contain Khmer as an option. When you select it, Martus should begin displaying the Khmer translation. Please note that in the currently available Khmer translation of Martus some newer functionality will not be translated. Phrases which have been translated will display in Khmer. Phrases that have not been translated will display in English with brackets (i.e. <...>) around them. Translations that are in Khmer but not up-to-date with the current English Martus text will be marked with brackets around them as well, and if you see these in any screens you are using, we recommend switching to English so that you have the latest guidelines on how to use the software. This is especially important in help screens (e.g. customization, search) where new functionality may have been added and the old instructions may be misleading or incomplete.

If you notice that Khmer is not displaying correctly in the window title bars at the top of each screen, you should exit Martus, do the following steps, and then restart Martus.

- For Windows XP/7/ Me
  - i. Right click on your desktop and choose properties
  - ii. Choose the Appearance Tab
  - iii. Click the Advanced button
  - iv. Under “Item” choose “Active Title Bar”
  - v. Change the font to “KhmerOS.ttf”
- For Windows Vista
  - i. Right click on your desktop and choose personalize
  - ii. Choose the Window Color and Appearance Tab
  - iii. Click the Advanced button
  - iv. Under “Item” choose “Active Title Bar”
  - v. Change the font to “KhmerOS.ttf”
- For Windows 98/2000
  - i. Right click on your desktop and choose properties
  - ii. Choose the Appearance Tab
  - iii. Under “Item” choose “Active Title Bar”
  - iv. Change the font to “KhmerOS.ttf”

**42. I want to enter Bengali/Bangla text in Martus, but the fonts don’t seem to be displaying correctly. How can I get Bengali/Bangla text to show up in Martus?**

Some additional steps are needed to have Bengali/Bangla display correctly in Martus. The instructions for Windows are below, if you are using another operating system, please contact [help@martus.org](mailto:help@martus.org) for help. Please do the following:

- a) If you don't already have it, download and install the “Rupali.ttf” file on your system. In Martus 3.5 or later, you can find Rupali.ttf in your Martus\lib\fonts directory. If you are using a version of Martus earlier than 3.5, you can search for Rupali.ttf online and download it. For Windows, copy Rupali.ttf into both C:\Windows\Fonts (can also be done through the Control Panel) and C:\Martus\lib\fonts (if using a version of Martus earlier than 3.5). Please note that Martus has been tested with this font, but other fonts may be possible as well (if you want to use another font, or are using a Mac, please contact [help@martus.org](mailto:help@martus.org) for help).
- b) You will then need a Bengali/Bangla specific Java font support file to use in Martus called font.properties.bangla. In Martus 3.5 or later, this file will be in your Martus\lib directory. If you are using a version of Martus earlier than 3.5, you can contact [help@martus.org](mailto:help@martus.org) to get the file, and copy it to the Martus\lib directory.
  - i. Use the Windows explorer to open up the directory ‘C:\Martus\lib’ and rename “font.properties” to “font.properties.original”.
  - ii. Create a copy of the “font.properties.bangla” file and rename it to “font.properties”

Start Martus as usual. While there is not yet a Bengali/Bangla translation of Martus, you should now be able to type or copy/paste Bengali/Bangla text into Martus fields.

**43. When I choose to run Martus in my language I get a warning message that the translation is not up-to-date with the current release of Martus. What should I do?**

If there is a translation of an older version of Martus in your language that you can choose to use, it usually means that most of the Martus screens will be in your language, but some newer functionality will not be translated. The more recent the version number of your translation compared to the current version number of the Martus release, the more of the Martus screens will be up to date in your language. Translations that are in your language but not up-to-date with the current English Martus text will be marked with brackets (i.e. <...> ) around them, and if you see these in any screens you are using, we recommend switching to English so that you have the latest guidelines on how to use the software. This is especially important in help screens (e.g. customization, search) where new functionality may have been added and the old instructions may be misleading or incomplete.

**44. I want to run Martus using Java6, how can I do this?**

The current version of Martus comes with Java4. While Martus has not been fully tested with Java6, you can run Martus with Java6 (also sometimes called Java 1.6), if you need to (E.g. to display certain fonts, or to help if you are receiving import errors with very large files). Instructions to do this in Windows are as follows (if you are using Mac, please email [help@martus.org](mailto:help@martus.org)):

- a) Before starting Martus, download Java 6 (available here: <http://www.java.com/en/>) and direct the Martus software to use Java 6 instead of Java 4 by doing the following:

- b) Right-click on the Martus icon on your desktop, select Properties, and select the Shortcut tab. Replace what is in the Target command line with the below:

```
"C:\Program Files\Java\jre6\bin\java.exe" -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar
```

or equivalent based on where you installed Java6:

```
"C:\where-you-installed-java\jre6\bin\java.exe" -Xbootclasspath/p:C:\Martus\lib\ext\bc-jce.jar -jar C:\Martus\martus.jar
```

On Windows, you can tell that you are successfully running Martus using Java6 if you see large dots in the password fields instead of the asterisks you normally see when running Martus using Java4.

#### **45. Martus is finding either more or fewer bulletins than I expected. What could be causing this?**

There are several reasons that Martus might not be finding a bulletin that you expect, or may be finding bulletins that you didn't expect.

- a) By default, Martus searches all versions of every bulletin. If you do not see your search terms/dates in the final version of the bulletin displayed in the Search Results folder, your criteria may have been matched in an earlier version of the bulletin. You can access previous versions by clicking the "Bulletin Details..." button at the top of the bulletin. To search only the most recent versions of bulletins, select Only Search Most Recent Versions of Bulletins in the Search dialog box.
- b) By default, Martus searches all rows of any grid (table) fields for your criteria and doesn't require that the terms are all on the same row. If you want to specify that all grid column specifications in the Search screen be matched to a single row of bulletin grid data, check the "Match grid column specifications" checkbox in the Search screen.
- c) Because Martus searches all rows of any grid (table) fields for your criteria, it may find bulletins where one grid row matches your criteria but other rows do not. For example you could have a bulletin with a grid that has a location field in it and you have multiple rows of data in the grid with locations A, B, and C. If you search for bulletins where location != C (does not equal C), Martus will find that bulletin because there are 2 rows in the bulletin grid where the location is not C, even though there is one row where the locations IS C.

For more information about finding bulletins in Martus see section "6m. Searching for specific bulletins", and if you have questions, please email [info@martus.org](mailto:info@martus.org).

#### **46. I am seeing duplicate entries in my dropdown list search criteria values in the search screen. What could be causing this?**

If you pick a Reusable Choices dropdown field to search on, the values that are displayed as the criteria dropdown list options are the labels for each list entry, but the codes you defined determine how many entries there will be in the search dropdown list (see section "10b. Customizing bulletin fields" for more information about creating custom dropdown fields). So if you have different reusable choices codes with the same label in different bulletin customizations in your account, the labels will show up twice in search dropdown lists (i.e. if you used label1 for both code1 and code2, you will see 2 entries in the search dropdown that looks like "label1" and your search will be on bulletins that have that label, regardless of which code the customization had for the label). And if you have the same reusable choices code with different labels in different bulletin customizations in your account, the search dropdown list for that code will show both values separated by a semicolon (i.e. if you used code1 for both label1 and label2, you will see an entry in the search dropdown that looks like "label1; label2" and your search will be on bulletins that have either of those labels).

#### **47. I am seeing fields that look the same to me in Search and Report screen field lists. How can I tell what the difference is between them?**

If you have fields in different bulletins or from different customizations that are exactly the same, Martus will combine them in any Search and Report field lists. And while Martus warns you about duplicate labels where you are creating a new bulletin customization, it is possible that over time, you may have bulletins with different customizations that ended up with the same labels (e.g. maybe you changed a text field to a dropdown field but kept the same label). In these cases, Martus will try to help you figure out the difference between the fields by displaying what the field type and tag are in the field selection lists. Also, if you have fields with the same tag but different labels and/or field types, Martus may use the tag and field type to try and determine when different fields were meant to be the same. So we encourage you to make your field tags and labels in a customization clearly related to each other to avoid any confusion. See section "10b. Customizing bulletin fields" for more information about configuring custom fields.