SEC 350: Practical Assessment

General Instructions - Read First

- Open internet, open notes, but no open neighbor nor remote support. You are ON YOUR
 OWN for this submission, so no communications with others during the formal
 assessment session (In class part).
- Make sure you follow the submission guidelines policy.


There a very few "on your own" activities in SEC350. This is one of them. Academic Integrity rules apply

Assessment Grading Policy

- Get in before the end of class No points off
- Within 24 hours -10%
 - After the assessment class, the assessment becomes a heavily weighted and late lab.
 - Before our next class 25%
 - o At this point the Assessment gets a zero after that
- Look at the rubric to get a sense of weighting of individual assessment components before investing a lot of time on a trouble area.


Hints - Read Second

- You do not need to work serially through this assessment (*though recommended*); it is the end result that matters.
- Make sure to link your firewalls to the appropriate From and To zones.
- Review <u>network assignments</u>. Your new systems will reuse the IP addresses they are replacing.



- Restart any service if you modify a configuration file (network, nginx, dhcp etc...).
- Make sure you include the appropriate vmname label on all deliverables where your name is not obvious in the console.
- Check every VM's network settings to make sure they are moved from SEC350-WAN to the appropriate network segment such as DMZ or LAN.
- Don't forget to look at /var/log/messages on edge01 FW to debug firewall issues.
- The FW Rule Descriptions are mandatory for rules other than simple established/enabled rules!


Your Systems



New Passwords

System	Туре	Username	Password
edge01	Firewall	vyos	Ch@mpl@1n!22
nginx,dhcp	Linux Ubuntu	champuser	Ch@mpl@1n!22
traveler	Windows	champuser	Ch@mpl@1n!22

Overview



- 1. RW is gone, reuse that WAN IP address for traveler
- 2. fw1 is gone, reuse WAN IP for edge01 and configure your DMZ and LAN interfaces just as you did for fw1
- 3. web01 is history, replace with a new nginx web server using the same IP as web01
- 4. You have a new ubuntu server that will assign DHCP addresses within the LAN (pick your own IP in the LAN segement)
- 5. WKS01 should pick up a DHCP address

Network Assignments

<u>SEC350-Network-Assignments</u> You will see your new systems in the spreadsheet (likely next to the old ones). Be very careful with your WAN ip addresses (edge01's eth0 interface and travelers interface. Use **your** assigned IP and nooneone else's.

edge01 - Network Configuration

Assign the existing two interfaces to WAN and DMZ respectively, <u>add a third interface</u> and assign it to the LAN. On the WAN interface, the upstream gateway and DNS should be assigned to the class gateway: 10.0.17.2

edge01 routing requirements

- Set your Hostname to edge01-your name
- Configure gateway, dns and all three ip addresses
- Set NAT source rules so that DMZ and LAN hosts are masqueraded by the WAN interface, don't forget to include the MGMT source network
- Forward DNS requests from DMZ and LAN interfaces and their networks. Don't forget to also accept MGMT traffic
- on edge01 Add RIP, advertising the DMZ Network (you may need to restart fw-mgmt for this relationship to work)

nginx

- Network Segment: SEC350-DMZ
- Set your hostname to nginx-yourname
- Configure networking
- Create a sudo user with your name, and use it instead of champuser, change the default champuser password
- Install and enable nginx, delete the default welcome page, create an index page with your hostname as its content

Deliverable 1. Nginx: Screenshot showing the current user's group (id command) and a successful ping from nginx to champlain.edu similar to the one below. The user should be a member of the sudo group. (Note, this is before your firewall zones are active)

```
hermione@nginx01-hermione:~

hermione@nginx01-hermione:~$ id

uid=1001(hermione) gid=1001(hermione) groups=1001(hermione),27(sudo)

hermione@nginx01-hermione:~$ ping -c 1 champlain.edu

PING champlain.edu (208.115.107.132) 56(84) bytes of data.

64 bytes from 208-115-107-132-reverse.wowrack.com (208.115.107.132): icmp_seq=1 ttl=45 time=75.4 ms

--- champlain.edu ping statistics ---

1 packets transmitted, 1 received, 0% packet loss, time 0ms

rtt min/avg/max/mdev = 75.360/75.360/75.360/0.000 ms

hermione@nginx01-hermione:~$
```

traveler

- Network Segment: SEC350-WAN
- Configure networking with YOUR ip address
- Set the Hostname to traveler-yourname
- Create a Named Administrative User
- This is a WAN system, so make sure the default gateway and DNS point to 10.0.17.2.

edge01 port forwarding


On edge01, configure port forwarding such that port 80 to edge01's WAN interface will be translated/forwarded to nginx. Make sure you have renamed the computer and are accessing it as a named user.

Deliverable 2. Screenshot demonstrating port forwarding from your eth0 address on edge01 (10.0.17.XX) to nginx from traveler similar to the one below. Also show that your system is named appropriately and that you have a named user.

```
Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
PS C:\Users\hermione> whoami
traveler-hermio\hermione
                                        2
PS C:\Users\hermione> hostname
traveler-hermic ..
PS C:\Users\her mione> curl http://10.0.17.147
                                              3
StatusCode
                      : 200
StatusDescription : OK
                     : nginx01-hermione
Content
RawContent
                      : HTTP/1.1 200 OK
                        Connection: keep-alive
                        Accept-Ranges: bytes
                        Content-Length: 17
                        Content-Type: text/html
Date: Fri, 04 Mar 2022 15:44:33 GMT
ETag: "621a8ee4-11"
Last-Modified: Sat, 26 Feb 2022 20...
                      : {}
: {[Connection, keep-alive], [Accept-Ranges, bytes], [Content-Length, 17], [Content-Type,
Forms
Headers
                        text/html]...}
                      : {}
: {}
: {}
Images
InputFields
Links
ParsedHtml
                      : System.__ComObject
RawContentLength : 17
PS C:\Users\hermione> _
```

nginx wazuh agent

- Figure out how to delete the web01 agent from wazuh manager (it is gone and will be replaced by nginx)
- Install a Wazuh Agent on nginx
- Run the test shown below. SSH to nginx (from another host) Create a failed login attempt followed by a valid one and elevate to root. This is shown in the following screenshot.



Deliverable 3. Screenshot on wazuh that shows an invalid ssh user attempting to login to nginx similar to the one above.

edge01 Zones and Firewalls

- Create WAN, DMZ and LAN Zones that default drops and logs, and are assigned to the appropriate interfaces
- Create the following firewalls and <u>link</u> them to the appropriate <u>zones</u>. Make sure the default action is <u>drop</u>, and default <u>logging</u> is enabled (this will help you debug).
- Make sure the tests described below work:

Firewall	Requirements	Test	
WAN-TO-DMZ	established allowed back WAN can get to nginx on tcp/80 WAN can get to jump on tcp/22	ssh from traveler to jump http from traveler to nginx	
DMZ-TO-WAN	established allowed back nginx can ping any host on the WAN (note, this won't work after firewall is up)	ping from nginx to champlain.edu	
WAN-TO-LAN	established allowed back	on wks1 browse to a website	
LAN-TO-WAN	accept all	on wks1 browse to a website	
DMZ-TO-LAN	established allowed back tcp/1514-1515 allowed to wazuh	show a wazuh log event from nginx and jump on wazuh	
LAN-TO-DMZ	established allowed back tcp/80 allowed to nginx tcp/22 allowed to all hosts on DMZ from mgmt01	from mgmt101 browse to nginx from mgmt01 ssh into nginx from mgmt01 ssh into jump	

Deliverable 4. Screenshot from mgmt01 that shows a ssh session to nginx.


```
Terminal - hermione@nginx-hermione: ~ (on mgmt01-hermione)
File Edit View Terminal Tabs Help
hermione@mgmt01-hermione:~$ ssh hermione@172.16.50.3
hermione@172.16.50.3's password:
Welcome to Ubuntu 22.04 LTS (GNU/Linux 5.15.0-33-generic x86 64)
 * Documentation: https://help.ubuntu.com
 * Management:
                   https://landscape.canonical.com
                   https://ubuntu.com/advantage
 * Support:
  System information as of Sun Mar 5 07:39:30 PM UTC 2023
  System load: 0.00048828125
                                    Processes:
                                                             212
                25.4% of 18.53GB
  Usage of /:
                                    Users logged in:
  Memory usage: 15%
                                    IPv4 address for ens160: 172.16.50.3
  Swap usage:
199 updates can be applied immediately.
109 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable
Failed to connect to https://changelogs.ubuntu.com/meta-release-lts. Check your
Internet connection or proxy settings
```

DMZ to WAN Drop

Nginx is not allowed to surf the internet. From nginx, attempt to curl https://champlain.edu

The following test should fail due to firewall restrictions: nginx->http->champlain.edu

Deliverable 5. Provide a screenshot showing a DMZ-to-WAN drop message where the protocol is TCP, DPT=443 and the Destination is the IP presumably associated with champlain.edu



dhcp

Install a DHCP server on the LAN segment, you can choose your own unused IP in the 172.16.150.0/24 range. DHCP options should include

- an IP range of 172.16.150.100-172.16.150.150
- a router of 172.16.150.2
- a dns server of 172.16.150.2

Deliverable 6.

Run the following test on wks01:

- ipconfig /release
- ipconfig /renew
- ipconfig /all

Provide a screenshot similar to the one below that shows your DHCP server information similar to the screenshot below.

```
C:\Users\hermione>ipconfig /renew
Windows IP Configuration
Ethernet adapter Ethernet0:
  Connection-specific DNS Suffix . ; hermione.local
  IPv4 Address. . . . . . . . . . . . . . . . . . 172.16.150.100
  Default Gateway . . . . . . . . . . . . . 172.16.150.2
C:\Users\hermione>ipconfig /all
Windows IP Configuration
  Host Name . . . . . . . . . : wks1-hermione
  Primary Dns Suffix . . . . . . .
  Node Type . . . . . . . . . . : Hybrid
  IP Routing Enabled. . . . . . : No WINS Proxy Enabled. . . . . . : No
  DNS Suffix Search List. . . . . : hermione.local
Ethernet adapter Ethernet0:
  Connection-specific DNS Suffix . : hermione.local
  Description . . . . . . . . : Intel(R) 82574L Gigabit Network Connecti
  Physical Address. . . . . . . . : 00-50-56-A1-60-6B
  DHCP Enabled. . . . . . . . : Yes Autoconfiguration Enabled . . . : Yes
  Subnet Mask . . . . . . . . . . : 255.255.255.0
  Lease Obtained. . . . . . . . : Sunday, March 5, 2023 2:44:03 PM Lease Expires . . . . . . . : Sunday, March 5, 2023 2:54:03 PM
  DHCP Server . . . . . . . . . . . . . . . . . 172.16.150.5
  DNS Servers . . . . . . . . . : 172.16.150.2
  NetBIOS over Tcpip. . . . . . : Enabled
```

Deliverable 7. On wazuh, display an agent based security event for dhcp. You should repeat the invalid user test you did earlier.


	Oct 20, 2022 @ 18:37:57.444	T1110				Credential Access	syslog: l
	Oct 20, 2022 @ 18:37:55.402	T1110.001	T1021.004	T1078		Credential Access, Lateral Movement, Defense Evasion, Persistence, Privilege Escalation, Initial Access	sshd: At
	Oct 20, 2022 @ 18:37:53.400	T1110.001	T1021.004	T1078		Credential Access, Lateral Movement, Defense Evasion, Persistence, Privilege Escalation, Initial Access	sshd: At
	Oct 20, 2022 @ 18:37:49.397	T1110.001	T1021.004	T1078		Credential Access, Lateral Movement, Defense Evasion, Persistence, Privilege Escalation, Initial Access	sshd: At
Ta	able JSON Rule						
	@timestamp				2022-10-20T22:37:49.397Z		
	_id				HWqL94MBmMcpbyv8w7H6		
	agent.id				004		
	agent.ip				172.16.150.5		
	agent.name				dhcp-hermione		
data.srclp					172.16.150.10		
	data.srcuser				eviluser		
	decoder.name				sshd		
	decoder.parent				sshd		
	full_log					7743]: Falled password for invalid user eviluser from 172.16.150.10 port 55352 s	

traveler->jump passwordless ssh

Deliverable 8. Demonstrate that you can functionally ssh into jump using an RSA keypair. Note, the passwordless functionality is not heavily weighted.

```
PS C:\Users\hermione> ssh hermione-remote@10.0.17.110
The authenticity of host '10.0.17.110 (10.0.17.110)' can't be established.
ECDSA key fingerprint is SHA256:SkqonNVtCCcklflDcspSWsBE9QkMjMmdgbU1/9V2zYA.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added '10.0.17.110' (ECDSA) to the list of known hosts. Welcome to Ubuntu 22.04 LTS (GNU/Linux 5.15.0-33-generic x86_64)
 * Documentation: https://help.ubuntu.com
 * Management: https://landscape.canonical.com
 * Support:
                   https://ubuntu.com/advantage
  System information as of Sun Oct 16 04:23:20 PM UTC 2022
  System load: 0.0927734375
                                     Processes:
                                                               235
  Usage of /: 25.1% of 18.53GB Users logged in:
  Memory usage: 17%
                                    IPv4 address for ens160: 172.16.50.4
  Swap usage: 0%
0 updates can be applied immediately.
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Last login: Thu Sep 29 12:30:14 2022 from 10.0.17.10
hermione-remote@jump-hermione: 🖇 🕳
```

Deliverable 9. Demonstrate that wks01 can browse to nginx. Provide a screenshot similar to the one below.



Deliverable 10. Provide a link to your edge01 configuration on github. Your firewall will be evaluated for correctness and

thoroughness. Your firewall should be formatted as plaintext using the vyos configuration routine shown below. This is the only github requirement.

show configuration commands | grep -v "syslog
global\|ntp\|login\|console\|config\|hw-id\|loopback\|conntrack"