BIG DATA

Graph Databases

von Benjamin Ellmer (S2210455012)



Mobile Computing Master FH Hagenberg

Installation

Start Neo4j

```
git clone https://github.com/Digital-Media/neo4j.git
docker compose -f neo4j/docker-compose.yml up -d
```

Start Postgres

```
docker run --name postgres-big-data-ex4 -e POSTGRES_PASSWORD=
  geheim -d postgres:14
```

Step 1 - Translation

Connect to postgres container

```
docker exec -it postgres-big-data-ex4 psql -U postgres
```

Drop, create and select schema:

```
DROP SCHEMA IF EXISTS graph_demos CASCADE;
CREATE SCHEMA IF NOT EXISTS graph_demos;
SET search_path TO graph_demos;
```

Create folks table:

```
CREATE TABLE IF NOT EXISTS folks (
   id bigint NOT NULL,
   name varchar(100) NOT NULL,
   father bigint NULL,
   mother bigint NULL,
   PRIMARY KEY (id),
   CONSTRAINT father_fk FOREIGN KEY (father) REFERENCES folks (id),
   CONSTRAINT mother_fk FOREIGN KEY (mother) REFERENCES folks (id)
);
```

Insert folks:

```
INSERT INTO folks (id, name, father, mother) VALUES
(100, 'Alex', 20, 30),
(20, 'Dad', 10, null),
(30, 'Mom', null, null),
(10, 'Grandpa Bill', null, null),
(98, 'Sister Amy', 20, 30);
```

Create vertices table:

```
CREATE TABLE vertices (
   vertex_id bigint NOT NULL,
   alias varchar (255),
   label varchar (255),
   name varchar (255),
   type varchar (255),
   properties jsonb,
   PRIMARY KEY (vertex_id)
);
```

Insert vertices:

Create edges table:

```
CREATE TABLE edges (
    edge_id bigint NOT NULL,
    tail_vertex bigint REFERENCES vertices (vertex_id),
    head_vertex bigint REFERENCES vertices (vertex_id),
    label varchar(255),
    properties jsonb,
    PRIMARY KEY (edge_id),
    CONSTRAINT tail_vertex_fk FOREIGN KEY (tail_vertex)
        REFERENCES vertices(vertex_id),
    CONSTRAINT head_vertex_fk FOREIGN KEY (head_vertex)
        REFERENCES vertices(vertex_id)
);
```

Insert edges:

```
INSERT INTO edges (edge_id, tail_vertex, head_vertex, label)
  VALUES
(1, 3, 1,
          'within'),
(2, 4, 2, 'within'),
(3, 5, 4, 'within'),
(4, 6, 2, 'within'),
(5, 7, 3,
          'within'),
(6, 8, 5,
         'within'),
(7, 9, 6, 'within'),
(8, 10, 9, 'within'),
(9, 11, 10, 'within'),
            'born in'),
(10, 12, 7,
(11, 12, 8, 'lives_in'),
(12, 13, 11, 'born_in'),
(13, 13, 8, 'lives in'),
(14, 14, 8, 'born_in'),
(15, 12, 13, 'married'),
(16, 13, 12, 'married');
```

Step 2

Connect to neo4j container:

```
docker exec -it neo4j cypher-shell -u neo4j -p password
```

Create Folks:

```
CREATE (n:Folk {id: 100, name: 'Alex'});
CREATE (n:Folk {id: 20, name: 'Dad'});
CREATE (n:Folk {id: 30, name: 'Mom'});
CREATE (n:Folk {id: 10, name: 'Grandpa Bill'});
CREATE (n:Folk {id: 98, name: 'Sister Amy'});
```

Create Vertices:

```
CREATE (n:Location {vertex_id: 1, alias: 'NAmerica', label: '
  Location', name: 'North America', type: 'continent'});
CREATE (n:Location {vertex id: 2, alias: 'Europe', label: '
  Location', name: 'Europe', type: 'continent'});
CREATE (n:Location {vertex_id: 3, alias: 'USA', label: '
  Location', name: 'United States', type: 'country'});
CREATE (n:Location {vertex_id: 4, alias: 'UK', label:
  Location', name: 'United Kingdom', type: 'country'});
CREATE (n:Location {vertex id: 5, alias: 'England', label: '
  Location', name: 'England', type: 'country'});
CREATE (n:Location {vertex id: 6, alias: 'Austria', label: '
  Location', name: 'Osterreich', type: 'country'});
CREATE (n:Location {vertex_id: 7, alias: 'Idaho', label: '
  Location', name: 'Idaho', type: 'state'});
CREATE (n:Location {vertex id: 8, alias: 'London', label: '
  Location', name: 'London', type: 'city'});
CREATE (n:Location {vertex_id: 9, alias: 'UpperAustria', label
   : 'Location', name: 'Oberösterreich', type: 'Bundesland'});
CREATE (n:Location {vertex id: 10, alias: 'Waldviertel', label
   : 'Location', name: 'Waldviertel', type: 'Viertel'});
CREATE (n:Location {vertex_id: 11, alias: 'Grein', label: '
  Location', name: 'Grein', type: 'city'});
CREATE (n:Person {vertex_id: 12, alias: 'Andrea', label: '
  Person', name: 'Andrea', type: 'person'});
CREATE (n:Person {vertex_id: 13, alias: 'Bert', label: 'Person
   ', name: 'Bert', type: 'person'});
CREATE (n:Person {vertex_id: 14, alias: 'Christian', label: '
  Person', name: 'Christian', type: 'person'});
```

Create Edges:

```
MATCH (tail:Location {vertex_id: 3}), (head:Location {
  vertex id: 1}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex id: 4}), (head:Location {
  vertex id: 2}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex_id: 5}), (head:Location {
  vertex id: 4}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex_id: 6}), (head:Location {
  vertex_id: 2}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex id: 7}), (head:Location {
  vertex_id: 3}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex id: 8}), (head:Location {
  vertex_id: 5}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex_id: 9}), (head:Location {
  vertex id: 6}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex_id: 10}), (head:Location {
  vertex id: 9}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Location {vertex_id: 11}), (head:Location {
  vertex_id: 10}) CREATE (tail)-[:WITHIN]->(head);
MATCH (tail:Person {vertex_id: 12}), (head:Location {vertex_id
   : 7}) CREATE (tail)-[:BORN IN]->(head);
MATCH (tail:Person {vertex_id: 12}), (head:Location {vertex_id
   MATCH (tail:Person {vertex_id: 13}), (head:Location {vertex_id
   : 11}) CREATE (tail)-[:BORN IN]->(head);
MATCH (tail:Person {vertex_id: 13}), (head:Location {vertex_id
   : 8}) CREATE (tail)-[:LIVES IN]->(head);
MATCH (tail:Person {vertex_id: 14}), (head:Location {vertex_id
   : 8}) CREATE (tail)-[:BORN IN]->(head);
MATCH (tail:Person {vertex id: 12}), (head:Person {vertex id:
  13}) CREATE (tail)-[:MARRIED]->(head);
MATCH (tail:Person {vertex id: 13}), (head:Person {vertex id:
  12}) CREATE (tail)-[:MARRIED]->(head);
```

Show the whole graph:

```
MATCH (n) RETURN n;
```

Read all :Person nodes:

```
MATCH (p:Person) RETURN p;
```

Return all names of :Person nodes:

```
MATCH (p:Person) RETURN p.name;
```

Create a new Person - Grandma Mary:

CREATE (p:Person {name: "Grandma Mary"});