

# PBO Workshop

## Creating Data-Driven Documents With d3

Ben Racine <sup>1</sup>

<sup>1</sup>Cornerstone Systems NW

November 2, 2011

Introduction  
Background  
Resources  
Installation  
Tutorials: Round One  
A Quick Break  
Tutorials: Round Two  
Conclusion

Attendee Introduction  
Browser Poll

# If you are eager to obtain everything

## PBO, d3 Tutorial

# Attendee Introduction

- Visualization tools
- Any web development experience?
- Any Javascript experience?

# Attendee Introduction

- Visualization tools
- Any web development experience?
- Any Javascript experience?

# Attendee Introduction

- Visualization tools
- Any web development experience?
- Any Javascript experience?

# Attendee Introduction

- Visualization tools
- Any web development experience?
- Any Javascript experience?

# Attendee Introduction

- Visualization tools
- Any web development experience?
- Any Javascript experience?

# Attendee Introduction

- Visualization tools
- Any web development experience?
- Any Javascript experience?



# Javascript in 120 seconds

- C control structures
- Dynamic and weak/duck typing
- Primitive Types
  - `var mayday = false;`
  - `var sal = 20;`
  - `var pal = 12.1;`
  - `var myName = "Some Name";`
- Collections
  - `var myArray = [0, 2, 4];`
  - `var myObject = ; myObject.foo = "bar";`
- Functions
  - Are objects; have properties and methods
  - Can be assigned to variables
  - Can be passed as arguments

# Introductions

## Browser Poll

- Chrome
- Firefox 3+
- IE9
- Safari
- None of the above?

# Introductions

## Browser Poll

- Chrome
- Firefox 3+
- IE9
- Safari
- None of the above?

# Introductions

## Browser Poll

- Chrome
- Firefox 3+
- IE9
- Safari
- None of the above?

# Introductions

## Browser Poll

- Chrome
- Firefox 3+
- IE9
- Safari
- None of the above?

# Introductions

## Browser Poll

- ☒ Chrome
- ☒ Firefox 3+
- ☒ IE9
- ☐ Safari
- ☐ None of the above?

# Introductions

## Browser Poll

- Chrome
- Firefox 3+
- IE9
- Safari
- None of the above?

# Introductions

## Browser Poll

- Chrome
- Firefox 3+
- IE9
- Safari
- None of the above?



# Background

## jQuery + Protovis $\approx$ d3

- Any jQuery experience?
  - d3 is similar, but can also target the SVG (an xml-esque image format)
  - They both do some fancy functional programming to make it possible for us to declaratively (and efficiently) reach into the dom tree
- Any Protovis exposure by any chance?

# Background

## jQuery + Protovis $\approx$ d3

- Any jQuery experience?
  - d3 is similar, but can also target the SVG (an xml-esque image format)
  - They both do some fancy functional programming to make it possible for us to declaratively (and efficiently) reach into the dom tree
- Any Protovis exposure by any chance?

# Background

## jQuery + Protovis $\approx$ d3

- Any jQuery experience?
  - d3 is similar, but can also target the SVG (an xml-esque image format)
  - They both do some fancy functional programming to make it possible for us to declaratively (and efficiently) reach into the dom tree
- Any Protovis exposure by any chance?

# Background

## jQuery + Protovis $\approx$ d3

- Any jQuery experience?
  - d3 is similar, but can also target the SVG (an xml-esque image format)
  - They both do some fancy functional programming to make it possible for us to declaratively (and efficiently) reach into the dom tree
- Any Protovis exposure by any chance?

# Background

## jQuery + Protovis $\approx$ d3

- Any jQuery experience?
  - d3 is similar, but can also target the SVG (an xml-esque image format)
  - They both do some fancy functional programming to make it possible for us to declaratively (and efficiently) reach into the dom tree
- Any Protovis exposure by any chance?

# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*

# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*

# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*



# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*

# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*

# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*

# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*

# Resources

- Github: <http://mbostock.github.com/d3/>
  - API: <https://github.com/mbostock/d3/wiki/API-Reference>
  - Examples: <http://mbostock.github.com/d3/ex/>
  - Source: <https://github.com/mbostock/d3.git>
- Google message group
- SVG Specification (v1.1)
- Twitter: *@i3enhamin, @mbostock*

# Clone or Download Slides, Source Code and Exercises

```
if you have an internet connection
  if you are a git user
    git clone git@github.com:benracine/d3_cisnet_tutorial.git
  else
    https://github.com/benracine/d3_cisnet_tutorial/downloads
  end
else
  We have usb sticks
end
```

# Canonical Test to Ensure Installation

- Navigate to an exercise file on your hard-drive in your browser
- Open up your browser's web developer tools
- Go to the developer tool console
- Enter d3 and you should see "object" in the response

# Canonical Test to Ensure Installation

- Navigate to an exercise file on your hard-drive in your browser
- Open up your browser's web developer tools
- Go to the developer tool console
- Enter d3 and you should see "object" in the response



# Canonical Test to Ensure Installation

- Navigate to an exercise file on your hard-drive in your browser
- Open up your browser's web developer tools
- Go to the developer tool console
- Enter d3 and you should see "object" in the response

# Canonical Test to Ensure Installation

- Navigate to an exercise file on your hard-drive in your browser
- Open up your browser's web developer tools
- Go to the developer tool console
- Enter `d3` and you should see "object" in the response

# Canonical Test to Ensure Installation

- Navigate to an exercise file on your hard-drive in your browser
- Open up your browser's web developer tools
- Go to the developer tool console
- Enter d3 and you should see "object" in the response

# Canonical Test to Ensure Installation

- Navigate to an exercise file on your hard-drive in your browser
- Open up your browser's web developer tools
- Go to the developer tool console
- Enter d3 and you should see "object" in the response

# Briefly playing in the console

- Navigate to <http://mbostock.github.com/d3/>
- Let's change the color of the hyperlinks
  - Open console
  - `d3.selectAll("a").style("color","red")`
  - `d3.selectAll("p").style("color","blue")`
- Note the existence of both `d3.select` and `d3.selectAll`
  - `d3.select` only chooses the first element

## Exercise-01.html: Hello World

- This example only uses raw html (i.e. no SVG)
- Include the main d3 file in line 5
  - This, d3.js, is the 'core' module
  - The default build of d3.js includes the core, scale, svg and behavior modules
  - Others include:
    - d3.time.js
    - d3.geo.js
    - d3.csv.js

## Exercise-01.html: Hello World

- All d3 commands live in a unified d3 namespace
- d3 supports CSS3 notation, i.e. one can select by:
  - Tag ("*div*")
  - Class ("*.awesome*")
  - Identifier ("*#foo*")
  - Containment ("*parentchild*")
  - Intersection ("*.this.that*" for logical AND)
  - Union ("*.this, .that*" for logical OR)
  - Attribute ("*[color = red]*")
- Notice that method chaining has already begun
- Method chaining takes advantage of function that return the modified version of the incoming selection
- Elements can be accessed directly

(e.g. `selection[0][0]`)

## Exercise-01.html: Hello World

- `.text()` is an "operator", a d3 term
- Operators can both get or set:
  - `.classed()` : toggling of css classes
  - `.style()` : sets the CSS style property (can be run w/ priority levels)
  - `.property()` : example, a slider value
  - `.property()` : example, a slider value
- By default, D3 supports `svg`, `xhtml`, `xlink`, `xml` and `xmlns` namespaces
- Additional namespaces can be registered



## Exercise-01.html: Hello World

- Can be set as either constants or as functions
- When used to set document content, the operators return the current selection, so you can chain multiple operators together in a concise statement.
- `d3.select("")`  $\approx$  `$("")`  $\approx$  `jQuery("")`

## Exercise-02.html:: Including an SVG Element

- Width and height could be related to the width and height of the window
- Think of the svg element as a canvas with a transformed coordinate system
- A `svg:g` element is means of containing other svg elements
- A tranform can be a handy way of moving the coordinate system to a desired location
- Regarding the coordinate system, note:
  - Origin is the top-left
  - x is positive to the right
  - y is positive down
  - scales can be used to correct to cartesian coords

## Exercise-02.html:: Including an SVG Element

- `svg:circle` self explanatory
  - Refer to the SVG spec for relevant and/or required circle attributes
- Note the use of a JavaScript namespace variable to cache a selection of interest

## Exercise-03.html: Combining with CSS Selections

- Concepts
  - CSS3 selector notation in the style section  $\approx$  in the `d3.select("")` command
  - Appending is fairly self-explanatory
  - Good practice to use intelligent id and class attributes

## Exercise-03.html: Combining with CSS Selections

- Namespaces, explain that `svg:svg` ← first one is a namespace, second one is the element itself `svg:g` is kind of like a `div` in `html:...` just a bag in which to group other things in note: you give them uniqueness through class or id
- Attr, addressed in previous slide
- Appropriate use of namespace variables
- Assign a namespace at any "junction" in your workflow i.e. if you're about to add circles AND text to your scenegraph... it's probably appropriate to add a name to the state of your scenegraph at that point

## Exercises-05.html through Exercise-08.html: Skipping for now

- d, i, and this
- Event listeners can take many forms
- Can listen for different types of events
- Click, mouseover, submit, etc.
- There's a subtlety of attaching to multiple functions to the same event...
- i.e. click.foo maps to one function, click.bar maps to another function

## Exercises-05.html through Exercise-08.html: Skipping for now

- exercise-05.html: skip tweens and get to data bindings
- exercise-06.html: notice that we're scaling the whole image,
- exercise-07.html: listen to user events, i.e watch the mouse move
- exercise-08.html: mouse fading events
- exercise-09.html: html-based bar-chart to emphasize that it's not just for SVG canvases

Introduction  
Background  
Resources  
Installation  
Tutorials: Round One  
**A Quick Break**  
Tutorials: Round Two  
Conclusion

# A Quick Break



## Exercise-09.html: Bar Chart

- Bar Chart with HTML Elements
- Scales

## Exercise-09.html: Bar Chart

- Identity function
- Functional programming
- Data binding selections
- Update
- Enter
- Exit

## Exercise-11.html: 2d Array into an HTML Table

- Foo

## Exercise-12.html: 2d Array into SVG Bar Chart

- 2d Array into SVG Bar Chart
- RangeBands
- Linear vs. ordinal scales

# Exercise-13.html: Axes Elements



## Extras

- Transition  $\approx$  a non-instantaneous transformation with extra attributes:
  - Duration -
  - Delay -
- Ease
- Interpolate
- Tween (exercise-05.html if we get a chance)
- Call and each for control flow

# Conclusion

- You rock for sticking through this duration