

## Can Android be Open Source and functional?

#### Ben C. Roose

- Electrical Engineering & Computer Science Systems Administrator, Wichita State University
- Maintains Debian, Ubuntu, LTSP, and OpenStack with CFEngine

## What are we talking about?

#### We will look at:

- Drilling down: 6 layers of an Android mobile device
- Picking your battles: Open Source options for each layer
- Practical application: Terms and tools for installing an Android OS
- Hard lessons learned: Experiences with an Open Source smartphone
- Tips and tricks: Staying open inside the Google ecosystem
- Goodbye Google: Rolling your own cloud synchronization



## Why I Decided to Rebuild my Smartphone

- Carriers are reducing a user's ability to manage their own device
- Carriers are installing non-removable bloat-ware and tracking apps
- Carriers are limiting support/upgrades for older device models
- Commercial apps are often opaque with collection and sale of data
- If I promote Free & Open Source technologies, ethically shouldn't I be using Open Source devices as much as I can?
- Can a smartphone be productive if limited to only Open Source?

1: Physical Hardware



#### **Layer 1: Physical Hardware**

#### **Proprietary Hardware Options**

- Majority of smartphones, tablets, and other mobile devices on the market
- Manufacturers include:
   Acer, Asus, HTC, Huawei, LG,
   Motorola, Samsung, Sony
   Ericsson, ZTE

# 12:45 Thu. 3 May

#### Open Hardware Options

- A few kickstarter/Indiegogo "pipe-dream" devices, inc. Root101, Neo900
- Golden Delicious GTA04 board (from Europe: 529 euros)
- Raspberry Pi home-brew phone



1: Physical Hardware

2: Hardware Drivers



## **Layer 2: Hardware Drivers**

#### **Proprietary Driver Options**

- Most manufacturers release hardware module drivers as binary blobs under closed source licensing
- Module drivers (firmware) added on top of Linux OS
- Similar to the historical M\$
   Windows ecosystem


#### **Open Source Options**

- Open source drivers/firmware may be available but it depends on the module chipset
- Older devices from certain manufacturers have some open source firmware
- To run a fully working device, we have to mix-n-match open and proprietary firmware

1: Physical Hardware

2: Hardware Drivers

3: Operating System



## **Layer 3: Operating System**

Android OS using proprietary firmware and apps


- "Stock" Google Android
- Carrier built Android

Android OS using only Open Source firmware and apps

- Replicant OS
  - Security/privacy focused
- Omni-The Open ROM



- Cyanogenmod → Lineage OS
  - User customization focused







1: Physical Hardware

2: Hardware Drivers

3: Operating System

4: App Repository



## Layer 4: App Repository (Marketplace)

#### Proprietary Repo Options

- Google Play
  - The core of Google apps
  - Part of "stock" Android
- Third party commercial repos
  - Amazon Appstore
  - Aptoide
  - AppBrain









#### Open Source Repo Options

- Free and Open Source (FOSS) only Adroid app repositories
  - F-Droid
  - Fossdroid





1: Physical Hardware

2: Hardware Drivers

3: Operating System

4: App Repository

5: User Apps



#### **Layer 5: User Apps**

#### **Proprietary App Options**

- Google Mobile Services (GMS)
  - Often known as GApps
- Most popular apps and games available on commercial repos
  - Examples inc. Angry Birds,
     Facebook Messenger,
     FitBit, Uber, Whatsapp
- EULAs = "Signing over your private data to highest bidder"





#### Open Source App Options

- Base apps on vanilla Android
  - Browser, Calendar, Phone
- FOSS apps on F-Droid/fossdroid
  - Examples inc. Blockinger,
     ConnectBot, Face Slim, K-9
     mail, QKSMS, Xabber
- Apps in development on GitHub
  - Harder to find/install and may not fully work





1: Physical Hardware

2: Hardware Drivers

3: Operating System

4: App Repository

5: User Apps

6: Cloud Storage & Sync



## **Layer 6: Cloud Storage & Synchronization**

#### **Proprietary Cloud Options**

- Google Ecosystem
  - Calendar, Contacts, Drive,
     Email, Hangouts, Voice
- Facebook Messenger
- Microsoft Outlook/Exchange
- Any Others?



#### **Open Source Cloud Options**

- POP/IMAP mail server
  - Postfix, Dovecot
- Calendar and contact sync
- Radicale, Bedework,
   DCSIRC/XMPP chat server
  - UnrealIRCd, ejabberd
- Fully featured private cloud
  - Owncloud / Nextcloud,
     Seafile, git-annex



## Terms and Tools used by "modders"

#### Terms used on the forums

- 'Rooting (Jailbreaking)'
  - gaining root access
- 'Unlocked'
  - Use on any cellular carrier
- 'Custom ROM'
  - Android OS image file
- 'Flashing'
  - low-level copying of custom ROM onto phone
- 'Porting'
  - Building a custom ROM for device from source code

#### Tools to flash Android ROMs

- Android Debug Bridge (ADB)
  - Remote command-line/shell via USB connection
- Heimdall
  - Remote flashing of ROM to phone via USB connection
- ClockworkMod (CWM) and Team Win (TWRP)
  - Recovery ROMs with copying/debugging options
- Recovery and boot partitions are flashed separately

#### 6 Months: Lessons Learned

- Ask your carrier to switch to phone after you are ready to switch!
- Replicant OS is not for the faint of heart
  - Purchase the exact device model for the custom ROM
    - Samsung Galaxy S3 alone has GT-I9300, GT-I9305, SGH-T999, SGH-I747, SCH-R530, SCH-I535, and SPH-L710
    - Replicant OS only works with the GT-I9300 (intl) model!
  - Unless proprietary firmware is installed by user via ADB, some hardware modules will not work
  - Current build runs Android 4.2. Replicant 6.0 in development
- Lineage OS is a good "intermediate" level custom ROM
  - All hardware modules work as part of ROM, but are not FOSS
  - Current build (14.1) runs Android 7.1.1 Nougat

## Open Source within Google Ecosystem

- FOSS webDAV apps have limited access into Google cloud services
- Google uses CardDAV (contacts) & CalDAV (calendar) protocols
  - DAVdroid can access CardDAV with following URL:
    - https://apidata.googleusercontent.com/caldav/v2/calid/user
      - where calid is gmail address, i.e.
    - https://apidata.googleusercontent.com/caldav/v2/ben%40gmail.com/user
  - Caldav Sync Adapter can access CalDAV with following URL:
    - https://www.google.com/calendar/dav/calid/events
      - where calid is gmail address or shared calendar ID, i.e.
    - https://www.google.com/calendar/dav/ben%40gmail.com/events
  - Further information can be found at
    - https://developers.google.com/google-apps/calendar/caldav/v2/guide

## **Accessing Other Google Services**

- GApps Browser can access Google cloud services inside a sandbox
- IMAP can be turned on in Gmail settings for FOSS email clients
- Google Voice calls and texts can be forwarded to a cellular phone
  - Reply to unique Google # using standard SMS text messages
- If you cannot live without Google Mobile Services (GMS/Gapps)
  - Open GApps project offer add-on ROMs for the GMS set of proprietary Google apps

## Goodbye Google: Roll your own cloud

- Run a private Calendar and Contacts server?
  - Radicale
    - Simple CalDAV/CardDAV private hosting and management service
- Or an entire private cloud on your private server?
  - Owncloud / Nextcloud
    - WebDAV secure file and photo storage, CalDAV calendar and CardDAV contacts management, Ampache streaming media, and video conferencing
- IRC chat client to talk on Facebook Messenger or Google Hangouts?
  - BitlBee: running on IRC server of your choice, i.e. UnrealIRCd
    - IRC to chat networks gateway, inc. MQTT (Facebook), Google Hangouts, Twitter, Torchat, and XMPP (jabber)

#### **Thank You!**

Ben Roose: ben.roose@wichita.edu

These slides can be found at: https://github.com/benroose/presentations/tree/master/open\_source\_android


## **Any Questions?**



## Please attribute WuLUG with a link to orgsync.com/84973/chapter







This work is licensed under the Creative Commons Attribution-ShareAlike 4.0 International License.

To view a copy of this license, visit http://creativecommons.org/licenses/by-sa/4.0/.

WuLUG is a student organization of Wichita State University