

Test

Tim Bergsma

2022-04-16

Contents

```
library(tablet)
library(haven)
library(yamlet)
```

```
##
## Attaching package: 'yamlet'

## The following object is masked from 'package:stats':
##
##   filter
```

```
library(magrittr)
library(dplyr)
```

```
##
## Attaching package: 'dplyr'

## The following objects are masked from 'package:stats':
##
##   filter, lag

## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union
```

```
library(kableExtra)
```

```
##
## Attaching package: 'kableExtra'

## The following object is masked from 'package:dplyr':
##
##   group_rows

## The following object is masked from 'package:yamlet':
##
##   footnote
```

```

library(knitr)

# make adsl with imputed bmi, imputed race, and two-row footnote
x <- read_sas('adsl.sas7bdat')
m <- read_yamllet('adsl.yaml')

# https://github.com/haozhu233/kableExtra/issues/703
names(m$race$guide)[[3]] <- 'Oriental'

# fortify to mimic app.R
have <- names(x)
need <- names(m)
make <- setdiff(need, have)
for(col in make) x[[col]] <- rep(NA_integer_, nrow(x))

# ensure positive nrow
if(nrow(x) == 0) x <- x['',drop = FALSE]

# drop unspecified
x %<>% select(!!!names(m))

# apply meta
x <- redecorate(x, m)

# # Promote NA to a level of the factor
# x %<>% resolve(exclude = NULL)
x %<>% resolve()

```

```

## Warning in match.fun(test)(val, data = data[[i]], ...): data has values not in
## Placebo, TRT 10 mg, TRT 20 mg: e.g.

```

```

## Warning in match.fun(test)(val, data = data[[i]], ...): data has values not in
## Placebo, TRT 10 mg, TRT 20 mg, TRT Total: e.g.

```

```

## Warning in match.fun(test)(val, data = data[[i]], ...): data has values not in
## White, Black, Asian, Other, : e.g. NA

```

```

foot <-
'a clinicaltrial.gov
b some other comment'
options(knitr.kable.NA = 0)
#opts_knit$set(out.format = 'latex')
# debug(tablet:::widgets.devalued)
#x %>% group_by(trt01a, trt01aa) %>% select(race) %>% tablet
# x$trt01a[] <- NA
# x$trt01aa[] <- NA
# debug(categoricals)
x <- x %>%
  filter(saffl == 'Y') %>%
  group_by(trt01a, trt01aa) %>%
  select(
    # age, agegr, sex, weight, bmi,

```

```

    race, bmi
  ) %>%
  tablet(
    all_levels = TRUE,
    fun = list(
      sum ~ sum(x, na.rm = TRUE),
      pct ~ signif(digits = 3, sum / n * 100),
      ave ~ signif(digits = 3, mean(x, na.rm = TRUE)),
      std ~ signif(digits = 3, sd(x, na.rm = TRUE)),
      med ~ signif(digits = 3, median(x, na.rm = TRUE)),
      min ~ signif(digits = 3, min(x, na.rm = TRUE)),
      max ~ signif(digits = 3, max(x, na.rm = TRUE)),
      smn ~ sum(!is.na(x))
    ),
    num = list(
      n ~ smn,
      `Mean (SD)` ~ ave + ' (' + std + ')',
      Median ~ paste(med),
      `Min, Max` ~ min + ', ' + max
    ),
    fac = list(
      ` ` ~ ifelse(sum == 0, '0', sum + ' (' + pct + '%' + ')')
    )
  )
)

```

```
## Adding missing grouping variables: 'trt01a', 'trt01aa'
```

```
## Joining, by = c("trt01a", "trt01aa", "_tablet_N", "_tablet_n", "_tablet_name", "_tablet_level")
```

```
## Joining, by = c("_tablet_N", "_tablet_n", "_tablet_name", "_tablet_level")
```

```

# reverse lookup on make

codelist <- attr(x$`_tablet_name`, 'codelist')
x$`_tablet_original` <- unlist(codelist[x$`_tablet_name`])
# very elegant, but blows away attributes
# x %<>% mutate(
#   across(
#     .cols = -starts_with('_tablet_'),
#     .fns = ~ ifelse(`_tablet_original` %in% names(conf$imputed), '-', .x)
#   )
# )
targets <- seq_along(x)[!(grepl('_tablet_', names(x)))]
imputed <- x$`_tablet_original` %in% make
if(length(imputed) & length(targets)) x[imputed, targets] <- '-'
x$`_tablet_original` <- NULL

x %>%
  as_kable %>%
  footnote(
    general = # escape_latex(
      c('a something', 'b something')
    )
  )

```

```

# )
,
fixed_small_size = TRUE,
general_title = " ",
threeparttable = TRUE
) # %>% as.character %>% writeLines

```

	Placebo	TRT 10 mg	TRT 20 mg	
	Placebo	TRT Total	TRT Total	All
	(N = 4)	(N = 4)	(N = 4)	(N = 12)
Race				
White	-	-	-	-
Black	-	-	-	-
Oriental	-	-	-	-
Other	-	-	-	-
Missing	-	-	-	-
Body Mass Index				
n	-	-	-	-
Mean (SD)	-	-	-	-
Median	-	-	-	-
Min, Max	-	-	-	-

a something

b something