

Stat 121 (Mathematical Statistics I)

Lesson 1.5: Law of Total Probability and the Bayes' Theorem

2025-09-05


Learning Outcomes

At the end of the lesson, students must be able to

1. Determine the probability of an event by using a partition of the sample space S , and
2. Apply the Bayes' Theorem to find the conditional probability of an event when the “reverse” conditional probability is known.

Law of Total Probability

Consider a partition of the sample space S , say B_1 , B_2 , and B_3 (refer to the diagram below).



Then, for any set A in S , we have $A \cap B_1$ (red), $A \cap B_2$ (green), and $A \cap B_3$ (blue) also forms a partition of A . That is, $A = (A \cap B_1) \cup (A \cap B_2) \cup (A \cap B_3)$. Therefore, by Axiom 3, we have

$$P(A) = P(A \cap B_1) + P(A \cap B_2) + P(A \cap B_3)$$

which by the Multiplication Rule becomes

$$P(A) = P(A|B_1) \times P(B_1) + P(A|B_2) \times P(B_2) + P(A|B_3) \times P(B_3).$$

This is called the **Law of Total Probability**.

In general, if B_1, B_2, \dots, B_k form a partition of S , then for any set A in S ,

$$P(A) = \sum_{i=1}^k P(A|B_i) \times P(B_i)$$

Example 1.5.1:

Suppose there are three bags each containing 100 marbles: Bag 1 has 75 red and 25 blue marbles; Bag 2 has 60 red and 40 blue marbles; and Bag 3 has 45 red and 55 blue marbles. I choose one of the bags at random

and then pick a marble from the chosen bag, also at random. What is the probability that the chosen marble is red?

SOLUTION:

There are two activities involved in here. The first one is selecting a bag at random and the second is selecting a red marble from the chosen bag.

Let B_1 be the event that the first bag is selected, B_2 be the event that the second bag is selected, and B_3 be the event that third bag is selected. Further, let R be the event that the selected marble is red. Assuming the three bags are equally likely to be selected, then

$$P(B_i) = \frac{1}{3}.$$

Now, the chance of selecting a red marble depends which bag is selected. For example, if the first bag is selected then $P(R|B_1) = \frac{75}{100}$. The probabilities of getting a red marble are $P(R|B_2) = \frac{60}{100}$ and $P(R|B_3) = \frac{45}{100}$, respectively for the second and third bags. Therefore, using the Law of Total Probability, the probability that a red marble is selected is

$$\begin{aligned} P(R) &= P(R|B_1) \times P(B_1) + P(R|B_2) \times P(B_2) + P(R|B_3) \times P(B_3) \\ &= \frac{75}{100} \times \frac{1}{3} + \frac{60}{100} \times \frac{1}{3} + \frac{45}{100} \times \frac{1}{3} \\ &= \frac{60}{100} \end{aligned}$$

Bayes Theorem

Now we are ready to state one of the most useful results in conditional probability: Bayes' rule. Suppose that we know $P(A|B)$, but we are interested in the probability $P(B|A)$. Using the definition of conditional probability, we have

$$P(A|B) \times P(B) = P(B|A) \times P(A)$$

which if we divide by $P(A)$ becomes

$$P(B|A) = \frac{P(A|B) \times P(B)}{P(A)}.$$

which is the famous **Bayes' Rule**. In this formulation, we call $P(B|A)$ as the *posterior* probability and $P(B)$ as the *prior* probability.

Often, in order to find $P(A)$ in Bayes' formula we need to use the law of total probability. We state formally the Bayes' theorem as follows.

Bayes Theorem

Suppose A is an event in S and suppose that B_1, B_2, \dots, B_k forms a partition of S . Then

$$P(B_j|A) = \frac{P(A|B_j)P(B_j)}{\sum_{i=1}^k P(A|B_i)P(B_i)}$$

Example 1.5.2:

Suppose in *Example 1.5.1* we observed that the chosen marble is red. What is the probability that Bag 1 was chosen?

SOLUTION:

Using the same notation, we are interested to compute $P(B_1|R)$. It is shown below.

$$\begin{aligned} P(B_1|R) &= \frac{P(R|B_1)P(B_1)}{\sum_{i=1}^3 P(R|B_i)P(B_i)} \\ &= \frac{\frac{75}{100} \times \frac{1}{3}}{\frac{75}{100} \times \frac{1}{3} + \frac{60}{100} \times \frac{1}{3} + \frac{45}{100} \times \frac{1}{3}} \\ &= \frac{5}{12} \end{aligned}$$

Example 1.5.3:

In screening for a certain disease, the probability that a healthy person wrongly gets a positive result is 0.05. The probability that a diseased person wrongly gets a negative result is 0.002. The overall rate of the disease in the population being screened is 1%. If Axel's test gives a positive result, what is the probability he actually has the disease?

SOLUTION:

Define the following events:

- $D = \{\text{a person has the disease}\};$
- $T = \{\text{the test returns a positive result}\};$

We are given these information:

- [false positive] $P(T|D^c) = 0.05 \implies$
- [false negative] $P(T^c|D) = 0.002 \implies P(T|D) = 1 - 0.002 = 0.998$
- [disease incidence] $P(D) = 0.01 \implies P(D^c) = 1 - 0.01 = 0.99$

We wanted to compute the probability that Axel actually has the disease given he gets a positive test result. The calculations are shown below

$$\begin{aligned} P(D|T) &= \frac{P(T|D)P(D)}{P(T|D)P(D) + P(T|D^c)P(D^c)} \\ &= \frac{0.998(0.01)}{0.998(0.01) + 0.05(0.99)} \\ &\approx 0.168 \end{aligned}$$

Learning Tasks

Answer the following as indicated.

1. A laboratory test is 95% effective at detecting a disease when it is present. It is 99% effective at declaring a subject negative when the subject is truly negative for the disease. Suppose 8% of the population has the disease.

- a. What is the probability a randomly selected subject will test positively?
 - b. What is the probability a subject has the disease if his test is positive?
2. Suppose a statistics class contains 70% male and 30% female students. It is known that in a test, 5% of males and 10% of females got an “A” grade. If one student from this class is randomly selected and observed to have an “A” grade, what is the probability that this is a male student?
3. Of the travelers arriving at a small airport, 60% fly on major airlines, 30% fly on privately owned planes, and the remainder fly on commercially owned planes not belonging to a major airline. Of those traveling on major airlines, 50% are traveling for business reasons, whereas 60% of those arriving on private planes and 90% of those arriving on other commercially owned planes are traveling for business reasons. Suppose that we randomly select one person arriving at this airport. What is the probability that the person
 - a. is traveling on business?
 - b. arrived on a privately owned plane, given that the person is traveling for business reasons?
 - c. is traveling on business, given that the person is flying on a commercially owned plane?