

## Scientific Software Design





Anshu Dubey
Argonne National Laboratory

Software Productivity Track, ATPESC 2020



See slide 2 for license details



#### License, Citation and Acknowledgements

#### **License and Citation**



- This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).
- The requested citation the overall tutorial is: David E. Bernholdt, Anshu Dubey, Mark C. Miller, Katherine M. Riley, and James M. Willenbring, Software Productivity Track, in Argonne Training Program for Extreme Scale Computing (ATPESC), August 2020, online. DOI: 10.6084/m9.figshare.12719834
- Individual modules may be cited as Speaker, Module Title, in Software Productivity Track...

#### **Acknowledgements**

- Additional contributors include: Patricia Grubel, Rinku Gupta, Mike Heroux, Alicia Klinvex, Jared O'Neal, David Rogers, Deborah Stevens
- This work was supported by the U.S. Department of Energy Office of Science, Office of Advanced Scientific Computing Research (ASCR), and by the Exascale Computing Project (17-SC-20-SC), a collaborative effort of the U.S. Department of Energy Office of Science and the National Nuclear Security Administration.
- This work was performed in part at the Argonne National Laboratory, which is managed by UChicago Argonne, LLC for the U.S. Department of Energy under Contract No. DE-AC02-06CH11357.
- This work was performed in part at the Oak Ridge National Laboratory, which is managed by UT-Battelle, LLC for the U.S. Department of Energy under Contract No. DE-AC05-00OR22725.
- This work was performed in part at the Lawrence Livermore National Laboratory, which is managed by Lawrence Livermore National Security, LLC for the U.S. Department of Energy under Contract No. DE-AC52-07NA27344.
- This work was performed in part at Sandia National Laboratories. Sandia National Laboratories is a multi-mission laboratory managed and operated by National Technology and Engineering Solutions of Sandia, LLC., a wholly owned subsidiary of Honeywell International, Inc., for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-NA0003525.

#### Desirable Characteristics and Why They are Challenging

Extensibility

Well defined structure and modules
Encapsulation of functionalities





#### Desirable Characteristics and Why They are Challenging

Extensibility

Well defined structure and modules
Encapsulation of functionalities

Same data layout not good for all solvers. Many corner cases. Necessary lateral interactions





#### Desirable Characteristics and Why They are Challenging

Extensibility

Performance

Well defined structure and modules

Encapsulation of functionalities

Spatial and temporal locality of data
Minimizing data
movement
Maximizing scalability

Same data layout not good for all solvers. Many corner cases. Necessary lateral interactions





#### Desirable Characteristics and Why They are Challenging

Extensibility

Performance

Well defined structure and modules

Encapsulation of functionalities

Spatial and temporal locality of data
Minimizing data
movement
Maximizing scalability

Same data layout not good for all solvers. Many corner cases. Necessary lateral interactions

Low arithmetic intensity solvers with hard dependencies. Proximity and work distribution at cross purposes





#### Desirable Characteristics and Why They are Challenging

**Portability** 

General solutions that work without significant manual intervention across platforms





#### Desirable Characteristics and Why They are Challenging

Portability

General solutions that work without significant manual intervention across platforms

Tremendous platform
heterogeneity
A version for each class of
device => combinatorial
explosion





#### Desirable Characteristics and Why They are Challenging

Portability

Verifiability and Maintainability

General solutions that work without significant manual intervention across platforms

Clean code
Documentation
Comprehensive testing

Tremendous platform
heterogeneity
A version for each class of
device => combinatorial
explosion





#### Desirable Characteristics and Why They are Challenging

Portability

Verifiability and Maintainability

General solutions that work without significant manual intervention across platforms

Clean code
Documentation
Comprehensive testing

Tremendous platform
heterogeneity
A version for each class of
device => combinatorial
explosion

Wrong incentives
Designing good tests is
hard





Taming the Complexity: Separation of Concerns

Subject of research Model Numerics

More Stable
Discretization
I/O
Parameters





Taming the Complexity: Separation of Concerns

Subject of research Model Numerics

Treat differently

More Stable
Discretization
I/O
Parameters





Taming the Complexity: Separation of Concerns

Subject of research Model Numerics

Client Code
Mathematically
complex

Treat differently

More Stable
Discretization
I/O
Parameters

Infrastructure
Data structures
and movement





Taming the Complexity: Separation of Concerns

Subject of research Model Numerics

Client Code
Mathematically
complex

Treat differently

Hide from one another

More Stable
Discretization
I/O
Parameters

Infrastructure
Data structures
and movement






Taming the Complexity: Separation of Concerns

logically separable Subject of **Client Code** functional units of research computation Mathematically Model complex **Numerics** Applies to Encode into framework Hide from one Treat differently another both kind Differentiate between private and public Infrastructure **More Stable** Discretization Data structures 1/0 and movement Define interfaces **Parameters** 





## A Design Model for Separation of Concerns







# **Design Considerations**

- Infrastructure design
  - Take time to discuss, iterate over requirements and specification
  - Keep end users involved
    - Not doing so leaves possible options on the table
- Simple is better
  - Flexibility Vs transparent to the user
    - Flexibility wins





# **Design Considerations**

- Infrastructure design
  - Take time to discuss, iterate over requirements and specification
  - Keep end users involved
    - Not doing so leaves possible options on the table
  - Keep API independent of numerics
- Simple is better
  - Flexibility Vs transparent to the user
    - Flexibility wins


- Model/numerics design
  - Abstract away the infrastructure knowledge as much as possible
  - Encapsulate
  - Let model needs guide API
  - Design flexible API to accommodate quick upgrades to methods
- Simple is better
  - Flexibility Vs transparent to the user
    - Flexibility wins





## The Running Example

Lets say you live in a house with exterior walls made of a single material of thickness, \$\$L\_x\$\$. Inside the walls are some water pipes as pictured below.



You keep the inside temperature of the house always at 70 degrees F. But, there is an overnight storm coming. The outside temperature is expected to drop to -40 degrees F for 15.5 hours. Will your pipes freeze before the storm is over?





## **Problem Specification - Design Considerations**

- Specification
  - Solve heat equation with some initial and boundary conditions
  - Apply different integration methods

- What is infrastructure here?
  - Discretization/ State
  - Verification
  - **–** I/O
  - Application of initial conditions
  - Runtime parameters
  - Comparison

- What is model here?
  - Initial conditions
  - Boundary conditions
  - Integration





## Infrastructure API

- process\_args(int argc, char \*\*argv)
- static void initialize(void)
- void copy(int n, double \*dst, double const \*src)
- void write\_array(int t, int n, double dx, double const \*a)
- void set\_initial\_condition(int n, double \*a, double dx, char const \*ic)





## **Numerics API**


- double I2\_norm(int n, double const \*a, double const \*b)
- static void r83\_np\_fa(int n, double \*a)
- static void r83\_np\_sl (int n, double const \*a\_lu, double const \*b, double \*x)
- bool update\_solution\_crankn(int n, double \*curr, double const \*last, double const \*cn\_Amat, double bc\_0, double bc\_1)
- bool update\_solution\_upwind15(int n, double \*curr, double const \*last, double alpha, double dx, double dt, double bc\_0, double bc\_1)
- void compute\_exact\_solution(int n, double \*a, double dx, char const \*ic, double alpha, double t, double bc0, double bc1)
- bool update\_solution\_ftcs( int n, double \*uk1, double const \*uk0, double alpha, double dx, double dt, double bc0, double bc1)





# **Example: Architecting Multiphysics PDEs**


- Virtual view of functionalities
- Decomposition into units and definition of interfaces







## A Design Model for Separation of Concerns



This worked with distributed memory parallelization model

No longer sufficient needs refinement






## Additional Considerations for Infrastructure

#### Configurability


- Components or kernels
- Levels of access (hierarchical)
- Layered API
- Task orchestration
  - Mapping tasks to devices
  - CPU, accelerators, specialized devices
  - Managing data movement between devices







# **Example: Architecting Multiphysics PDEs**




- load balancing, work redistribution
- Meta-information about domain sections
- Possible asynchronization at block and operator level
- No compute optimization here






# **Example: Architecting Multiphysics PDEs**

#### composition









## Other Considerations

- Leverage existing software
  - Libraries may have better solvers
    - Off-load expertise and maintenance
  - Examine the interoperability constraints
    - Many times the cost is justified even if there is more data movement
- More available packages are attempting to achieve interoperability
  - See if a combination meets your requirements
- May be worthwhile to let the library dictate data layout if the corresponding operations dominate

Institute a rigorous verification regime at the outset





#### **TAKEAWAYS**

- DIFFERENTIATE BETWEEN SLOW CHANGING AND FAST CHANGING COMPONENTS OF YOUR CODE
- TAKE YOUR TIME TO UNDERSTAND THE REQUIREMENTS OF YOUR INFRASTRUCTURE
- IMPLEMENT SEPARATION OF CONCERNS
- DESIGN WITH PORTABILITY, EXTENSIBILITY, REPRODUCIBILITY AND MAINTAINABILITY IN MIND
- LEVERAGE EXISTING CAPABILITIES WHERE POSSIBLE
- .....QUESTIONS?



