

Tutorial II.1 - Variables and Types

Applied Optimization with Julia

Introduction

Welcome to this interactive Julia tutorial which introduces the basics of variables and types. Understanding variables and their types is crucial as they are the building blocks of any program. They determine how data is stored, manipulated, and how efficiently your code runs.

This script is designed to be interactive. Follow the instructions, write your code in the designated code blocks, and then execute the corresponding code. Each exercise is followed by an `@assert` statement that checks your solution.

The easiest way to run the code is by using IJulia. Start Julia, and type `using IJulia; notebook()` in the Julia prompt. This will open a new browser window where you can run the code. If you have not installed IJulia yet, you can do so by typing `]` in the Julia prompt to open the package manager, and then installing IJulia by typing `add IJulia`.

Note

Always replace 'YOUR CODE BELOW' with your actual code.

Section 1 - Variables

Introduction to Variables: A variable in Julia can be used to store data like numbers, text, or more complex types. To declare a variable in Julia, simply assign a value to a name: `variable_name = value`.

Exercise 1.1 - Declare a Variable

Declare a variable named `x` and assign it the value 1.

```
# YOUR CODE BELOW

# Test your answer
@assert x == 1 "Check again, the value of x should be 1. Remember to assign the value
→ directly to x."
println("Great, you have correctly assigned the value $x to the variable 'x'.")
```

Exercise 1.2 - Declare a String Variable

Declare a variable named `hi` and assign it the string "Hello, Optimization!".

```
# YOUR CODE BELOW

# Test your answer
@assert hi == "Hello, Optimization!" "Make sure the variable 'hi' contains the exact
→ string \"Hello, Optimization\!"
println("Good, the variable 'hi' now states \"$hi\".")
```

Section 2 - Basic Types

Julia is a dynamically typed language, yet it allows you to indicate types explicitly. Understanding types is crucial for writing efficient Julia code. Common basic types include Integers, Floats, Booleans, and Strings. To check the type of a variable, use the `typeof()` function.

Exercise 2.1 - Create an Integer Variable

Create an Integer variable `answerUniverse` and set it to 42.

```
# YOUR CODE BELOW

# Test your answer
@assert answerUniverse == 42 "The variable 'answerUniverse' should hold 42."
println("Great, the answer to all questions on the universe is $answerUniverse now.")
```

Exercise 2.2 - Create a Float Variable

Create a Float variable `money` and set it to 1.35.

```
# YOUR CODE BELOW

# Test your answer
@assert money == 1.35 "The variable 'money' should hold the Float64 1.35."
println("Perfect, the you have stored $money in the variable 'money'.")
```

Exercise 2.3 - Create a Boolean Variable

Create a Boolean variable `isStudent` and set it to true.

```
# YOUR CODE BELOW

# Test your answer
@assert isStudent == true "The variable 'isStudent' should be set to true."
println("Correct, you are a student now.")
```

Section 3 - Type Annotations and Inference

Julia allows you to specify types explicitly, which can improve performance and catch errors early. For example, to assign an `Float64` to a variable, you can do the following:

```
x::Float64 = 3
typeof(x)
```

`Float64`

Exercise 3.1 - Type Annotation

Declare a variable `y` with an explicit type annotation of `Int64` and assign it the value 5.

```
# YOUR CODE BELOW

# Test your answer
@assert y == 5 && typeof(y) == Int64 "Make sure 'y' is of type Int64 and has the value
↳ 5."
println("Great! You've created an Int64 variable 'y' with the value $y.")
```

Section 4 - String Interpolation

String interpolation allows you to embed expressions into string literals. In Julia, this is done using the `$` symbol. If you have paid attention to the previous exercise, you have already seen this in action. The following example illustrates this again:

```
language = "Julia"
println("I'm learning $language")
```

I'm learning Julia

Exercise 4.1 - String Interpolation

Create a string message that says "y is [value of y]" using string interpolation.

```
# YOUR CODE BELOW

# Test your answer
@assert message == "y is 5" "Make sure your string includes the correct value of y."
println("Excellent! Your interpolated string is: $message")
```

Conclusion

Congratulations! You have completed the first tutorial on Variables and Types. You've learned about the basics of variables, integers, floats, booleans, and strings. Continue to the next file to learn more.

Solutions

You will likely find solutions to most exercises online. However, I strongly encourage you to work on these exercises independently without searching explicitly for the exact answers to the exercises. Understanding someone else's solution is very different from developing your own. Use the lecture notes and try to solve the exercises on your own. This approach will significantly enhance your learning and problem-solving skills.

Remember, the goal is not just to complete the exercises, but to understand the concepts and improve your programming abilities. If you encounter difficulties, review the lecture materials, experiment with different approaches, and don't hesitate to ask for clarification during class discussions.

Later, you will find the solutions to these exercises online in the associated GitHub repository, but we will also quickly go over them in next week's tutorial. To access the solutions, click on the Github button on the lower right and search for the folder with today's lecture and tutorial. Alternatively, you can ask ChatGPT or Claude to explain them to you. But please remember, the goal is not just to complete the exercises, but to understand the concepts and improve your programming abilities.