Tutorial II.II - Vectors and Matrices

Applied Optimization with Julia

Introduction

This interactive Julia script introduces the basics of vectors, matrices, and tuples. Vectors and matrices are fundamental in numerical computing and data analysis, while tuples are essential for grouping different types of data. Understanding these data structures and how to manipulate them is crucial in Julia. Follow the instructions, write your code in the designated code blocks, and execute the corresponding code cell.

> **ℹ Note**
>
> If a cell is marked with `YOUR CODE BELOW`, you are expected to write your code in that cell.

Section 1 - Vectors

Vectors in Julia are one-dimensional arrays used to store sequences of elements. They're powerful for numerical operations and data handling. Create matrices with square brackets, separate elements with commas. For example:

```julia
myvector = [1,2,3,4,5]
```

```
5-element Vector{Int64}:
 1
 2
 3
 4
 5
```

This creates a vector 'myvector' that contains the elements 1,2,3,4,5.

Vectors are mutable, and you can add elements with `push!()` or `pushfirst!()` (the '!' denotes function modification of the input).

Remove elements with `pop!()` or `popfirst!()`.

Access elements with square brackets, e.g., `fib[1:4]`.

Use '?' in the REPL for function details.

> 💡 **Tip**
>
> Remember, Julia is 1-based indexed.

Exercise 1.1 - Create a Vector

Create a vector 'fib' with the first five Fibonacci numbers: `1, 1, 2, 3, 5`.

```julia
# YOUR CODE BELOW
```

```julia
# Test your answer
@assert fib == [1, 1, 2, 3, 5]
println("The 'fib' vector: ", fib)
```

Exercise 1.2 - Append to a Vector

Append the number 8 to the `fib` vector.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert fib == [1, 1, 2, 3, 5, 8]
println("The 'fib' vector after appending 8: ", fib)
```

Exercise 1.3 - Remove the First Element

Remove the first element of the `fib` vector.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert fib == [1, 2, 3, 5, 8]
println("The 'fib' vector after removing the first element: ", fib)
```

Exercise 1.4 - Access and Save the First Three Elements

Access and save the first three elements of `fib`, to `first_three_elements`.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert first_three_elements == fib[1:3]
println("The first three elements of the 'fib' vector: ", first_three_elements)
```

Section 2 - Matrices

A matrix in Julia is a 2D array, great for linear algebra and data representation. Create matrices with square brackets, separate elements with spaces, rows with semicolons. Access elements with square brackets (e.g., `matrix[2,2]`). You can add or substract matrices of the same dimensions element-wise if you add or substract them.

For example:

```julia
matrix1 = [2 2; 3 3] + [1 2; 3 4]
matrix2 = [2 2; 3 3] - [1 2; 3 4]
println("matrix1 is $matrix1.")
println("matrix2 is $matrix2.")
```

```
matrix1 is [3 4; 6 7].
matrix2 is [1 0; 0 -1].
```

If you want to perform multiplications, things are a bit different, as matrix multiplications are not performed element-wise!

```julia
matrix3 = [2 2; 3 3] * [1 2; 3 4]   # Not element-wise
println("matrix3 is $matrix3.")
```

```
matrix3 is [8 12; 12 18].
```

But we can change this by using broadcasting!

> 💡 Tip
>
> Julia's broadcasting feature allows you to apply functions element-wise to arrays of different sizes. This is denoted by adding a dot (.) before the operator or function. It is extremely useful for performing operations on arrays without the need to loop through each element.

```julia
matrix4 = [1 2; 3 4]
matrix4 = matrix4 .+ 1
println("matrix4 is $matrix4.")
```

```
matrix4 is [2 3; 4 5].
```

We can also use this to perform element-wise multiplications, as shown below:

```julia
matrix5 = [2 2; 3 3] .* [1 2; 3 4]   # Element-wise
println("matrix5 is $matrix5.")
```

```
matrix5 is [2 4; 9 12].
```

Exercise 2.1 - Create a Matrix

Create a 2x3 matrix `my_matrix` with the values: `1 2 3; 4 5 6`.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert my_matrix == [1 2 3; 4 5 6]
println("The 'my_matrix':\n", my_matrix)
```

Exercise 2.2 - Change the 3rd Column of the 2nd Row

Change the 3rd column of the 2nd row to `17` by accessing and changing the element.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert my_matrix == [1 2 3; 4 5 17]
println("The 'my_matrix' after modification:\n", my_matrix)
```

Exercise 2.3 - Perform Matrix Addition

Perform matrix addition with `my_matrix` and `another_matrix`. Call the resulting matrix `added_matrices`.

```
another_matrix = [10 20 30; 40 50 60]
# YOUR CODE BELOW
```

```
# Test your answer
@assert added_matrices == [11 22 33; 44 55 77]
println("Result of adding 'my_matrix' and 'another_matrix':\n", added_matrices)
```

Exercise 2.4 - Add 10 to Each Element

Add `10` to each element in `added_matrices`.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert added_matrices == [21 32 43; 54 65 87]
println("Result of adding 10 to each element in 'added_matrices':\n", added_matrices)
```

Section 3: Tuples

Tuples are immutable collections used to group different types of elements. They are useful for functions that need to return multiple values. Create a tuple using parentheses and separating elements with commas. Access tuple elements with square brackets, e.g., `tuple[1]`. For example:

```
new_tuple = (1.0, "I'm Bob")
```

```
(1.0, "I'm Bob")
```

Exercise 3.1 - Create a Tuple

Create a tuple `my_tuple` with three elements: `4.0`, your matrix `added_matrices`, and `"Hi there!"`.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert my_tuple == (4.0, added_matrices, "Hi there!")
println("The 'my_tuple': ", my_tuple)
```

Exercise 3.2 - Access the Second Element

Access the second element of `my_tuple`, store it in `second_element`.

```
# YOUR CODE BELOW
```

```
# Test your answer
@assert second_element == [21 32 43; 54 65 87]
println("The second element of 'my_tuple':\n", second_element)
```

Conclusion

Well done! You've completed the tutorial on Vectors, Matrices, and Tuples. You've learned to create, manipulate, and interact with these fundamental data structures. Experiment with the code, try different operations, and see how Julia behaves. Continue to the next file to learn more.

Solutions

You will likely find solutions to most exercises online. However, I strongly encourage you to work on these exercises independently without searching explicitly for the exact answers to the exercises. Understanding someone else's solution is very different from developing your own. Use the lecture notes and try to solve the exercises on your own. This approach will significantly enhance your learning and problem-solving skills.

Remember, the goal is not just to complete the exercises, but to understand the concepts and improve your programming abilities. If you encounter difficulties, review the lecture materials, experiment with different approaches, and don't hesitate to ask for clarification during class discussions.

Later, you will find the solutions to these exercises online in the associated GitHub repository, but we will also quickly go over them in next week's tutorial. To access the solutions, click on the Github button on the lower right and search for the folder with today's lecture and tutorial. Alternatively, you can ask ChatGPT or Claude to explain them to you. But please remember, the goal is not just to complete the exercises, but to understand the concepts and improve your programming abilities.