


The Isosceles Triangle Theorem


Proofs updated.

Problem 1 Prove that the base angles of an isosceles triangle are congruent.



- Beginning with the given figure on the left, Morgan draws \overline{CD} and marks the figure intending that this new segment is a(n) (median/ angle bisector ✓/ perpendicular bisector/ altitude).
- Based on the marked figure, Morgan claims that the $\triangle ACD \cong \triangle \boxed{BCD}$ by (SAS ✓/ SSS/ SSA/ ASA/ HL).
- Finally, Morgan concludes that $\angle A \cong \angle \boxed{B}$, as they are corresponding parts of congruent triangles.

Problem 2 Prove that the base angles of an isosceles triangle are congruent.




Learning outcomes:
Author(s): Brad Findell

The Isosceles Triangle Theorem


- (a) Beginning with the given figure on the left, Deja draws \overline{CD} and marks the figure intending that this new segment is a(n) (median ✓/ angle bisector / perpendicular bisector/ altitude).
 - (b) Based on the marked figure, Deja claims that the $\triangle ACD \cong \triangle \boxed{BCD}$ by (SAS/ SSS ✓/ SSA/ ASA/ HL).
 - (c) Finally, Deja concludes that $\angle A \cong \angle \boxed{B}$, as they are corresponding parts of congruent triangles.
-

Problem 3 Prove that the base angles of an isosceles triangle are congruent.



- (a) Beginning with the given figure on the left, Elle draws \overline{CD} and marks the figure intending that this new segment is a(n) (median/ angle bisector/ perpendicular bisector/ altitude ✓).
 - (b) Based on the marked figure, Deja claims that the $\triangle ACD \cong \triangle \boxed{BCD}$ by (SAS/ SSS/ SSA/ ASA/ HL ✓).
 - (c) Finally, Deja concludes that $\angle A \cong \angle \boxed{B}$, as they are corresponding parts of congruent triangles.
-

Problem 4 Simon and Taylor are trying to prove that the base angles of an isosceles triangle are congruent.



The Isosceles Triangle Theorem

Beginning with the given figure on the left, Simon draws \overline{CD} and marks the second figure intending that this new segment is a perpendicular bisector of \overline{AB} .


Taylor claims that a perpendicular bisector of a side of a triangle usually misses the opposite vertex. So without using properties of isosceles triangles, the figure must allow for that possibility.

Choose the best response to their argument:

Multiple Choice:

- (a) Simon is correct, and $\triangle ACD \cong \triangle BCD$ by SAS.
- (b) Simon is correct, and $\triangle ACD \cong \triangle BCD$ by SSS
- (c) Taylor is correct, and the perpendicular bisector cannot be used to complete this proof. ✓
- (d) Neither of them are correct.

Problem 5 Prove that the base angles of an isosceles triangle are congruent.



Given figure

- (a) Examining the given figure on the left, Lissy notices symmetry in the triangle and claims that the triangle is congruent to itself by a (translation / reflection ✓/ rotation).
- (b) Based on the marked figure, Lissy claims that the $\triangle ACB \cong \triangle \boxed{BCA}$ by (SAS ✓/ SSS/ SSA/ ASA/ HL).
- (c) Finally, Lissy concludes that $\angle A \cong \angle \boxed{B}$, as they are corresponding parts of congruent triangles.