

# The Role of $C_e^2$ in VAM Dynamics

*Omar Iskandarani*

Independent Researcher, Groningen, The Netherlands

ORCID: 0009-0006-1686-3961

DOI: 10.5281/zenodo.15566319

June 13, 2025

## **Abstract**

Abstracts are not typically included in appendices, but for standalone it is needed.

# The Role of $C_e^2$ in VAM Dynamics

In the Vortex Æther Model (VAM), the constant  $C_e$  — the core tangential swirl velocity — plays a role analogous to the speed of light  $c$  in relativity. It governs the scale at which internal vortex motion couples to inertial effects, mass, and time evolution. Its square,  $C_e^2$ , appears throughout the theory as a natural denominator wherever kinetic, energetic, or gravitational effects emerge.

## 1. Interpretation of $C_e^2$

- **Inertia Coupling:** Swirl-induced mass depends on energy-like terms normalized by  $C_e^2$ , mirroring  $E = mc^2$  in special relativity.
- **Time Dilation:** Local time is modified by swirl velocity as:

$$d\tau = dt \cdot \sqrt{1 - \frac{\omega^2 r^2}{C_e^2}}$$

- **Swirl Mass Generation:** Energy per unit volume from vortex motion ( $\sim \frac{1}{2}\rho v^2$ ) is converted to mass via  $C_e^2$ .
- **Gravitational Coupling:** Appears in the VAM expression for  $G$ , derived from vortex coupling:

$$G \sim \frac{C_e c^5 t_p^2}{2F_{\max} r_c^2}$$

Thus,  $C_e^2$  is fundamental to scaling rotational energy into inertial and gravitational analogues in the VAM framework.

## 2. Table of Expressions Involving $C_e^2$

## 3. Symbolic Equivalence $C_e^2 \leftrightarrow c^2$

VAM exhibits a direct analogue to relativistic dynamics where  $C_e^2$  plays the same role as  $c^2$ :

**Time Dilation Analogy:**

$$\begin{aligned} \text{Special Relativity: } d\tau &= dt \cdot \sqrt{1 - \frac{v^2}{c^2}} \\ \text{VAM Swirl Clock: } d\tau &= dt \cdot \sqrt{1 - \frac{v_{\text{swirl}}^2}{C_e^2}}, \quad v_{\text{swirl}} = \omega r \end{aligned}$$

**Mass-Energy Equivalence:**

$$\begin{aligned} \text{Relativity: } E &= mc^2 \\ \text{VAM: } E &= mC_e^2 \Rightarrow m = \frac{\frac{1}{2}\rho v^2}{C_e^2} \end{aligned}$$

### Gravitational Redshift Analogy:

$$\begin{aligned}\text{GR: } g_{tt} &\approx 1 + \frac{2\Phi}{c^2} \\ \text{VAM: } g_{tt}^{\text{eff}} &\approx 1 - \frac{v^2}{C_e^2}\end{aligned}$$

**Summary Equivalence Table:** We conclude that:

$$\boxed{C_e^2 \longleftrightarrow c^2}$$

This symbolic equivalence formalizes the deep analogy between relativistic spacetime curvature and the VAM framework of swirl-induced gravitational behavior.

## References

Expression	Physical Meaning	VAM Role
$\frac{r_c}{C_e^2}$	Core radius over swirl velocity squared	Temporal inertia scaling
$\frac{F_{\max}}{C_e^2}$	Max force per swirl energy unit	Force–mass–energy coupling
$\frac{1}{2}\rho v^2/C_e^2$	Energy density to mass conversion	Inertial mass from kinetic field
$\frac{\omega^2 r^2}{C_e^2}$	Time dilation correction	Vortex-clock slowdown
$\frac{8\pi\rho\omega r_c^3}{C_e}$	VAM prefactor	Total mass contribution per vortex

Table 1: Representative appearances of  $C_e^2$  in core VAM expressions.

Quantity	Relativistic (GR)	VAM Equivalent
Limiting speed	$c$	$C_e$
Mass-energy conversion	$E = mc^2$	$E = mC_e^2$
Time dilation	$\sqrt{1 - v^2/c^2}$	$\sqrt{1 - v^2/C_e^2}$
Gravitational potential scaling	$\Phi/c^2$	$v^2/C_e^2$

Table 2: Mapping of relativistic quantities to their vortex-based analogues in VAM.