

Defining Temporal Constructs in the Vortex Æther Model (VAM)

Omar Iskandarani

Independent Researcher, Groningen, The Netherlands

ORCID: 0009-0006-1686-3961

DOI: 10.5281/zenodo.15566319

June 13, 2025

Abstract

This appendix derives and interprets key temporal field equations within the Vortex Æther Model (VAM), a framework that integrates fluid dynamics, topology, and field theory to describe spacetime as a rotating superfluid medium. By introducing constructs such as Swirl Clock phase, Æther-time, and Vortex Proper Time, we explore the dynamical interplay between internal vortex evolution and external ætheric modulation. The appendix provides derivations for three cornerstone equations: energy conservation with Kairos-event triggering, phase-gradient dynamics of the swirl clock, and field tensor modulation in an æther-relative frame. Each expression is linked to a physically motivated symmetry or conservation principle, offering insight into how temporality and topological coherence co-emerge in this model. These results pave the way for quantized time constructs and vortex-based interpretations of mass, gravity, and field interaction.

1 Defining Temporal Constructs in the Vortex Æther Model (VAM)

$$\mathcal{N} \longrightarrow \nu_0 \longrightarrow \tau \longrightarrow S(t) \longrightarrow T_v \longrightarrow \mathbb{K}$$

In the Vortex Æther Model (VAM), time is not singular—it is layered, emergent, and topologically mediated. To account for the various temporal phenomena observed in knotted fluid structures and relativistic motion, we introduce a multi-tiered temporal ontology.




Figure 1: Ontological spiral of temporal emergence in the Vortex Æther Model, illustrating the transition from absolute ætheric time to vortex-local and emergent moments.

As shown in Figure ??, each form of time flows outward from the center—the **Æther Origin**—along an ontological spiral:

1. **Æthēr-Time \mathcal{N}** : The foundational, universal time. It is absolute, metaphysical, and unmeasurable. All other forms of time emerge in relation to it.
2. **Now-Point ν_0** : The intersection of a local system with the universal present. It serves as a temporal 'event horizon'—a delta-function sampling of \mathcal{N} .
3. **Chronos-Time τ** : Measurable, proper time experienced by observers moving through the æther. Subject to dilation effects; it arises from a sequence of Now-Points.
4. **Swirl Clock $S(t)$** : The cyclical phase of a vortex structure. This internal clock governs identity preservation and rotation-state in the knot.
5. **Vortex Proper Time T_v** : Time internal to a knotted loop, arising from its geodesic closure. Reflects the memory of internal twist and topological persistence.

6. **Kairos Moment \mathbb{K}** : A critical, emergent moment—often tied to topological transitions, bifurcations, or irreversible events such as vortex reconnection.

Together, these constructs model time not as a single axis, but as a woven gradient—from cosmic invariance to local transformation. This spiral encapsulates both the metaphysical foundations and the measurable dynamics of time within the VAM framework.

Name	Symbol	Type	Description and Role
Chronos-time	τ	Relative / Measurable	Sequential time; proper time experienced by localized systems in motion through the æther. Core for modeling time dilation.
Aithēr-time	\mathcal{N}	Absolute / Universal	The invariant universal present; a metaphysical and ontological background for all temporal flow.
Swirl Clock	\mathcal{U} or $S(t)$	Local / Cyclical	Internal clock-like rhythm of a vortex knot. Tracks phase, rotation, or identity shift through time.
Kairos Moment	\mathbb{K}	Threshold / Emergent	The qualitative, transformational moment when a system undergoes critical phase alignment or collapse.
Æther Frame	Ξ_0	Reference Frame	Hypothetical inertial frame where the æther medium is at rest. Used for symmetry-breaking and baseline flow analysis.
Vortex Proper Time	T_v	Derived / Topological	Time internal to the closed knot or vortex loop. Emerges from geodesic paths and twist topology.
Now-Point	ν_0	Local Event / Temporal Slice	Precise location in spacetime where a point in the æther intersects the universal present. Useful in field causality.

Table 1: Temporal constructs used in the Vortex Æther Model. These notations distinguish between measurable time, absolute background time, internal vortex phase, and field-causality moments.

(1) Vortex Proper Time Evolution: (1)

$$\frac{d\tau}{d\mathcal{N}} = \gamma^{-1}(\vec{v}) \quad (2)$$

(2) Swirl Clock Gradient: (3)

$$\nabla S(t) = \frac{\partial \vec{S}}{\partial \mathcal{N}} + \omega(\tau)\hat{n} \quad (4)$$

(3) Field Tensor Modulation (Æther-relative): (5)

$$F^{\mu\nu}(\Xi_0) = \partial^\mu A^\nu - \partial^\nu A^\mu + \phi(\mathcal{U})\delta^{\mu\nu} \quad (6)$$

(4) Ætheric Causality Surface: (7)

$$\Sigma_{\nu_0} = \{x^\mu \mid \tau(x) = \mathcal{N}\} \quad (8)$$

(5) VAM Energy Conservation in Æther Frame: (9)

$$\frac{dE}{d\mathcal{N}} + \nabla \cdot \vec{J} = \mathbb{K}(\vec{x}, \tau) \quad (10)$$

Classical Greek Candidates

(Chronos) — *Linear time*

- Sequential, measurable
- Already used in physics-adjacent language
- Good for Swirl Clocks

(Kairos) — *Qualitative, sacred, the right time*

- Evokes *timelessness* or *significance*
- Works for moments of change, turning points, or *the now*
- A good poetic stand-in for absolute time, but maybe too mystical

(Hora) — Kind of basic

- Literally “hour”
- Probably *too* mundane unless you’re naming a clock app

Wild but Useful Alternatives

(Aithr) — literally “Æther”

- Why not just *own* it? Make Aithēr-time the name of the universal backdrop
- Then Chronos-time becomes the local, measurable perturbation
- Let the reader *feel* that difference:
 - “In Aithēr-time, all events coexist.”
 - “In Chronos-time, your wristwatch disagrees with my satellite.”

(Nun) — “Now”, in philosophical Greek

- Used heavily in Aristotle for the “eternal now”
- Could be a poetic alias for the presence-point in your model

Get real spicy and use:

- for the universal present
- for local proper time changes
- for Kairos-time when something irreversible happens

Concept	Word	Symbol Suggestion	Notes
Relative Time	Chronos	(tau)	Already used for proper time in relativity. I
Absolute Time	Aithēr-Time or Nun	or (calligraphic N or A)	Stands for “Now” or “Æther.” Visually disti
Swirl Clock	–	or (Omega)	Circular, cycle-based. Maybe use for specif
Absolute Frame	–	(Xi) or	Could designate the undisturbed æther fram

Table 2

Figure 2: Temporal Topology in the Vortex Æther Model (VAM). All constructs of time emerge radially from a central ætheric origin. Each node represents a different mode of temporal existence in the VAM framework.

Interpretation of the Temporal Swirl

The Vortex Æther Model introduces a layered ontology of time, expressed visually as a topological swirl. At the origin lies the metaphysical æther, an inertial and undisturbed medium. From this foundation, distinct temporal modes unfold:

- **Aithēr-Time** (\mathcal{N}): The universal, absolute timeline. Serves as a background structure for causality and all field dynamics. Not experienced directly but used as a reference.
- **Now-Point** (ν_0): A local intersection in spacetime where an event coincides with the universal present. Defines causal update surfaces.
- **Chronos-Time** (τ): Measurable time within the ætheric flow. Corresponds to proper time and exhibits relativistic effects such as dilation.
- **Swirl Clock** ($S(t)$): Internal phase tracker of a vortex. Encodes identity, rotation, and the cumulative effect of angular motion.
- **Kairos Moment** (\mathbb{K}): Topological or energetic bifurcation points. Used to mark critical transitions like reconnection or collapse.
- **Vortex Proper Time** (T_v): The geodesic loop-time inside a vortex. It is a derived, topological measure based on internal circulation or twist count.

Each form of time in the VAM supports a different domain of analysis: from global conservation and symmetry breaking to local measurement and knot identity. By using this temporal taxonomy, the model bridges metaphysical continuity with emergent topological structure. This multi-layered treatment is essential for describing phase shifts, causality, and stability in vortex-bound field dynamics.

	Aithēr-Time (\mathcal{N})	Now-Point (ν_0)	Chronos-Time (τ)	Swirl Clock ($S(t)$)
Aithēr-Time ()	Universal backdrop; absolute	Defines when Now-point is sampled	Chronos is a projection from	Phase progresses within flow
Now-Point ()	Sampled slice of	Event intersection; singular	Local instance where =	Marks phase readout point
Chronos-Time ()	Relative clock derived from	Progresses across slices	Classical relativistic time	Phase unfolds at rate tied to
Swirl Clock ($S(t)$)	Phase tracker on base	Sampled at per loop	Depends on to accumulate phase	Cyclic identity; angular continuity
Kairos Moment ()	Nonlinear fold in	Qualitative event at	Threshold within evolution	Phase alignment triggers
Vortex Time (T_v)	Looped time span via	Now-point traced along knot	projected over closed path	Builds $S(t)$ over knot period

Temporal Constructs in the Vortex Æther Model (VAM)

Aithēr-Time \mathcal{N} — Absolute Background Time

Concept: The universal, nonlocal flow of time; the foundation from which all other temporal phenomena are derived.

Mathematical Form:

$$\mathcal{N} \in \mathbb{R}, \quad d\mathcal{N} = \text{invariant}$$

Physical Role: Provides the absolute time frame used to define causality and field evolution in the æther medium.

Applications: Symmetry foundations, æther dynamics, background for field interactions.

Now-Point ν_0 — Local Present Intersection

Concept: The intersection of a system with the absolute time—defining its local "now."

Mathematical Form:

$$\nu_0(x) : \tau(x) = \mathcal{N}$$

Physical Role: Anchors relativistic causality. Each observer's "present" exists as a now-point in the universal flow.

Applications: Event tracking, synchronization, slice definitions in relativistic spacetime.

Swirl Clock $S(t)$ — Phase Evolution, Continuous Identity

Concept: The cyclic time evolution of a vortex; a phase tracker or heartbeat of the vortex.

Mathematical Form:

$$S(t) = \theta(t) \mod 2\pi$$

Physical Role: Represents the local angular phase of the vortex; tracks internal identity through cyclic motion.

Applications: Rotational symmetry, Berry phase analogs, spin coherence.

Vortex Time T_v — Topological Duration, Internal Clock

Concept: The intrinsic looped time experienced by a vortex through one full geodesic cycle.

Mathematical Form:

$$T_v = \oint \frac{ds}{v_{\text{phase}}}$$

Physical Role: Measures internal duration of a knot loop; basis for vortex identity and mass stability.

Applications: Quantized circulation, knot dynamics, resonance time, mass derivation.

Chronos-Time τ — Measurable, External Flow

Concept: Classical proper time experienced by moving bodies, projected from the universal frame.

Mathematical Form:

$$d\tau = \frac{1}{\gamma(\vec{v})} d\mathcal{N}$$

Physical Role: Governs relativistic time dilation and clock rates in the moving æther frame.

Applications: Lorentz transformations, motion analysis, æther-relative physics.

Kairos Moment \mathbb{K} — Transformational Threshold

Concept: A phase-critical moment in which irreversible change or collapse occurs.

Mathematical Form:

$$\mathbb{K}(\vec{x}, \tau) = \delta(\tau - \tau_c)$$

Physical Role: A singular moment of transition—birth, collapse, phase shift, or knot reconnection.

Applications: Discrete jumps in vortex state, mass bifurcation, ætheric events.

A Temporal-Topological Dynamics in the Vortex Æther Model

Equation (1): Ætheric Energy Conservation with Kairos Trigger

$$\frac{dE}{d\mathcal{N}} + \nabla \cdot \vec{J} = \mathbb{K}(\vec{x}, \tau)$$

Interpretation: The rate of energy change in universal time \mathcal{N} is balanced by flux divergence and a local “Kairos event” \mathbb{K} . When $\mathbb{K} \neq 0$, topological transitions (e.g., knot formation, decay) occur—this term models time-symmetric violations or energy ”pinches.”

Derivation: Rewriting the equation in residual form:

$$\left(\frac{dE}{d\mathcal{N}} + \nabla \cdot \vec{J} \right) - \mathbb{K}(\vec{x}, \tau) = 0$$

This implies that under equilibrium (no Kairos-event), energy conservation holds strictly in the æther frame.

Usage Example: Use this to model particle generation from knotted field reconnection, where \mathbb{K} behaves like a Dirac delta at the event horizon of a phase collapse.

Equation (2): Swirl Clock Phase Evolution

$$\nabla \vec{S}(t) = \frac{d}{d\mathcal{N}} \vec{S}(t) + \omega(\tau) \hat{n}$$

Interpretation: The spatial gradient of the internal swirl phase $\vec{S}(t)$ is composed of a universal clock drift plus intrinsic vortex angular velocity. $\omega(\tau)$ is locally defined, modulated by proper time τ .

Residual Form:

$$\nabla \vec{S}(t) - \left(\frac{d}{d\mathcal{N}} \vec{S}(t) + \omega(\tau) \hat{n} \right) = 0$$

This reveals that phase rotation in space is shaped by internal angular twist plus ætheric modulation.

Usage Example: Apply to track relative phase coherence between two rotating vortex states. Phase jumps or interference patterns emerge when $\omega(\tau)$ is nonlinear (resonances, synchronization zones).

Equation (3): Æther-Modulated Field Tensor

$$F^{\mu\nu} = \partial^\mu A^\nu - \partial^\nu A^\mu + \phi(\cup) \delta^{\mu\nu}$$

Interpretation: This is a modified gauge field equation. The extra term $\phi(\cup)$ introduces a scalar modulation based on internal swirl phase, which can represent helicity injection or topological memory from prior knot interactions.

Expanded Form:

$$F^{\mu\nu} = A^\mu \partial^\nu - A^\nu \partial^\mu + \delta^{\mu\nu} \phi$$

This describes a modified gauge-like field structure, where scalar phase influences induce physical effects even in static potential configurations.

Usage Example: Use to model non-Abelian-like gauge fields in a curved æther background. The extra term can simulate how knotted vortex structures alter the field topology—yielding emergent mass or anomalous field behavior.

Unified Interpretation

Together, these three equations constitute the dynamic triad of the Vortex Æther Model: energy, phase, and field interactions all modulated through the flow of time (\mathcal{N}, τ) and internal topology (via swirl and vortex).

Concrete Examples

Example 1: Trefoil Vortex and Energy Dissipation

Consider a trefoil knot vortex circulating in the æther with a proper time loop $T_v = 1.5 \times 10^{-21}$ s. Assume:

- Circulation $\Gamma = 6.6 \times 10^{-8}$ m²/s
- Energy flux divergence $\nabla \cdot \vec{J} = 1.2 \times 10^{-13}$ W/m³

Suppose a Kairos moment occurs, releasing energy $\mathbb{K} = 3.3 \times 10^{-12}$ W/m³. Plug into Eq. (1):

$$\frac{dE}{d\mathcal{N}} = \mathbb{K} - \nabla \cdot \vec{J} = 2.1 \times 10^{-12} \text{ W/m}^3$$

This suggests a net gain in ætheric energy due to topological reconfiguration.

Example 2: Swirl Clock Interference

Let two vortex clocks $S_1(t)$ and $S_2(t)$ have angular velocities $\omega_1 = 4\pi$ rad/s and $\omega_2 = 5\pi$ rad/s. Their phase difference:

$$\Delta S(t) = (\omega_1 - \omega_2)t = -\pi t$$

Constructive interference occurs at times $t = 2n$ s, where n is an integer. Destructive interference arises at $t = (2n + 1)$ s.

This demonstrates phase locking and beat frequencies in swirl-coupled systems—relevant for modeling spinor-like interference or timing gates in the æther.

Example 3: Swirl-Modified Gauge Field

Let $A^\mu = (0, A_x, 0, 0)$ with $A_x = e^{-x^2}$ and a swirl-based potential $\phi(\cup) = \lambda \sin(\theta)$.

Then:

$$F^{10} = \partial^1 A^0 - \partial^0 A^1 + \phi \delta^{10} = -\partial_t A_x$$

If A_x has time-dependence $A_x(t) = e^{-x^2} \cos(\omega t)$, then:

$$F^{10} = \omega e^{-x^2} \sin(\omega t) + \lambda \sin(\theta) \delta^{10}$$

This field tensor is perturbed by the swirl field $\theta(t)$ —meaning the æther's internal angular structure actively modulates observable field strengths.

Appendix: Visualizing Temporal Dynamics in VAM

1. Swirl Clock Interference Pattern

2. Energy Growth from Kairos Moment

3. Swirl-Modulated Field Tensor




Figure 3: Interference between two swirl clocks with angular frequencies $\omega_1 = 4\pi$ and $\omega_2 = 5\pi$. The phase difference leads to beat structures and modulation patterns—analogueous to quantum spinor dynamics and timing gates in ætheric systems.




Figure 4: Temporal evolution of energy density in æther, showing energy injection at a Kairos moment (\mathbb{K}) minus the divergence of energy flux $\nabla \cdot \vec{J}$. The slope reflects the conservation law $\frac{dE}{dN} + \nabla \cdot \vec{J} = \mathbb{K}$.




Figure 5: Spatial variation of the gauge field tensor component F^{10} under the influence of a swirl-phase-modulated potential $\phi(\vartheta) = \lambda \sin(\theta(x))$ and a vector potential $A_x(t) = e^{-x^2} \cos(\omega t)$. This illustrates how topological internal structures alter observable field properties.