The Front-End Checklist

m The Front-End Checklist Application is perfect for modern websites and meticulous developers! 🖈 Generated on http://frontendchecklist.io 🛨

Project Name web-dev-hub	0/47 √ high priority0/25 √ medium priority				
Page title or URL	0/16 ✓ low priority				
https://lambda-w-1-notes.netlify.app/					
Developer's name or team bryan guner					
0 % Head items are √					
HEAD 6 % Head items are 7					
Doctype: The Doctype is HTML5 and is at the top of all your HTML pages.					
Charset: The charset declared (UTF-8) is declared correctly.					
Viewport: The viewport is declared correctly.					
Title: A title is used on all pages					
• Description: A meta description is provided, it is unique and doesn't possess	more than 150 characters.				
• Favicons: Each favicon has been created and displays correctly.					
Apple Web App Meta: Apple meta-tags are present.					
Windows Tiles: Windows tiles are present and linked.	● ☐ Windows Tiles: Windows tiles are present and linked.				
Canonical: Use rel="canonical" to avoid duplicate content.					
• Language attribute: The <code>lang</code> attribute of your website is specified.	Language attribute: The <code>lang</code> attribute of your website is specified and related to the language of the current page.				
• Direction attribute: The direction of lecture is specified on the html tag (It car	be used on another HTML tag).				
■ Alternate language : The language tag of your website is specified and related to the language of the current page.					
Conditional comments: Conditional comments are present for IE if needed.					
RSS feed: If your project is a blog or has articles, an RSS link was provided.					
• Inline critical CSS: The inline critical CSS is correctly injected in the HEAD.					
• CSS order: All CSS files are loaded before any JavaScript files in the HEAD					
Facebook Open Graph:					
Twitter Card:					
HTML 0 % HTML items are √					
HTML5 Semantic Elements: HTML5 Semantic Elements are used appropriate.	tely (header section footer main)				
	iciy (neader, section, rooter, main).				
 Error pages: Error 404 page and 5xx exist Noopener: In case you are using external links with target=" blank", your link should have a rel="noopener" attribute to prevent tab nabbing. If you need 					
support older versions of Firefox, use rel="noopener noreferrer"	Should have a rei- hoopener altribute to prevent tab habbing. If you need to				
Clean up comments: Unnecessary code needs to be removed before sending.	g the page to production.				
• W3C compliant: All pages need to be tested with the W3C validator to identif	y possible issues in the HTML code.				
• THING Lint: I use tools to help me analyze any issues I could have on my HTM	ЛL code.				
• Link checker: There are no broken links in my page, verify that you don't hav	e any 404 error.				
• Adblockers test: Your website shows your content correctly with adblockers	enabled				

•	_	
•		Webfont format: WOFF, WOFF2 and TTF are supported by all modern browsers.
•		Webfont size: Webfont sizes don't exceed 100 KB (all variants included).
•		Webfont loader: Control loading behavior with a webfont loader.
C	S	S 0 % CSS items are √
•		Responsive Web Design: The website is using responsive web design.
•		CSS Print: A print stylesheet is provided and is correct on each page.
•		Unique ID: If IDs are used, they are unique to a page.
•		Reset CSS: A CSS reset (reset, normalize or reboot) is used and up to date.
•		JS prefix: All classes (or id- used in JavaScript files) begin with js- and are not styled into the CSS files.
•		Embedded or inline CSS: Avoid at all cost embeding CSS in <style> tags or using inline CSS</th></tr><tr><th>•</th><th></th><th>Vendor prefixes: CSS vendor prefixes are used and are generated accordingly with your browser support compatibility.</th></tr><tr><th>•</th><th></th><th>Concatenation: CSS files are concatenated in a single file (Not for HTTP/2).</th></tr><tr><th>•</th><th></th><th>Minification: All CSS files are minified.</th></tr><tr><th>•</th><th></th><th>Non-blocking: CSS files need to be non-blocking to prevent the DOM from taking time to load.</th></tr><tr><th>•</th><th></th><th>Stylelint: All CSS or SCSS files are without any errors.</th></tr><tr><th>•</th><th></th><th>Responsive web design: All pages were tested with the correct breakpoints.</th></tr><tr><th>•</th><th></th><th>CSS Validator: The CSS was tested and pertinent errors were corrected.</th></tr><tr><th>•</th><th></th><th>Desktop Browsers: All pages were tested on all current desktop browsers (Safari, Firefox, Chrome, Internet Explorer, EDGE)</th></tr><tr><th>•</th><th></th><th>Mobile Browsers: All pages were tested on all current mobile browsers (Native browser, Chrome, Safari)</th></tr><tr><th>•</th><th></th><th>OS: All pages were tested on all current OS (Windows, Android, iOS, Mac)</th></tr><tr><th>•</th><th></th><th>Reading direction: All pages need to be tested for LTR and RTL languages if they need to be supported.</th></tr><tr><th></th><th>•</th><th>/ACCDIDT 0 % JavaScript items are √</th></tr><tr><th>J</th><th>A۱</th><th>/ASCRIPT 0 % JavaScript items are √</th></tr><tr><th>•</th><th></th><th>JavaScript Inline: You don't have any JavaScript code inline (mixed with your HTML code).</th></tr><tr><th>•</th><th></th><th>Concatenation: JavaScript files are concatenated.</th></tr><tr><th>•</th><th></th><th>Minification: JavaScript files are minified (you can add the .min suffix).</th></tr><tr><th>•</th><th></th><th>JavaScript security:</th></tr><tr><th>•</th><th></th><th>noscript tag: Use `<noscript>` tag in the HTML body if a script type on the page is unsupported or if scripting is currently turned off in the browser. This will be helpful in client-side rendering heavy apps such as React.js.</th></tr><tr><th>•</th><th></th><th>Non-blocking: JavaScript files are loaded asynchronously using async or deferred using defer attribute.</th></tr><tr><th>•</th><th></th><th>Modernizr: If you need to target some specific features you can use a custom Modernizr to add classes in your <html> tag.</th></tr><tr><th>•</th><th></th><th>ESLint: No errors are flagged by ESLint (based on your configuration or standards rules).</th></tr><tr><th></th><th></th><th></th></tr><tr><th></th><th>ΛA</th><th>AGES 0 % Images items are √</th></tr><tr><th>•</th><th></th><th>Optimization: All images are optimized to be rendered in the browser. WebP format could be used for critical pages (like Homepage)</th></tr><tr><th>•</th><th></th><th>Picture/Srcset: You use picture/srcset to provide the most appropriate image for the current viewport of the user.</th></tr><tr><th>•</th><th></th><th>Retina: You provide layout images 2x or 3x, support retina display.</th></tr><tr><th>•</th><th></th><th>Sprite: Small images are in a sprite file (in the case of icons, they can be in an SVG sprite image).</th></tr><tr><th>•</th><th></th><th>Width and Height: Set width and height attributes on if the final rendered image size is known (can be omitted for CSS sizing).</th></tr><tr><th>•</th><th></th><th>Alternative text: All have an alternative text which describe the image visually.</th></tr></tbody></table></style>

	_		
)		Lazy loading: Images are lazyloaded (A noscript fallback is always provided).	
\	C	CESSIBILITY 0 % Accessibility items are √	
		Progressive enhancement: Major functionality like main navigation and search should work without JavaScript enabled.	
)		Color contrast: Color contrast should at least pass WCAG AA (AAA for mobile).	
)		H1: All pages have an H1 which is not the title of the website.	
)		Headings: Headings should be used properly and in the right order (H1 to H6).	
		Specific HTML5 input types are used: This is especially important for mobile devices that show customized keypads and widgets for different types.	
)		Label: A label is associated with each input form element. In case a label can't be displayed, use aria-label instead.	
)		Accessibility standards testing: Use the WAVE tool to test if your page respects the accessibility standards.	
)		Keyboard navigation: Test your website using only your keyboard in a previsible order. All interactive elements are reachable and usable.	
)		Screen reader: All pages were tested in two or more screen readers (such as JAWS, VoiceOver, and NVDA).	
)		Focus style: If the focus is disabled, it is replaced by visible state in CSS.	
	EF	RFORMANCE 0 % Performance items are ✓	
)		Page weight: The weight of each page is between 0 and 500 KB.	
)		Minified HTML: Your HTML is minified.	
)		Lazy loading: Images, scripts and CSS need to be lazy loaded to improve the response time of the current page (See details in their respective sections)	ı
)		Cookie size: If you are using cookies be sure each cookie doesn't exceed 4096 bytes and your domain name doesn't have more than 20 cookies.	
		Third party components:	
)		DNS resolution: DNS of third-party services that may be needed are resolved in advance during idle time using dns-prefetch.	
)		Preconnection: DNS lookup, TCP handshake and TLS negotiation with services that will be needed soon is done in advance during idle time using preconnect.	
)		Prefetching: Resources that will be needed soon (e.g. lazy loaded images) are requested in advance during idle time using prefetch.	
		Preloading: Resources needed in the current page (e.g. scripts placed at the end of <body>) in advance using preload.</body>	
)		Google PageSpeed: All your pages were tested (not only the homepage) and have a score of at least 90/100.	
31	ΕC	0 % SEO items are √	
)		Google Analytics: Google Analytics is installed and correctly configured.	
)		Headings logic: Heading text helps to understand the content in the current page.	
)		sitemap.xml: A sitemap.xml exists and was submitted to Google Search Console.	
)		robots.txt: The robots.txt is not blocking webpages.	
)		Structured Data: Pages using structured data are tested and are without errors. Structured data helps crawlers understand the content in the current page	је
)		Sitemap HTML: An HTML sitemap is provided and is accessible via a link in the footer of your website.	
)		Pagination link tags: Provide rel="prev" and rel="next" to indicate paginated content.	