

Histogram Processing


Topics to be covered

- Histogram
- Histogram of Gray Level Image
- Histogram of Color Image
- Histogram Equalization


Histogram


Histogram is a visual or graphical distribution of the frequency of occurrence of continuous features OR events.


Data = [1, 2, 2, 2, 3, 4, 4, 4, 4, 5, 5, 6, 7, 7, 7]



Another Example








Histogram of a Gray Level Image

The range of intensity levels for gray scale image is between 0 and 255
i.e $(0 - 255)$.

Example


Intensity Levels	Number of Pixels
0	10
1	100
2	30
3	40
4	100
5	150
6	120

Histogram of Seven Intensity Levels of Gray Scale Image



Color Image Histogram

- For color images we can distribute the frequency of the values of colors.
- Since color image has three channels (RGB) and has values between $(0 - 255)$, therefore, we can plot three histograms on top of each other to represents the frequency of values of each color.




Histogram Equalization

Histogram equalization is a technique in which we try to distribute the intensity of an image in such a way as to obtain a uniform (flat) resulting histogram, in which the percentage of pixels of every intensity value is the same. This is done to obtain a better image which has more details than the input image.



Input Image




Histogram Equalized

Numerical Example

Intensity Levels (r_k)	Number of Pixels	Probability Distribution $p_k = \frac{r_k}{n}$
0	10	0.016
1	80	0.129
2	30	0.048
3	40	0.064
4	100	0.161
5	150	0.242
6	120	0.193
7	90	0.145

$$n = 620$$



Histogram Equalization

The commonly used function for histogram equalization is commulative distribution function (cdf).

$$s_k = T(r_k) = \sum_{j=0}^k p(r_j)$$

$$s_0 = T(r_0) = \sum_{j=0}^0 p(r_j) = p(r_0) = 0.016$$

$$s_1 = T(r_1) = \sum_{j=0}^1 p(r_j) = p(r_0) + p(r_1) = 0.145$$

Similarly,

$$s_2 = 0.193$$

$$s_3 = 0.257$$

Intensity Levels (r_k)	Number of Pixels	Probability Distribution $p_k = \frac{r_k}{n}$
0	10	0.016
1	80	0.129
2	30	0.048
3	40	0.064
4	100	0.161
5	150	0.242
6	120	0.193
7	90	0.145

$$n = 620$$

$$s_4 = 0.418$$


$$s_5 = 0.66$$



$$s_6 = 0.853$$

$$s_7 = 1.00$$

Intensity Levels (r_k)	Number of Pixels	Probability Distribution $p_k = \frac{r_k}{n}$	Commulative Distribution Function (s_k)	$(s_k) \times 7$	New Intensity Levels (s_k)
0	10	0.016	0.016	0.112	0
1	80	0.129	0.145	1.015	1
2	30	0.048	0.193	1.351	1
3	40	0.064	0.257	1.8	2
4	100	0.161	0.418	2.92	3
5	150	0.242	0.66	4.62	5
6	120	0.193	0.853	5.97	6
7	90	0.145	1.00	7.00	7

New Intensity Levels (s_k)	Number of Pixels
0	10
1	110
2	40
3	100
4	0
5	150
6	120
7	90





Histogram Equalization of Color Images

Color Spaces


RGB Color Spaces

RGB is an additive color space model that generates colors by combining blue, green and red and different intensities.

Red – Intensity Levels (0–255)

Green – Intensity Levels (0–255)

Blue – Intensity Levels (0–255)



HSV Color Spaces

Hue, Saturation and Value (HSV) is a color space model that represents the colors the way the humans perceive.

It stores color information in a cylindrical representation of RGB color points.

Hue – Color Value (0 – 179)

Saturation – Vibrancy of color (0-255)

Value – Intensity (0-255)

