Source (95% CI)

Primary = Lung

-1.19[-2.01; -0.37]Fumet.2, n = 43-0.99 [-1.85; -0.13] Jung, n = 26

Fumet.1, n = 44-0.55 [-1.53; 0.43]

-0.95 [-1.46; -0.44] Total

Heterogeneity: $\chi_2^2 = 0.97 \ (P = .61), \ I^2 = 0\% \ [0\%; 90\%]$

Primary = Other

Snyder, Ureteral, n = 25-0.76 [-1.78; 0.26]

 $Van_Allen, Melanoma, n = 42 -0.48 [-1.26; 0.30]$

Liu, Melanoma, n = 121 -0.39 [-0.84; 0.06]


Miao.1, Kidney, n = 33-0.20 [-1.94; 1.54]

Braun, Kidney, n = 178-0.12 [-0.47; 0.23] Total -0.28 [-0.53; -0.03]

Heterogeneity: $\chi_4^2 = 2.13 \ (P = .71), \ I^2 = 0\% \ [0\%; 79\%]$

Total -0.50 [-0.80; -0.20] Heterogeneity: $\chi_7^2 = 8.41$ (P = .30), $I^2 = 17\%$ [0%; 60%] Test for overall effect: z = -3.23 (P = .001)

Test for subgroup differences: $\chi_1^2 = 5.30 \ (P = .02)$



logHR estimate