Source (95% CI)

Primary = Melanoma

Liu, n = 121	-0.42 [-0.93; 0.09]
Riaz, $n = 51$	-0.35 [-1.04; 0.34]
Nathanson, $n = 24$	-0.20 [-1.18; 0.78]
Van_Allen, n = 42	-0.14 [-0.88; 0.60]
Hugo, $n = 27$	0.10 [–1.04; 1.24]
Total	-0.29 [-0.61; 0.04]

Heterogeneity: $\chi_4^2 = 0.92$ (P = .92), $I^2 = 0\%$ [0%; 79%]

Primary = Other

, c	
Snyder, Ureteral, n = 25	-0.26 [-1.22; 0.70]
Mariathasan, Bladder, n = 194	0.04 [-0.31; 0.39]
Mariathasan, Lymph_node, n = 26	0.19 [-0.75; 1.13]
Fumet.2, Lung, n = 43	0.31 [-0.47; 1.09]
Mariathasan, Ureteral, n = 26	0.59 [-0.37; 1.55]
Total	0.11 [-0.17; 0.39]
Hotorogonoity: $x^2 - 1.06 (D - 74) I^2$	- 0% [0% · 7 0%]

Heterogeneity: $\chi_4^2 = 1.96 \ (P = .74), \ I^2 = 0\% \ [0\%; 79\%]$

Primary = Kidney

Miao.1, $n = 33$	-0.02 [-0.88; 0.84]	
Braun, n = 178	0.10 [-0.29; 0.49]	
Mariathasan, n = 67	0.35 [-0.22; 0.92]	
Total	0.16 [-0.15; 0.46]	
Heterogeneity: $\chi_2^2 = 0.69 \ (P = .71), \ I^2 = 0\% \ [0\%; 90\%]$		
Total	0.01 [-0.16; 0.18]	
Heterogeneity: $\chi_{12}^2 = 8.17 \ (P = .77), \ I^2 = 0\% \ [0\%; 57\%]$		
Test for overall effect: $z = 0.12$ ($P = .90$)		

Test for subgroup differences: $\chi_2^2 = 4.60 \ (P = .10)$

