## Source (95% CI) **Primary = Lung**

## -0.91 [-1.50; -0.32] Fumet.2, n = 43-0.79 [-1.50; -0.08] Jung, n = 26Hwang, n = 21-0.43 [-1.17; 0.31] Fumet.1, n = 440.10 [-0.49; 0.69] Total -0.50 [-0.98; -0.02]Heterogeneity: $\chi_3^2 = 6.55 (P = .09), I^2 = 54\% [0\%; 85\%]$

## Primary = Other

i illiary – Otrici	
Van_Allen, Melanoma, n = 42	-0.42 [-0.95; 0.11]
Miao.1, Kidney, n = 33	-0.28 [-1.85; 1.29]
Liu, Melanoma, n = 121	-0.23 [-0.56; 0.10]
Snyder, Ureteral, n = 25	-0.19 [-0.92; 0.54]
Braun, Kidney, n = 178	-0.12 [-0.37; 0.13]
Total	-0.19 [-0.38; -0.01]
Heterogeneity: $\chi_4^2 = 1.08$ ( $P = .90$	0), $I^2 = 0\% [0\%; 79\%]$
Total	-0.31 [-0.51; -0.10]
Heterogeneity: $\chi_8^2 = 10.08$ ( $P = .2$	26), <i>I</i> <sup>2</sup> = 21% [0%; 62%]
Test for overall effect: $z = -2.94$	(P = .003)

Test for subgroup differences:  $\chi_1^2 = 1.37 \ (P = .24)$ 

