Source (95% CI)

Primary = Lung

-0.95 [-1.62; -0.28] Fumet.2, n = 43-0.67 [-1.67; 0.33] Hwang, n = 21-0.64 [-1.27; -0.01] Jung, n = 26Fumet.1, n = 440.17 [-0.52; 0.86] -0.51 [-1.02; -0.01] Total

Heterogeneity: $\chi_3^2 = 5.71$ (P = .13), $I^2 = 47\%$ [0%; 83%]

Primary = Other

 $Van_Allen, Melanoma, n = 42 -0.56 [-1.23; 0.11]$ Snyder, Ureteral, n = 25-0.30 [-1.10; 0.50] -0.21 [-0.58; 0.16] Liu, Melanoma, n = 121 Miao.1, Kidney, n = 33-0.19 [-1.72; 1.34]


Braun, Kidney, n = 178-0.16 [-0.41; 0.09]

-0.22 [-0.41; -0.02] Total

Heterogeneity: $\chi_4^2 = 1.25 \ (P = .87), \ I^2 = 0\% \ [0\%; 79\%]$

Total -0.32 [-0.53; -0.11] Heterogeneity: $\chi_8^2 = 9.07$ (P = .34), $I^2 = 12\%$ [0%; 53%] Test for overall effect: z = -3.01 (P = .003)

Test for subgroup differences: $\chi_1^2 = 1.17$ (P = .28)



logHR estimate