Source (95% CI)

Primary = Other

Mariathasan, Ureteral, n = 26-0.97 [-2.05; 0.11] Fumet.2, Lung, n = 43-0.03 [-0.99; 0.93] Snyder, Ureteral, n = 25-0.01 [-1.11; 1.09] Mariathasan, Bladder, n = 194 0.02 [-0.37; 0.41] Mariathasan, Lymph_node, $n = 26 \ 0.08 \ [-1.04; 1.20]$ -0.07 [-0.38; 0.25] Total Heterogeneity: $\chi_4^2 = 2.97 \ (P = .56), \ I^2 = 0\% \ [0\%; 79\%]$

Primary = Kidney

Miao.1, n = 33-0.55 [-1.88; 0.78] Mariathasan, n = 67-0.27 [-0.90; 0.36] 0.93 [0.38; 1.48] Braun, n = 178Total 0.13 [-0.79; 1.06]

Heterogeneity: $\chi_2^2 = 9.78$ (P = .008), $I^2 = 80\%$ [35%; 94%]

Primary = Melanoma

Liu, n = 121	0.07 [-0.52; 0.66]
Van_Allen, n = 42	0.08 [-0.78; 0.94]
Nathanson, $n = 24$	0.23 [-0.95; 1.41]
Hugo, n = 27	0.54 [-1.13; 2.21]
Riaz, n = 51	0.72 [-0.06; 1.50]
Total	0.27 [-0.11; 0.64]
Heterogeneity: $\chi_4^2 = 2$ ($P = .74$), $I^2 = 0\%$ [0%; 79%]	
Total	0.12 [-0.17; 0.40]
Heterogeneity: $\chi_{12}^2 = 17.69 \ (P = .13), \ I^2 = 32\% \ [0\%; 65\%]$	
Test for overall effect: $z = 0.81$ ($P = .42$)	

Test for subgroup differences: $\chi_2^2 = 1.77 \ (P = .41)$

0 0.5 1 logHR estimate