Source (95% CI)

Primary = Melanoma

Hugo, $n = 27$	-0.87 [-2.09; 0.35]
Liu, n = 121	-0.79 [-1.32; -0.26]
Van_Allen, n = 42	-0.50 [-1.24; 0.24]
Nathanson, n = 24	-0.46 [-1.46; 0.54]
Riaz, n = 51	-0.28 [-0.97; 0.41]
Total	-0.58 [-0.91; -0.25]
Heterogeneity: $\gamma^2 = 1.66 (P = 80)$	$I^2 = 0\% [0\% \cdot 79\%]$

Primary = Other

Mariathasan, Lymph_ne	ode, $n = 26$	-0.71 [-1.67;	0.25]
Snyder, Ureteral, n = 25	5	-0.65 [-1.63;	0.33]
Mariathasan, Bladder, r	า = 194	-0.23 [-0.58;	0.12]
Fumet.2, Lung, $n = 43$		-0.18 [-0.96;	0.60]
Mariathasan, Ureteral,	n = 26	-0.07 [-1.01;	0.87]
Total		-0.28 [-0.56;	-0.01
Listaragensitus 2 1 CE	$(D 00) I^2$	00/ [00/, 700/]	I

Heterogeneity: $\chi_4^2 = 1.65 \ (P = .80), \ I^2 = 0\% \ [0\%; 79\%]$

Primary = Kidney

Miao.1, $n = 33$	-0.38 [-1.26; 0.50]
Mariathasan, n = 67	0.32 [-0.25; 0.89]
Braun, n = 178	0.50 [0.11; 0.89]
Total	0.30 [-0.07; 0.68]
Heterogeneity: $\chi_2^2 = 3.2 \ (P = .20)$,	$I^2 = 38\% [0\%; 80\%]$
Total	-0.25 [-0.52; 0.02]

Heterogeneity: $\chi_{12}^2 = 24.30 \ (P = .02), \ I^2 = 51\% \ [7\%; 74\%]$ Test for overall effect: $z = -1.79 \ (P = .07)$ Test for subgroup differences: $\chi_2^2 = 12.22 \ (P = .002)$

