| Study | DI [95%CI] | P-value | |
|--|---------------------|---------|------------------|
| Snyder, Ureteral, n = 25 | -0.63 [-1.47; 0.21] | 0.14 | ←■ |
| Hugo, Melanoma, n = 27 | -0.39 [-1.33; 0.55] | 0.42 | ← |
| Riaz, Melanoma, n = 51 | -0.31 [-0.90; 0.28] | 0.29 | |
| Hwang, Lung, n = 21 | -0.20 [-1.34; 0.94] | 0.73 | ← ■ |
| Braun, Kidney, n = 178 | -0.13 [-0.46; 0.20] | 0.44 | - |
| Liu, Melanoma, n = 121 | -0.09 [-0.48; 0.30] | 0.64 | - ■ |
| Mariathasan, Lymph_node, $n = 26$ | -0.06 [-0.90; 0.78] | 0.89 | |
| Van_Allen, Melanoma, n = 42 | -0.02 [-0.61; 0.57] | 0.94 | - |
| Mariathasan, Bladder, n = 194 | 0.21 [-0.08; 0.50] | 0.17 | - |
| Mariathasan, Ureteral, n = 26 | 0.21 [-0.57; 0.99] | 0.60 | - |
| Mariathasan, Kidney, n = 67 | 0.30 [-0.13; 0.73] | 0.17 | |
| Miao.1, Kidney, n = 33 | 0.31 [-0.45; 1.07] | 0.43 | - - |
| Nathanson, Melanoma, n = 24 | 0.47 [-0.47; 1.41] | 0.33 | - - |
| Fumet.2, Lung, $n = 43$ | 0.60 [-0.09; 1.29] | 0.08 | |
| Total | 0.05 [-0.10; 0.20] | | • |
| Heterogeneity: $\chi_{13}^2 = 12.97 \ (P = .45)$, | | | |
| Test for overall effect: $z = 0.61$ ($P = .5$ | 4) | | -1 0 0.5 1 1.5 |
| | | | D.Index estimate |