(95% CI) Source

Primary = Lung

-1.92[-3.72; -0.12]Jung, n = 26Fumet.2, n = 41**-1.13** [**-2.44**; 0.18] Fumet.1, n = 39-0.79 [-2.18; 0.60] -1.18 [-2.02; -0.33] Total

Heterogeneity: $\chi_2^2 = 0.95$ (P = .62), $I^2 = 0\%$ [0%; 90%]

Primary = Other

Mariathasan, Bladder, n = 133 - 1.12 [-1.85; -0.39]Snyder, Ureteral, n = 22-0.55 [-2.08; 0.98]

Primary = Melanoma


-0.76 [-2.05; 0.53] Riaz, n = 33 $Van_Allen, n = 39$ -0.68 [-2.11; 0.75] Nathanson, n = 24-0.60 [-1.99; 0.79] Liu, n = 112-0.40 [-1.07; 0.27] Hugo, n = 270.02 [-1.39; 1.43] -0.46 [-0.94; 0.02] Total

Heterogeneity: $\chi_A^2 = 0.81$ (P = .94), $I^2 = 0\%$ [0%; 79%]

Primary = Kidney

Mariathasan, n = 46-0.24 [-1.63; 1.15] Braun, n = 1390.13 [-0.56; 0.82] Miao.1, n = 280.73 [-0.78; 2.24] 0.15 [-0.42; 0.72] Total Heterogeneity: $\chi_2^2 = 0.87$ (P = .65), $I^2 = 0\%$ [0%; 90%] -0.36[-0.69; -0.02]Total Heterogeneity: $\chi_{10}^2 = 9.52$ (P = .48), $I^2 = 0\%$ [0%; 60%] Test for overall effect: z = -2.09 (P = .04)

Test for subgroup differences: $\chi^2_2 = 6.88 \ (P = .03)$



Estimated logOR